Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





PRICE LIST

FALL, 1939 - SPRING, 1940

Trees

Shrubs Evergreens
Herbaceous Perennials

Roses

Henry Kohankie & Son

PAINESVILLE, OHIO
30 Miles East of Cleveland on Rt. 20
Tel. 4380

			•
•			
	•		
		. 4	
		or orbit	
		**	
		,* %	
		:	
		· ·	
**		•	
Control of the contro			
۶۰ *			
	٠		

PRICE LIST

E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20
One Mile East of Painesville
PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

Shrubs and Vines5-156
Herbaceous Material (including Rock and Alpine Plants)157-197
Fruit Garden Material197
Large Specimen Material207
Plants for Special Purposes207-209
Schedule of B&B Charges210
PLANT CLASSIFICATIONS
2 14 7
Coniferous Evergreens198-199
Broad-leaved Evergreens
Broad-leaved Evergreens199
Broad-leaved Evergreens

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

Deciduous and Evergreen Trees Shrubs and Vines

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

	1-4 Each	5-24 Each	25 & up Each
Abelia grandiflora. Glossy Abelia. 3'	Bach	Bach	Bach
12 to 15 in., 3 in. pots	.50	.40	.35
15 to 18 in., 3 in. pots	.60	.50	.40
18 to 24 in., 4 in. pots	.75	.65	.55
1 • ~			
schumanni. 5'	1 50	1 05	
12 to 18 in., 4 in. pots	1.50	1.25	
Abies balsamea. Balsam Fir. 50'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	3.75	3.00	2.50
4 ftB&B	4.75	4.00	3.50
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.00	
7 ftB&B	10.00		
8 ftB&B	15.00		
1 1171 ' 11' NO			
concolor. White Fir. 70'	0.50	0.00	1 50
18 inB&B	2.50	2.00	1.50
2 ftB&B	4.50	$3.00 \\ 5.00$	$2.50 \\ 4.50$
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6.00		
4 ftB&B	$8.00 \\ 10.00$	$7.00 \\ 8.50$	6.00 7.50
5 ftB&B 6 ftB&B	10.00 12.50	10.00	8.50
	· -	12.50	0.00
7 ftB&B 8 ftB&B		12.50 15.00	
9 ftB&B		18.00	
10 ftB&B		20.00	
10 10	₩U.UU	40.00	

For larger sizes to 25 ft., add \$10.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Abies.	2.0.11	20011	
concolor violacea. Purplecone Wha	ite Fir.	70'	
2 ftB&B	6.00	5.00	4.50
3 ftB&B	7.50	6.00	5.50
4 ftB&B	10.00	7.50	
5 ftB&B	12.50	10.00	
6 ftB&B	15.00	12.50	
firma. Momi Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.50	4.50	
fraseri. Fraser Fir. 50'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.00	4.75	
4 ftB&B	6.50	6.00	
5 ftB&B	7.50	7.00	
6 ftB&B	10.00		
7 ftB&B	12.50		
homolepis. Nikko Fir. 60'			
3 ftB&B	6.00	5.00	4.00
4 ftB&B	7.50	6.50	5.50
5 ftB&B	10.00	8.00	
nobilis glauca. Blueleaf Noble Fir.	20 '		
15 inB&B	5.00		
18 inB&B	6.00		
nordmanniana. Nordmann Fir. 75	•		
3 ftB&B	5.00		
4 ftB&B	6.00		
pectinata. Silver Fir. 50'			
2 ftB&B	4.00	3.50	
3 ftB&B	5.00	4.50	
$4 \text{ ft.} \dots B\&B$	7.50		
pectinata pyramidalis. Sentinel Fir.	<i>10</i> ′		
18 inB&B	4.00		
2 ftB&B	5.00		
veitchi. Veitch Fir. 80'			
3 ftB&B	5.00	4.50	3.50
4 ftB&B	6.00	5.50	5.00
5 ftB&B	10.00	8.50	
6 ftB&B	12.50		
12 ftB&B	40.00		
14 ftB&B	60.00		
LARGE SPECIMEN SHRUBS QUOTED	ON REQ	UEST.	

	1.4	5-24	25 & up
Acanthopanax pentaphyllum. Five-leav	$egin{array}{c} \mathbf{E}\mathbf{a}\mathbf{c}\mathbf{h} \ oldsymbol{e}oldsymbol{d} & oldsymbol{A}oldsymbol{r}o \end{array}$	Each d ia. 10'	Each
2 to 3 ft	.40	.30	.25
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.65
ricinifolium. Castor Aralia. 25'			
6 to 8 ft	6.50	6.00	
8 to 10 ft	8.00	7.50	
10 to 12 ft	10.00	9.00	
12 to 14 ft	15.00	12.50	
14 to 16 ft	20.00	15.00	
ricinifolium maximowiczi. 25'			
6 ft	10.00		
7 ft	12.50		
8 ft	15.00		
10 ft	18.00		
Acer buergerianum. Trident Maple. 40	"		
2 to 3 ft	2.00	1.50	1.25
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.50	5.00	4.50
10 to 12 ft	10.00	8.50	
12 to 14 ft			
14 to 16 ft	20.00	15.00	
cappadocicum. Coliseum Maple. 40) '		
12 to 14 ft	15.00		
14 to 16 ft	20.00		
dasycarpum. Silver Maple. 75'			
8 to 10 ft	1.50	1.25	1.10
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.60	1.35
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	1.90	1.65
1 % to 2 in	3.00	2.25	2.00
2 to $2\frac{1}{2}$ in	3.50	2.75	2.50
2½ to 3 in	4.50	3.50	3.00
3 to 3½ in	6.00		
$3\frac{1}{2}$ to 4 in	7.50	6.50	

	a bon		
	1-4 Each	5-24 Each	25 & up Each
Acer	Bach	Басп	Hach
dasycarpum pyramidale. Pyramidal	Silver	Maple.	75'
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
dasycarpum wieri. Wier Maple. 75		1 00	
8 to 10 ft	2.00	1.60	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	1.90	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.25	
$1\frac{3}{4}$ to 2 in	3.50	2.75	
2 to $2\frac{1}{2}$ in	5.00	3.50	
ginnala. Amur Maple. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
griseum. Paperbark Maple. 25'		- 00	
6 to 8 ft	6.00	5.00	
8 to 10 ft	7.50	6.00	
japonicum aureum. Goldenmoon Mo	iple. 1	5 '	
2 to 3 ftB&B	-		
3 to 4 ftB&B	7.50		
mandshuricum. Manchurian Maple.	201		
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	4.00	
	7.50	6.00	0.00
	10.00	8.00	
	10.00	0.00	
negundo. Box Elder. 60'	4.00	0.5	
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25		1.50
1 % to 2 in	3.00	2.50	
nigrum. Black Maple. 80'			
8 to 10 ft	4.50	4.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00	4.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.50	5.00	
1 % to 2 in	6.50		
2 to $2\frac{1}{2}$ in	7.50		

	1-4 Each	5-24 Each	25 & up Each
Acer			
nikoense. 40'			
2 to 3 ft	3.50		
palmatum. Japanese Maple. 15'			
2 to 3 ftB&B	2.25	1.75	1.50
3 to 4 ftB&B	2.50	2.00	1.75
4 to 5 ftB&B	3.50	2.75	2.25
5 to 6 ftB&B	4.50	3.50	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ft	10.00	7.50	
palmatum atropurpureum.			
Bloodleaf Japanese Maple. 10'			
2 to 3 ftB&B	3.50	3.00	2.50
3 to 4 ft	5.00	4.50	4.00
4 to 5 ftB&B	7.50	6.00	5.00
5 to 6 ft., heavyB&B	15.00	12.50	
6 to 8 ft., heavyB&B	20.00	15.00	
8 to 10 ft., heavyB&B	25.00		
palmatum dissectum atropurpureu	ım.		
Purple Threadleaf Japanese Maple	e. 6'		
18 to 24 inB&B	8.50	7.50	
2 to 3 ftB&B	10.00	8.50	
3 to 4 ftB&B	15.00		
palmatum filicifolium. $Fernleaf$ M	laple.	10'	
2 to 3 ftB&B	_	6.00	
3 to 4 ftB&B			
4 to 5 ftB&B			
palmatum roseo-marginatum. Pin	kedae	Manle 1	o '
2 to 3 ftB&B		mapro. 1	
3 to 4 ft			
5 10 4 11	10.00		
pennsylvanicum. Striped Maple. 2	25'		
4 to 5 ft	2.25	2.00	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	
CEE DAGE 157 FOR A COMPLETE LIST OF A	JEDDAC	EOUS STO	CV

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

	1-4	5-24	25 & up
Acer	Each	Each	Each
platanoides. Norway Maple. 75'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.25	1.75	1.50
1 1/4 to 1 1/2 in	2.50	2.00	1.75
1½ to 1¾ in	3.50	2.75	2.50
1 3/4 to 2 in	4.50	3.50	3.00
2 to 2½ in	5.50	4.25	3.75
2½ to 3 in	7.00	5.50	
3 to 3½ in	10.00	7.50	6.00
3 ½ to 4 in	12.50	10.00	
4 to 5 in. spec	25.00		
platanoides globosum. Globe Nora	=	ple.	
2 year, 6 ft. standards	5.00		
platanoides schwedleri. Schwedler	Maple.	60'	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	3.75	3.25
1 % to 2 in	6.00	5.00	4.00
2 to $2\frac{1}{2}$ in	10.00	7.50	
$2\frac{1}{2}$ to 3 in	12.50	10.00	
3 to 3½ in	17.50	15.00	
$3\frac{1}{2}$ to 4 in	25.00		
pseudoplatanus. Sycamore Maple.	<i>60</i> ′		
6 to 8 ft		2.00	
8 to 10 ft			
1 ½ to 1½ in			
1 ½ to 1¾ in			
1 ¾ to 2 in			
2 to 2½ in			
rubrum. Red Maple. 75'	0.05	0.00	1 50
		2.00	
8 to 10 ft			
1½ to 1½ in			
1½ to 1¾ in		4.00	
1% to 2 in			
		7.50	
$2\frac{1}{2}$ to 3 in			
3 to 3½ in		12.50	10.00
$3\frac{1}{2}$ to 4 in			
, -			
5 to $5\frac{1}{2}$ in	90.00		

	1-4 Each	5-24 Each	25 & up Each
Acer	Lacii	Bacil	Bach
saccharum. Sugar Maple. 75'			
8 to 10 ft	2.25	1.75	1.50
1½ to 1½ in	3.00	2.25	2.00
1½ to 1¾ in	3.75	3.00	2.50
1 3/4 to 2 in	4.50	4.00	3.25
2 to 2½ in	6.50	5.00	4.00
2½ to 3 in	7.50	6.50	5.00
3 to 3½ in	12.50	10.00	7.50
3½ to 4 in	15.00	12.50	
4 to 4½ in	25.00	20.00	
4½ to 5 in	35.00		
5 to $5\frac{1}{2}$ in	45.00		
spicatum. Mountain Maple. 20'			•
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.25	
tataricum. Tatarian Maple. 20'			
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	5.00	4.50	
Actinidia arguta. Bower Actinidia. 20'			
2 year	.60	.45	.35
Aesculus carnea. Red Horsechestnut.	40 '		
4 to 5 in	60.00		
5 to 6 in	75.00		
glabra. Ohio Buckeye. 25'			
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.00		
$1\frac{1}{2}$ to 2 in	6.00		
· -	7.50	_	
2½ to 3 in	10.00		
CET DA CE LET FOR A COMPLETE LICE OF			.017

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

	& DOI1		
	1-4 Each	5-24 Each	25 & up Each
Aesculus	Hach	Bach	134011
hippocastanum. Horsechestnut. 70	•		
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.50	2.75	2.50
1¼ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in	4.50	4.00	3.50
1¾ to 2 in	5.00	4.50	
2 to 2½ in	6.00	5.00	
2½ to 3 in	9.00	7.50	
3 to 3½ in	15.00	12.50	,
$3\frac{1}{2}$ to 4 in	18.00		
4 to 5 in	25.00		
_ hippocastanum baumanni.			
Double White Horsechestnut. 50'			
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
2 to $2\frac{1}{2}$ in	20.00		
octandra. Yellow Buckeye. 60'			
6 to 8 ft	2.50	2.00	1.75
8 to 10 ft	3.75	2.75	2.50
1¼ to 1½ in	4.00	3.50	3.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.00	3.50
1 3/4 to 2 in	5.50	4.50	4.00
2 to $2\frac{1}{2}$ in	7.50	6.00	5.00
$2\frac{1}{2}$ to 3 in	10.00	7.50	6.00
3 to 3½ in	15.00	12.50	10.00
$3\frac{1}{2}$ to 4 in	18.00	15.00	
4 to 5 in	25.00	20.00	
parviflora. Dwf. Horsechestnut. 12			
2 to 3 ft			
3 to 4 ft	4.50		
turbinata. Japanese Horsechestnut.	<i>30'</i>		
3 to 4 in	25.00		
5 to 6 in	35.00		

Attackton of Haman	1-4 Each <i>50'</i>	5-24 Each	25 & up Each
Ailanthus glandulosa. Tree of Heaven.	-	4 50	4.05
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.00	1.75	1.65
$10 \text{to } 12 \text{ft.} \dots$	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
1 % to 2 in	3.50	2.75	
2 to 2½ in	4.00	3.25	
$2\frac{1}{2}$ to 3 in	6.00	5.00	
3 to 4 in	7.50	6.00	
	0.05	2.00	
	$\begin{array}{c} 2.25 \\ 2.75 \end{array}$	$2.00 \\ 2.50$	
-		$\frac{2.50}{3.00}$	
$1 \frac{3}{4}$ to 2 in	$\begin{array}{c} 3.50 \\ 4.50 \end{array}$	3.50	
$2\frac{1}{2}$ to 3 in	6.00	5.00	
3 to $3\frac{1}{2}$ in	7.50	5.00	
5 to 5 /2 m	1.00		
Akebia lobata. Threeleaf Akebia. 15'			
2 year	.75	.60	.50
3 year from pots	1.00	.75	.60
quinata. Fiveleaf Akebia. 15'			
2 year	.45	.35	.25
3 year	.55	.40	.30
Albizzia julibrissin rosea. Silktree. 30) '		
12 to 18 in. from 4 in. pots	1.25	1.00	
2 to 2½ ftB&B	2.50	2.00	
Alnus cordata. Italian Alder. 40'			
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.50	2.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
1 % to 2 in	5.00	4.00	
glutinosa. European Alder. 60'			
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.75	1.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75		
$1\frac{3}{4}$ to 2 in	4.00	3.50	
$\frac{2}{2}$ to $\frac{2}{2}$ in	5.00	4.50	
$2\frac{1}{2}$ to 3 in	7.50	6.00	
3 to $3\frac{1}{2}$ in	10.00	7.50	
glutinosa laciniata. Cutleaf Alder.	<i>40</i> '		
8 to 10 ft	5.00		

Alnus	1-4 Each	5-24 Each	25 & up Each
incana. Speckled Alder. 50'			
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	. 2.50	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	. 3.00	2.50	2.00
$1\frac{3}{4}$ to 2 in	. 3.75	3.50	3.00
2 to $2\frac{1}{2}$ in	. 5.00	4.50	4.00
$2\frac{1}{2}$ to 3 in	. 7.50	6.00	5.00
3 to $3\frac{1}{2}$ in	. 10.00		
japonica. Japanese Alder. 50'			
6 to 8 ft	. 2.25	2.00	
8 to 10 ft	. 2.75	2.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	. 3.50	3.00	
2 to $2\frac{1}{2}$ in	. 5.00	4.00	
$2\frac{1}{2}$ to 3 in	. 7.50	6.00	
pendula. 30'			
2 yr. 4 ft. stems	. 5.00		
rugosa. Hazel Alder. 10'			
2 to 3 ft	. 1.00	.75	
3 to 4 ft	. 1.25	1.00	
4 to 5 ft	. 1.50	1.25	
5 to 6 ft	. 1.75	1.50	
6 to 8 ft	. 2.50	2.00	
8 to 10 ft	. 4.00	3.00	
viridis. European Green Alder.	3 ′		
3 to 4 ft	. 1.50	1.25	
4 to 5 ft	. 2.00	1.50	
Althea. (See Hibiscus).			
Amelanchier alnifolia. Saskatoon. 7'			
3 to 4 ft	. 1.50		
4 to 5 ft	. 1.75		
5 to 6 ft	. 2.50		
asiatica. 35'			
3 to 4 ft	. 1.25		
4 to 5 ft	. 1.50		
5 to 6 ft	. 2.00		
6 to 8 ft	. 2.50		

	1-4 Each	$\begin{array}{c} 5-24 \\ ext{Each} \end{array}$	25 & up Each
Amelanchier.			
canadensis. Downy Shadblow. 30'			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	
8 to 10 ft	7.50		
10 to 12 ft	12.50		
6 to 8 ft. standards	3.50	3.00	
8 to 10 ft. standards	5.00	4.00	
1 471 1 0 0 1 1 05	,		
laevis. Allegheny Serviceberry. 35			
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	3.50	3.00	2.50
6 to 8 ft. standards	3.50	3.00	
8 to 10 ft. "	5.00	4.00	
10 to 12 ft. "	7.50		
laevis rosea. 35'			
3 to 4 ft. standards	2.00	1.75	
4 to 5 ft. "	2.50	2.00	
5 to 6 ft. "	3.50	3.00	
6 to 8 ft. "	5.00	4.00	
8 to 10 ft. "	7.50	6.50	
oblongifolia. Thicket Shadblow. 28	5 '		
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	3.50	3.00	2.50
6 to 8 ft. clumpsB&B	12.50		
8 to 10 ft. clumpsB&B	15.00		
10 to 12 ft. clumpsB&B	20.00		

	1-4 Each	5-24 Each	25 & up Each
Amelanchier			
rotundifolia, syn. vulgaris.			
European Shadblow. 25'			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	3.50	3.00	2.50
6 to 8 ft. standards	3.50	3.00	
0 10 10 10.	5.00	4.00	
1	15.00		
10 to 12 ft. "B&B			
sanguinea. Roundleaf Shadblow. 8'			
3 to 4 ft	1.00		
4 to 5 ft	1.25		
5 to 6 ft	2.00		
6 to 8 ft	2.50		
8 to 10 ft	3.50		
stolonifera. Running Shadblow. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	
Amorpha brachycarpa. 3'			
18 to 24 in	.75	.60	.50
canescens. Lead Plant. 2'			
15 to 18 in	.45	.35	.30
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
fruticosa. Indigobush. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.60	.50	.40
6 to 8 ft	.75	.60	
Ampelopsis aconitifolia. Monkshood Vin			
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
henryana. Silvervein Creeper. 15'			
from 4-inch pots	.75	.60	.50
LARGE SPECIMEN SHRUBS QUOTED	ON REQU	JEST.	

Ampelopsis.	1-4 Each	5-24 Each	25 & up Each
heterophylla. Porcelain Ampelopsis.	25 '		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	
heterophylla amurensis. Amur Amp	oelopsis.	25 '	
2 year		60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. sieboldi	. 15'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
quinquefolia. Virginia Creeper. 35'			
2 year	.35	.25	.15
3 year	.40	.30	.20
4 year	.50	.40	.30
quinquefolia englemanni. Engleman	ın Creep	er. 35	,
2 year	.35	.25	.15
3 year	.40	.30	.20
4 year	.50	.40	.30
quinquefolia murorum. Wall Creepe	er.		
2 year	1.00	.75	
quinquefolia saintpauli. $\mathit{St.}$ Paul Cr	reeper.	<i>35</i> ′	
2 year	.35	.25	.20
3 year	.45	.35	.25
tricuspidata veitchi. Boston Ivy. 40) '		
2 year	.40	.30	.20
3 year	.50	.40	.30
2 year from pots	.65	.55	.50
tricuspidata lowi. Geranium Ivy.	8 '		
2 year from pots	.65	.60	.50
3 year from pots heavy	1.00	.90	.75
Amygdalus davidiana. Chinese Wild Peac	ch. 25'		
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
6 to 8 ft	3.50		
davidiana alba. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00		

	1-4 Each	5-24 Each	25 & up Each
Amygdalus	230011	Bacii	230011
nana georgica. Russian Almond. 6'	•		
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
persica. Double Flowering Peach. 10	•		
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.75	1.50	
Alboplena—Double White	.		
Clara Meyer—Double Pir			
Rosea Plena—Double Pin	k.		
Rubroplena-Double Red	•		
Andromeda. (See Pieris).			
Aralia japonica. Angelica Tree. 25'			
5 to 6 ft	1.40	1.00	.90
6 to 8 ft	2.00	1.75	1.25
pentaphyllum. (See Acanthopanax).			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	.75	.60	.50
	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
6 to 8 ft	$\frac{1.25}{2.00}$	1.50	1.00
8 to 10 ft			
10 to 12 ft	$2.50 \\ 3.50$	2.25	1.75
	5.50	3.00	2.50
Arctostaphylos uva-ursi. Bearberry.			
$3\frac{1}{2}$ in. pots	.60	.50	.45
Aristolochia sipho. Dutchman's Pipe. 30	•		
2 year	1.25	1.00	.75
tomentosa. 30'			
2 year	.75	.60	.50
Aronia arbutifolia. Red Chokeberry. 8'		.00	•00
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65		
4 to 5 ft	.05 .75		.60
		.00	.00
atropurpurea. Purple Chokeberry.			
2 to 3 ft	.50		.35
3 to 4 ft	.65	.50	.45
4 to 5 ft	.75	.65	.60

	1-4 Each	5-24 Each	25 & up Each
Aronia	Each	Each	Each
melanocarpa. Black Chokeberry. 6	3*		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.50	.45
melanocarpa elata. Glossy Chokebe	rry. 10	•	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65		.45
4 to 5 ft	.75	.65	.60
Artemesia abrotanum. Southernwood. 5	•		
3 to 4 ft	.35	.25	.20
4 to 5 ft	.45	.35	.25
5 to 6 ft	.60	.45	.35
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.00	.75	
Azalea amoena. Amoena Azalea. 4' 10 to 12 in	1 05		
	$1.25 \\ 1.75$		
12 to 15 inB&B 15 to 18 inB&B	2.25		
	4.40		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	3.75	3.00	2.75
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	3.50	2.75	2.50
hinodegiri. Carmine Azalea. 3'			
10 to 12 inB&B	1.50		
12 to 15 inB&B	2.00		
kaempferi. Torch Azalea. 5' 15 to 18 in	2.75	2.50	٠
18 to 24 inB&B	3.75		3.00
24 to 30 inB&B	4.50	4.00	
	4.00	4.00	0.00
ledifolia. Snow Azalea. 6'	0.50		
18 to 24 in	3.50		
24 to 30 in	4.00		
lutea. 10'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
3 to 4 ftB&B	5.00	4.50	
mollis. Chinese Azalea. 6'			
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.75	2.75	2.50
24 to 30 inB&B	4.50	3.50	

	1-4 Each	5-24 Each	25 & up Each
Azalea			
nudiflora. Pinxterbloom. 4'			
2 to 3 ftB&B	3.50	2.75	2.50
$3 \text{ to } 4 \text{ ft.} \dots B\&B$	4.00	3.50	
poukhanensis. Korean Azalea. 6'			
18 to 24 inB&B	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.25
3 to 4 ftB&B	6.00	5.00	
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	2.75	2.50	
24 to 30 inB&B	3.50	2.75	2.50
yodogawa. Yodogawa Azalea. 4'			
18 to 24 inB&B	3.00		
24 to 30 inB&B	3.50		
3 to 4 ft	5.00		
Baccharis halimifolia. Groundselbush. 1	0 '		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.00	1.75	1.50
*Benzoin aestivale. Spice Bush. 12'	_,,,	_,,,	_,,
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.50	2.00	1.75
8 to 10 ft. clumps B&B	15.00		
Berberis julianae. Wintergreen Barberry	y. 5'		
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B	2.25	2.00	1.75
24 to 30 inB&B	2.75	2.50	2.25
30 to 36 inB&B		3.00	
koreana. Korean Barberry. 6'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	
sargentiana. Sargent Barberry. 5'			
15 to 18 inB&B	1.75	1.50	1.25
18 to 24 inB&B			
24 to 30 inB&B	2.75	2.50	2.25

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

	1-4		25 & up
Berberis	Each	Each	Each
thunbergi. Japanese Barberry. 4'			
15 to 18 in	.20	.15	.12
18 to 24 in	.25	.20	.15
24 to 30 in	.40	.30	.20
30 to 36 in	.50	.40	.30
2 to $2\frac{1}{2}$ ft. spec	.85	.75	
$2\frac{1}{2}$ to 3 ft. spec	1.25	1.00	
3 to $3\frac{1}{2}$ ft. spec	1.75	1.50	
	2000	2.00	
thunbergi atropurpurea. Redleaf Jo	apanese	Barber	ry. 5'
18 to 24 in	.50	.40	.35
24 to 30 in	.65	.50	.40
30 to 36 in	.75	.60	.50
36 to 42 in	1.00	.75	.60
thunbergi minor. Box Barberry. 2	•		
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.40	.35
18 to 24 in	.60	.50	.45
24 to 30 in	.75	.60	.55
thunbergi pluriflora. 5'			
	.35	.25	.20
24 to 30 in		.35	
30 to 36 in	.50		
		, _ ,	
Abankanai alauffana ayasta Tuyaka	las Cal		
thunbergi pluríflora erecta. Truehed	.35		y. .20
12 to 15 in			
15 to 18 in	.50		
10 10 10 11	.00	.40	.00
triacanthophora. Threespine Barb	erry.	5 '	
12 to 18 inB&B	1.25	1.00	
verruculosa. Warty Barberry. 3'			
8 to 10 inB&B	1.50		
12 to 15 inB&B			
Berchemia racemosa. Japanese Suppleja			
15 to 18 in	.60	.50	
18 to 24 in	.75	.60	.50

*Betula alba. European White Birch. 50'	1-4 Each	5-24 Each	25 & up Each
-	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
	2.50	2.25	2.00
	3.00	2.75	2.50
<u> </u>	3.50	3.00	2.75
	5.00	4.00	3.50
$2\frac{1}{2}$ to 3 in	6.00	5.00	
	0.00	7.50	
*alba fastigiata. Pyramidal White I	Birch.	50 '	
6 to 8 ft	4.00	3.50	
	5.00	4.00	
10 to 12 ft	7.50	6.00	
*alba laciniata. Cutleaf Weeping Bi	irch.	<i>35'</i>	•
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.00	2.75	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	3.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	4.00	
1 % to 2 in	6.00	5.00	
· -	7.50	6.00	
$2\frac{1}{2}$ to 3 in	0.00	7.50	
*fontinalis. Water Birch. 40'			
6 to 8 ft	3.50		
*lenta. Sweet Birch. 40'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	1.75
·-	3.00	2.75	2.25
	3.50	3.00	2.75
	4.00	3.50	3.00
· -	5.00	4.50	
· -	7.50	6.00	5.00
3 to $3\frac{1}{2}$ in	0.00	7.50	
	2.00	1.75	1.50
	2.50	2.25	$\frac{1.50}{2.00}$
	3.00	2.75	2.50
	3.50	3.00	۵.00
	4.00	3.50	
	5.00	4.50	
	7.50	6.00	
	0.00	7.50	
	2.50		

	1-4 Each	5-24 Each	25 & up Each
Betula *maximowicziana. Monarch Birch	. 60'		
		0.50	
6 to 8 ft	2.75	2.50	
8 to 10 ft	3.50	3.00	
1½ to 1¾ in	4.50	4.00	
1 3/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
*nigra. River Birch. 50'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	3.00	2.75	
*papyrifera. Canos Birch. 40'			
6 to 8 ft	2.00	1.75	1.50
	2.50	$\frac{1.75}{2.25}$	$\frac{1.50}{2.00}$
	$\frac{2.50}{3.00}$	$\frac{2.25}{2.75}$	2.50
1½ to 1½ in	3.50	3.25	$\frac{2.30}{3.00}$
	$\frac{3.50}{4.00}$	3.75	3.25
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5.00	$\frac{3.75}{4.50}$	$\frac{3.23}{4.00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 5.00 \\ 7.50 \end{array}$	6.00	5.00
3 to $3\frac{1}{2}$ in	10.00	7.50	0.00
	12.50	10.00	
3½ to 4 in	12.00	10.00	
*papyrifera cordifolia. 40'			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00		
2 to $2\frac{1}{2}$ in	7.50		
2½ to 3 in	10.00		
*populifolia. Gray Birch. 40'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	
1½ to 1½ in	3.00		
1½ to 1¾ in	3.50	3.00	
1 % to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
2 ½ to 3 in	7.50	6.00	
3 to 3½ in	10.00		
4 to 4½ in		12.50	
6 to 8 ft. 3-stem clumps			
8 to 10 ft. 3-stem clumps	5.00	4.00	

Bignonia grandiflora. Chinese Trumpete	1-4 Each	5-24 Each <i>20'</i>	25 & up Each
2 year	.75	.60	.50
3 year	.85	.75	
4 year	1.00	.85	
grandiflora Mad. Gallen. 20'	1.00	•00	•••
2 year	1.00	.75	.60
radicans. Trumpetcreeper. 30'	1.00		•00
2 year	.30	.20	.15
3 year	.35	.25	.20
•		.20	.20
speciosa. Painted Trumpetcreeper.			
2 year	.75	.60	.50
3 year	1.00	.75	
Bischoffia trifoliata. 12'			
3 to 4 ft	2.50		
Broussonetia papyrifera. Paper Mulber	ry. 40'		
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
Bruckenthalia spiculifolia. Spikeheath. 1	, ,		
6 in., 3 inch pots		1.25	1.00
Buddleia Charming. Pink Butterfly Bus		1.20	1.00
2 to 3 ft	.60	.50	.40
davidi. Orange-eye Butterfly Bush.	5 '		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
davidi superba. 5'	• = 0	•••	•= 0
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
davidi veitchi. Veitch Butterfly Bu	sh. 5'		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
farquhari. δ'			
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
4 to 5 ft	.50	.35	.30
5 to 6 ft	.60	.50	.40
Ile de France. 4'			
2 to 3 ft	.50	.35	.25
3 to 4 ft	.60	.40	.35
		• • •	•00

	1-4	5-24	25 & up
Buddleia	Each	Each	Each
intermedia. Wisteria Butterfly Bush	a. 5'		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
lindleyana. Lindley Butterfly Bush.	<i>5'</i>		
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.20
paniculata.		•	
3 to 4 ft	.40	.35	.25
4 to 5 ft	.50	.40	.35
Buxus microphylla.			
12 to 15 in	.60	.50	.40
15 to 18 in	.75	.60	.50
misusphulls laurana			
microphylla koreana. 6 to 8 in	.65	.55	.50
10 to 12 in		.75	
	7.00		.00
sempervirens handsworthi.	•		4.0
6 to 8 in	.60	.50	.40
Callicarpa americana. American Beauty	berry.	6 '	
Callicarpa americana. American Beauty	•	6' .65	
2 to 3 ft	•		
	•	.65	.60
2 to 3 ftgiraldiana. 6'	.75	.65	.60
2 to 3 ft	.75	.65	.60
2 to 3 ft giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'.	.75 .75 1.50	.65	.60
2 to 3 ft giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft	.75 .75 1.50	.65	
2 to 3 ft	.75 .75 1.50	.65	.20
2 to 3 ft	.75 .75 1.50	.65 .65	.20
2 to 3 ft	.75 .75 1.50	.65 .65 .30	.20 .25
2 to 3 ft giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4'	.75 .75 1.50 .40 .45	.65 .65 .30	.20 .25
2 to 3 ft giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4' 18 to 24 in 2 to 3 ft	.75 .75 1.50 .40 .45	.65 .65 .30 .35	.20 .25
2 to 3 ft giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4' 18 to 24 in	.75 .75 1.50 .40 .45	.65 .65 .30 .35	.20 .25
giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4' 18 to 24 in 2 to 3 ft Calluna vulgaris. Heather. 2'	.75 .75 1.50 .40 .45	.65 .65 .30 .35	.20 .25 .20 .25
giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4' 18 to 24 in 2 to 3 ft Calluna vulgaris. Heather. 2' 6 to 8 in., 4 inch pots	.75 .75 1.50 .40 .45 .40 .45	.65 .65 .30 .35	.20 .25 .20 .25
2 to 3 ft giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4' 18 to 24 in 2 to 3 ft Calluna vulgaris. Heather. 2' 6 to 8 in., 4 inch pots 12 to 15 in., F. G	.75 .75 1.50 .40 .45 .40 .45	.65 .65 .30 .35	.20 .25 .20 .25
giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4' 18 to 24 in 2 to 3 ft Calluna vulgaris. Heather. 2' 6 to 8 in., 4 inch pots 12 to 15 in., F. G vulgaris alba. White Heather. 2'	.75 .75 1.50 .40 .45 .40 .45 .75 1.25	.65 .65 .30 .35 .30	.20 .25 .20 .25
2 to 3 ft giraldiana. 6' 2 to 3 ft giraldiana subincanescens. 6'. 3 to 3½ ft japonica. Japanese Beautyberry. 4' 18 to 24 in 2 to 3 ft purpurea. Chinese Beautyberry. 4' 18 to 24 in 2 to 3 ft Calluna vulgaris. Heather. 2' 6 to 8 in., 4 inch pots vulgaris alba. White Heather. 2' 6 to 8 in., 4 inch pots	.75 .75 1.50 .40 .45 .40 .45 .75 1.25	.65 .65 .30 .35 .30 .35	.20 .25 .20 .25

	1-4 Each	5-24 Each	25 & up Each
Calluna			
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris carnea. Flesh Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	
vulgaris searlei. 2'			
12 to 15 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
Calycanthus floridus. Sweet Shrub. 5'			
18 to 24 in	.35	.30	.25
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
occidentalis. California Sweetshrub.	<i>12'</i>		
18 to 24 in	1.00	.75	
2 to 3 ft	1.25		
Caragana arborescens. Siberian Peatree	. 15'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
boisi. 6'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.50	1.25	
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
*Carpinus betulus. European Hornbeam.	<i>60</i> ′		
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	3.25	3.00	2.75
4 to 5 ft	4.00	3.75	3.50
5 to 6 ft	5.00	4.50	4.00
6 to 8 ft	6.00	5.50	5.00
8 to 10 ft	8.50	7.50	7.00
10 to 12 ft	15.00	12.50	10.00
Sheared plants, 4 to 8 ft. quoted	on requ	ıest.	

	1-4 Each	$rac{5-24}{ ext{Each}}$	25 & up Each
Carpinus		220021	
*caroliniana. American Hornbeam.	<i>40</i> ′		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.75	2.25	$\boldsymbol{2.00}$
5 to 6 ft	3.25	2.75	2.50
6 to 8 ft	4.50	3.75	3.50
8 to 10 ft	6.00	5.50	5.00
10 to 12 ft	12.50	10.00	
Sheared plants, 4 to 10 ft., quoted	on rec	uest.	
*japonica. 40'			
3 to 4 ft., bushy	3.00	2.50	
4 to 5 ft., bushy	3.50	3.00	
5 to 6 ft	5.00	4.00	
6 to 8 ft	6.50	5.00	
*yedoensis. 25'			
2 to 3 ft	2.25	2.00	1.75
3 to 4 ft	3.50	3.00	2.50
4 to 5 ft	5.00	4.00	2.00
5 to 6 ft	6.50	5.00	
6 to 8 ft	7.50	6.00	
	••••	0,00	
Caryopteris incana. Bluebeard. 4'			
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
tangutica. 5'			
10 to 12 in., 4 inch pots	1.00	.80	.75
Catalpa bignonioides nana syn. bungei.			
Umbrella Catalpa. 12'			
2 yr. heads,			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
water Catalna 90'			
speciosa. Western Catalpa. 30' 8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.75		
1 3/4 to 2 in	2.00	1.75	1.50
Ceanothus americanus. Jersey Tea. 3'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

20 HEMEL ROHMME	& SON		
	1-4 Each	5-24 Each	25 & up Each
Cedrela sinensis. Chinese Cedrela. 50'	Liacii	Hach	Dati
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50	6.00	
Cedrus deodara Deodar. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00	4.50	
libani. Cedar of Lebanon. 50'			
2 ftB&B	3.50	3.00	
3 ftB&B	5.00	4.50	
4 ftB&B	6.50	5.50	
Celastrus orbiculatus. Oriental Bittersw	eet. 20'		
2 year	.40	.30	.20
3 year	.45	.35	.25
4 year	.60	.45	.35
scandens. Native Bittersweet. 25'			
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.45	.40
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	2.75	2.50	2.25
1 ½ to 1½ in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.25	3.00
1 3/4 to 2 in	4.00	3.75	
2 to 2½ in	5.00	4.00	
2½ to 3 in	7.50	5.00	
3 to $3\frac{1}{2}$ in	10.00	7.50	
sinensis. Chinese Hackberry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	$\frac{2.50}{3.00}$	2.50	
U 10 U 10	0.00	4.00	
Cephalanthus occidentalis. Button Bush	. 6'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65		.50

	1-4 Each	5-24	25 & up Each
*Cercidiphyllum japonicum. Katsura		Each	Бабп
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	4.50	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	7.50	6.50	5.50
8 to 10 ft. specB&B	15.00		
10 to 12 ft. specB&B	20.00		
12 to 14 ft. specB&B	25.00		
14 to 16 ft. specB&B	35.00		
* japonicum sinense. Chinese Kats	ura Tre	e. 50'	
2 to 3 ft	3.50		
3 to 4 ft	5.00		
*Cercis canadensis. American Redbud.	<i>15</i> ′		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	3.00	2.75	2.50
6 to 8 ft. specB&B	7.50		
8 to 10 ft. specB&B	10.00		
10 to 12 ft. specB&B	15.00		
*chinensis. Chinese Redbud. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	5.00	4.00	3.50
Chamaecyparis lawsoniana. Lawson Cy			
2 ftB&B	_	2.50	
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B	12.50	10.00	
lawsoniana Triomphe de Boskoop. 40'			
3 ftB&B	4.00	3.50	3.00
4 ftB&B	6.00	5.00	4.00
	9.00	7.50	
6 ftB&B			
	00		

		1-4 Each	5-24 Each	25 & up Each
Chamaecyparis				
nootkatensis. Noo	otka Cypress. 75'			
2 ft	B&B	3.00	2.50	2.25
3 ft	B&B	4.00	3.00	2.75
4 ft	B&B	5.00	4.50	
5 ft		7.50	6.00	
6 ft	B&B	9.00	7.50	
_ nootkatensis pend	ula. Weeving No	otka C	ypress. J	15 '
	B&B	7.50	6.00	
	B&B		8.00	
	B&B			
≠ obtusa compacta.	Comnact Hinoki	Cunres	ss. 10'	
-appr	B&B	3.00	2.50	2.25
		4.00	3.50	$\frac{2.25}{3.25}$
	• • • • • • • • • • • • • • • • • • • •	5.50	5.00	$\frac{3.20}{4.50}$
·		7.50	6.00	4.00
	B&B		7.50	
	B&B			
<i>i</i> it	B&B	12.50	10.00	
obtusa crippsi. <i>Y</i>	Tellow Hinoki Cyp	ress.	10 '	
	B&B	5.00		
4 ft	B&B	6.00		
obtusa gracilis. 🖇	Slender Hinoki Cy	press.	<i>15</i> ′	
2 ft	B&B	4.00	3.50	
	B&B	6.00	5.00	
	B&B			
5 ft	B&B	10.00	7.50	
6 ft	B&B	12.50	10.00	
7 ft	B&B	15.00	12.50	
obtusa nana. $\it Dw$	varf Hinoki Cypre	ss. 3'		
12 in	B&B	3.50	3.00	
	B&B	4.00		
	B&B	6.00	5.00	
	B&B	7.50	, , ,	
	B&B			

FAINESVILLE, OHI	.0		91
	Each 1-4	Each 5-24	Each 25 & up
Chamaecyparis	1-1	0-24	20 & up
pisifera. Sawara Cypress. 30'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.75	3.00	2.75
4 ftB&B	5.00	4.00	3.75
5 ftB&B	6.50	5.00	4.50
6 ft. specB&B	9.00	7.50	
7 ft. specB&B	12.50	10.00	
8 ft. specB&B	15.00	12.50	
9 ft. specB&B	18.00	15.00	
10 ft. specB&B	20.00	18.00	
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
p. aurea. Golden Sawara Cypress.	<i>30'</i>		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.00	5.00	
6 ft. specB&B	10.00		
7 ft. specB&B	12.50		
8 ft. specB&B	15.00		
9 ft. specB&B	17.50		
10 ft. specB&B	20.00		
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
p. filifera. Thread-branched Japane	ese Cur	oress. 18	ő'
2 ft		3.00	
3 ftB&B			
4 ftB&B			
4 ft. specB&B			
5 ft. specB&B			
6 ft. specB&B			
7 ft. specB&B			
8 ft. spec			•
9 ft. specB&B			
p. filifera aurea.			
Golden Thread-branched Japanese	Cypre	ess. 10'	
18 in. spdB&B	-	2.75	
24 in. spd			
30 in. spdB&B			
36x36 in. spec		2.00	
oomoo ma bpooliiiiiiibwb	_ 5.00		

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis p. filifera aurea			
48x48 in. specB&B	15.00		
54x54 in. specB&B			
60x60 in. specB&B			
p. filifera aurea nova.			101
Variegated Thread-branched Japa	nese Cy	press.	10'
18 to 24 in. spdB&B	3.00		
24 to 30 in. spdB&B	4.00		
30 to 36 in. spdB&B	5.00		
	7.50		
-	10.00		
48 to 54 in. $\operatorname{spd}B\&B$	15.00		
p. plumosa. Plume Cypress. 30'			
2 ft. shearedB&B	2.50	2.00	1.75
3 ft. shearedB&B	3.75	3.00	2.50
4 ft. shearedB&B	5.00	4.00	3.75
5 ft. shearedB&B	6.00	5.00	4.50
6 ft. shearedB&B	8.00	7.00	6.50
7 ft. shearedB&B	10.00	9.00	8.00
8 ft. shearedB&B	15.00	12.50	
9 ft. shearedB&B	18.00	15.00	
10 ft. shearedB&B	20.00	18.00	
For larger sizes to 18 ft., add \$5	.00 per	foot.	
3 ft. high x 4 ft. spread ex.	-		
specB&B	7.50		
4 ft. high x 5 ft. spread ex.			
spec	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa aurea. Goldenplume Cy	miraee (95'	
2 ft. shearedB&B			1.75
3 ft. shearedB&B			2.50
4 ft. shearedB&B			
5 ft. shearedB&B			
6 ft. shearedB&B			
7 ft. shearedB&B			
8 ft. shearedB&B			10.00
9 ft. shearedB&B			10.00
10 ft. shearedB&B		18.00	
For larger sizes to 20 ft., add \$5			
υ το Ετ Ετή παα ψο	I P		

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis p. plumosa aurea			
2 ft. high x 3 ft. spread ex.			
specB&B	5.00		
3 ft. high x 4 ft. spread ex.			
specB&B	7.50	•	
4 ft. high x 5 ft. spread ex.			
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa lutescens. (Globe form)). <i>5'</i>		
24 inB&B	3.00	2.50	2.00
30 inB&B	3.50	3.00	2.50
36 inB&B	4.00	3.50	
42 inB&B	5.00	4.00	
48 inB&B	6.00	5.00	
54 inB&B	7.50	6.00	
60 inB&B	10.00	8.00	
72 inB&B		10.00	
p. plumosa sulphurea. Sulphurplur	ne Cyp	ress. 25	•
4 ftB&B	5.00	4.50	
5 ftB&B	6.50	5.50	
6 ftB&B	8.00	7.00	
7 ftB&B	10.00	8.50	
8 ftB&B	15.00	12.50	
9 ftB&B	18.00	15.00	
p. squarrosa. Moss Retinospora. S	30 '		
2 ft. shearedB&B	3.00	2.50	2.00
3 ft. shearedB&B	4.00	3.50	3.00
4 ft. shearedB&B	5.50	4.50	4.00
5 ft. shearedB&B	6.50	5.50	5.00
6 ft. shearedB&B	8.50	7.00	6.00
7 ft. sheared $B\&B$	10.00	9.00	
8 ft. shearedB&B	15.00	12.50	
For larger sizes to 15 ft., add \$5.0	0 per	foot.	
Chamaedaphne calyculata. Leatherleaf.	3'		
15 to 18 inB&B	3.00	2.50	
18 to 24 in	3.50		
24 to 30 inB&B	5.00	4.00	
	3.00	1.00	

		05.0
1-4 Each	5-24 Each	25 & up Each
Chionanthus virginica. White Fringe. 25'		
2 to 3 ft	.60	.50
3 to 4 ft	.75	.65
4 to 5 ft 1.50	1.25	1.00
5 to 6 ft 2.25	1.75	1.50
6 to 8 ft 3.00	2.25	2.00
8 to 10 ft 4.00	3.00	
5 to 6 ft. specB&B 7.50	6.00	
6 to 8 ft. specB&B 10.00	7.50	
8 to 10 ft. specB&B 12.50		
Cladrastis lutea. Yellow Wood. 30'		
5 to 6 ft 3.50	3.00	2.50
6 to 8 ft 4.00	3.50	3.00
8 to 10 ft	6.00	5.00
10 to 12 ft 12.50	10.00	9.00
12 to 14 ft	12.50	
	12.00	
Clematis apiifolia. October Clematis. 25'		
2 year	.40	.30
chrysocoma sericea.		
2 year	.75	.60
2 year	.10	.00
coccinea. (See texensis).		
crispa. Curly Clematis.		
2 year 1.00	.75	
· ·		
fargesi.		
2 year, 3 in. pots 1.00	.75	
flammula. Plume Clematis. 15'		
2 year 1.00	.75	
hybrids. Large Flowering Clematis.		
2 year	.60	
Jackmanni, Mad. Ed. Andre, Henryi,		
Duchess of Edinburg.		
ligusticifolia. Western Virgins-bower. 15	,	
	.60	.50
	.00	.00
montana rubens.		
3 inch pots 1.00	.75	.65
montana undulata.		
3½ inch pots 1.00		
o /2 men pous 1,00		

1	-4	5-24	25 & up
${f E}$	ach		Each
Clematis			
montana wilsoni.	00	75	
-	.00	.75	
orientalis. Oriental Clematis. 12'	- 0	4.0	0.0
	.50	.40	.30
	25 '		
•	.35		.20
•	.45	.35	.25
serratifolia. Korean Clematis.			
2 year	.00	.75	.60
tangutica. Golden Clematis. 12'			
2 year	.60	.50	.40
texensis syn. coccinea. Scarlet Clema	tis.	<i>10</i> ′	
2 year	.60	.50	.40
veitchi. 10'			
3 inch pots 1	.00	.75	
viorna. Leatherflower.			
·	.00	.75	
virginiana. Virgins-bower. 25'			
2 year	35	.25	.20
-	.45		.25
			•
vitalba. Travelers-joy. 25'	c o	۲n	40
•	.60	.50	.40
viticella. Italian Clematis. 10'			
2 year	.75	.60	
Clerodendron trichotomum. Harlequin Glo	rybo	wer. 6'	
3 to 4 ft 1	.75	1.50	1.25
4 to 5 ft 2	00.5	1.75	1.50
Clethra alnifolia. Sweet Pepper Bush. 5'			
18 to 24 in	.45	.35	.30
	.50	.45	.40
	.60	.55	.50
\ -	.75	.65	.60
	.00	.85	.75
barbinervis. Tree Clethra. 5'	0.0		F 0
_ • • • • • • • • • • • • • • • • • • •	.60		
3 to 4 ft	.75	.65	.60
paniculata. 5'	0.0	- F	0.0
	.00	.75	
2 to 3 ft 1	25	1.00	.75

36 HENRY KUHANKII	E & SUN		
	1-4 Each	5-24 Each	25 & up Each
Colutea arborescens. Bladder Senna.	<i>10'</i>		•
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
cilicica. Cilician Bladder Senna.	3 '		
2 to 3 ft	1.50		
media. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
Comptonia asplenifolia. Sweetfern.	g'		
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.50	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
alba elegantissima. Silverblotch	Dogr wood.	8 '	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.70
5 to 6 ft	1.00	.90	
alba sibirica. Coral Dogwood. 10) '		
2 to 3 ft		.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft		.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.90	.75
8 to 10 ft		1.00	.90
alba spaethi. Golden variegated 1	Dogwood.	8 '	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	
alternifolia. Pagoda Dogwood. 2	20 '		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	1.25

FAINESVILLE, OH	U		91
	1-4 Each	5-24 Each	25 & up Each
Cornus			
amomum syn. sericea. Silky Dogo	vood. 1	0'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.25	1.00	.90
baileyi. Bailey Dogwood. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	
*florida. White Flowering Dogwoo	d. 25'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.35
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	4.50
5 to 14 ft., heavy spec.,			
B&B at \$1.50 per foot.			
florida plena. Dbl. White Flg. Dog	awood.	25 '	
3 to 4 ftB&B			3.50
4 to 5 ftB&B			
5 to 6 ft. specB&B			1.00
6 to 8 ft. specB&B		20.00	
8 to 10 ft. spec			
florida rubra. Red Flowering Dog		<i>୭</i> 0'	
			0 50
3 to 4 ftB&B		3.00	
4 to 5 ftB&B			
5 to 6 ftB&B 6 to 8 ftB&B			
8 to 10 ft		10.00	
		10.00	9.00
5 ft., heavy specB&B			
6 ft., heavy specB&B For larger sizes to 12 ft., add \$5.0		oot.	
florida welchi. Variegated-leaved	l Dogwe	ood. 25	,
2 to 3 ftB&B	3.50		
3 to 4 ftB&B	4.50		

Cornus	1-4 Each	5-24 Each	25 & up Each
*kousa. Kousa Dogwood. 20'			
3 to 4 ft	1.50	1.25	1.00
	5.00	4.50	1.00
	7.50	6.50	
	10.00	8.50	
8 to 10 ft. heavyB&B	12.50		
mas. Cornelian Cherry. 20'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	4.50	4.25	4.00
10 to 12 ft	7.50	6.50	6.00
officinalis. Japanese Cornelian Che	rru. 1	5 '	
3 to 4 ft			
paniculata. Gray Dogwood. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
pubescens. 15'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
rugosa. Roundleaf Dogwood. 10)*		
4 to 5 ft	1.25		
sanguinea. Bloodtwig Dogwood. 1	.o'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
sanguinea viridissima. Greentwig	Dogwo	od. 10'	
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65

	1-4 Each	5-24 Each	25 & up Each
Cornus			
stolonifera. Red Osier Dogwood.	8 '		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
stolonifera flaviramea. Goldentwig	Dogwe	ood. 8'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.50	.45
4 to 5 ft	.75	.65	
Corylus americana. American Hazelnut	. 10'		
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
avellana. Filbert. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.50	1.25
avellana atropurpurea. Purple Fil	bert.	15 '	
2 to 3 ft	4.00	3.50	
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50	10.00	
heterophylla setchuenensis. Chin	ese Ha	zelnut.	12'
2 to 3 ft	2.50		
rostrata. Beaked Hazelnut. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
*Cotoneaster acutifolia. Peking Cotone	easter.	<i>12</i> ′	
2 to 3 ft	•	.45	
3 to 4 ft	.65	.55	.50
	.75		.60
5 to 6 ft	1.00	.80	.75

Cotoneaster	1-4 Each	5-24 Each	25 & up Each
*acutifolia villosula. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
_adpressa. Creeping Cotoneaster. 2	•		
6 to 8 in. from pots	1.25	1.00	.75
ambigua. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
apiculata. $6'$			
9 to 12 in. from pots	1.50	1.25	1.00
dammeri. 2'			
6 to 8 in, from pots	1.75	1.50	
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	2.00
divaricata. Spreading Cotoneaster.	6'	2.20	2.00
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ft	2.00		1.50
4 to 5 ftB&B			
12 to 18 in., 4 in. pots			
foveolata. 10'		_,,,	
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B		1.75	
	2.50		
5 to 6 ftB&B	3.5 0	3.00	
francheti. Franchet Cotoneaster.	10'		
18 to 24 inB&B	1.75	1.50	
2 to 3 ftB&B			
12 to 18 in., 4 in. pots		1.00	.75
himalaicus. 6'			
8 to 10 in., 4 in. pots	1.25	1.00	.75
horizontalis. Rock Cotoneaster. 3'		1,00	
12 to 15 in. spd. from pots	1.50	1.25	1.00
15 to 18 in. spd. from pots	1.75		
18 to 24 in. spdB&B		2.00	
		_,00	_,,,

:	1-4		25 & up
Cotoneaster	Each	Each	Each
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
hupehensis. Hupen Cotoneaster. &	5 ′		
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.50	2.25	
15 to 18 in., 3 in. pots	1.25	1.00	
integerrima. European Cotoneaste	r. 6'		
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.50	2.25	
*lucida. <i>12'</i>			
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
melanocarpa. 6'			
2 to 3 ftB&B	2.00	1.75	
3 to 4 ftB&B	2.25	2.00	
microphylla. Rockspray. 6'			
10 to 12 in., 4 in. pots	1.50	1.25	1.00
moupinensis. Mupin Cotoneaster.			
15 to 18 in., 4 in. pots		1.25	1.00
multiflora. $6'$			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B			
4 to 5 ftB&B		2.50	
2 to 3 ft., 4 in. pots			
_			
nitens. $6'$			
2 to 3 ftB&B			
3 to 4 ftB&B			
18 to 24 in., 4 in. pots	1.25	1.00	.75
obscura. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
racemiflora soongarica. 6'			
2 to 3 ftB&B	2.50	2.00	1.75
3 to 4 ftB&B		2.50	2.25

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
rotundifolia. Roundleaf Cotoneaste			
10 to 12 in. from pots	1.50	1.25	1.00
12 to 15 in. from pots	1.75	1.50	1.25
rosea. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
5 to 6 ftB&B	3.50	3.00	
salicifolia. Willowleaf Cotoneaster.	10'		
2 to 3 ftB&B	2.50	2.00	
salicifolia floccosa. 6'	_,_,	_,,	
15 to 18 in. from pots	1.75	1.50	1.25
18 to 24 in. from pots	2.00	1.75	1.20
10 to 21 m. Hom pous	2.00	1.10	
simonsi. Simons Cotoneaster. 8'			
2 to 3 ftB&B	2.25	2.00	
3 to 4 ftB&B	2.50	2.25	
12 to 18 in., 4 in. pots	1.25	1.00	.75
tenuipes. 6'			
8 to 12 in. from pots	1.25	1.00	.75
12 to 15 in. from pots	1.50	1.25	1.00
wilsoni. Wilson Cotoneaster. 5'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
15 to 18 in., 4 in. pots	1.25	1.00	.75
zabeli. 6'			
15 to 18 in., from pots	1.50	1.25	1.00
*Crataegus aprica. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
*arkansana. Arkansas Hawthorn.	<i>30'</i>		
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
*arnoldiana. Arnold Hawthorn. 2	0'		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50

			TAINESVIDEE, OIII	O		40
				1-4 Each	5-24 Each	25 & up Each
*Crataegus	•		•	,	Haon	Zacii
*carri	erei	•	Carriere Hawthorn. 20	•		
4	to	5	ft	2.00	1.75	1.50
5	to		ft	2.75	2.25	2.00
6	to		ft	3.50	3.00	2.50
8	to		ft	5.00	4.00	3.50
6	to	8	ft. standards, quoted	on reg	uest.	
*cocci	nea	. 7	Thicket Hawthorn. 20'			
3	to	4	ft	1.75	1.50	1.25
4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	2.75	2.25	2.00
6	to	8	ft	3.50	3.00	2.50
. 8	to	10	ft	5.00	4.00	3.50
*cocci	nioi	des	. 20'			
4	to	5	ft	2.00	1.75	1.50
5	to	6	ft	2.75	2.25	2.00
6	to		ft	3.50	3.00	
*corda	ıta.	И	Vashington Hawthorn.	20 '		
	to		ft	2.00	1.75	1.50
4	to		ft	2.50	2.25	2.00
5	to		ft	3.00	2.50	2.25
	to		ft	3.50	3.00	2.75
	_		ft	5.00		4.00
			ft		6.00	
*cruse	alli	_	Cockspur Thorn. 30'			
-7	to		ft	2.00	1.75	1.50
4			ft	2.50	2.25	2.00
5	to		ft	3.00	2.75	2.50
6			ft	4.00	3.75	3.50
8	to	10	ft	6.00	5.00	4.50
10	ft.	spe	ec B&B	18.00	15.00	
*cune	ata.	I	Nippon Hawthorn. 20'			
5	to	6	ft	3.50	2.75	2.50
6	to	8	ft	4.00	3.50	3.00
*hupe	hen	sis.	20 '			
-	to		ft	2.50	2.00	
4	to	5	ft	3.25	2.75	
5	to	6	ft	3.75	3.25	
6	to	8	ft	4.50	4.00	
8	to	10	ft	6.00	5.00	

Crataegus	1-4 Each	5-24 Each	25 & up Each
*macracantha. Spike Hawthorn. 20			
3 to 4 ft	2.50		
*mollis. Downy Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*monogyna. English Hawthorn. 20	,	•	
5 to 6 ft	3.00	2.50	2.0 0
6 to 8 ft	3.50	3.0 0	2.50
8 to 10 ft	5.0 0	4.00	
*nitida. Glossy Hawthorn. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	6.00	5.00	
*oxyacantha. English Hawthorn. 2	20 '		
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.50	4.00	3.50
10 to 12 ft	7.50	6.00	
8 to 10 ft. specB&B 1	12.50		
*oxyacantha plena. Dbl. White Th	orn.	<i>15</i> ′	
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	4.00
*oxyacantha pauli. Paul's Scarlet T	Thorn.	<i>15</i> ′	
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.0 0	4.50	4.00
*oxyacantha punicea. Sgl. Red Tho	rn. 18	5 ′	
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
	5.0 0	4.50	4.00
*peregrina. Persian Hawthorn. 15'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50	6.00	

,	1-4	5-24	25 & up
Crataegus.	Each	Each	Each
*persistens. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	6.00	5.00	
*pinnatifida major. Peking Hawth	orn. 20) '	
3 to 4 ft	2.50	2.00	
5 to 6 ft	3.00	2.75	
6 to 8 ft	4.00	3.75	
*pruinosa. Frosted Hawthorn. 18'	•		
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
8 to 10 ft	6.00	5.00	
*prunifolia. Plumleaf Hawthorn.	<i>25'</i>		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*punctata. Dotted Hawthorn. 25'		•	
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
pyracantha coccinea. Scarlet Fire	ethorn.	10 '	
12 to 15 in., 4 in. pots		1.00	
pyracantha lalandi. Laland Firetho	orn. 10	,	
18 to 24 in. bushy B&B	3.50	3.00	2.75
2 to 3 ft. bushy B&B	4.00	3.50	3.25
3 to $3\frac{1}{2}$ ft	5.50	4.50	
$3\frac{1}{2}$ to 4 ft	6.50	5.50	
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	15.00		
12 to 15 in. 4 in. pots	1.25	1.00	.75
pyracantha yunnanensis. 10'			
12 to 18 in., 4 in. pots	1.25	1.00	.75
THE OUTO THE A THE POPER SECTION	1,20	1.00	

	1-4 Each	5-24 Each	25 & up
Crataegus	Lach	Each	Each
*succulenta. Fleshy Hawthorn. 2	o '		
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
8 to 10 ft	6.00	5.00	
*tomentosa. Pear Hawthorn. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	
*viridis. <i>35'</i>			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	5.00	4.00	
Cryptomeria japonica lobbi. Lobb Cryp	otomeric	a. 20'	
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
	10.00	7.50	6.50
7 ftB&B	12.50	10.00	7.50
8 ftB&B	15.00	12.50	10.00
For larger sizes to 18 ft., add \$5.0	0 per 1	foot.	
Cydonia cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
japonica. Flowering Quince. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.60	.45	
japonica alba. White Flg. Quince. 5	5 '		
15 to 18 in	1.50	1.25	
japonica alpina. Salmon Flg. Quine	ce. 4'		
18 to 24 in	1.75	1.50	
2 to 3 ft	2.00	1.75	
japonica Columbia. Deep Rose Fl		ice. 5'	
18 to 24 in	1.75		

	1-4 Each	5-24 Each	25 & up Each
Cydonia	Laci	Bach	2001
japonica Falconet Charlet. White	Flg. Qu	ince. 6'	
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
japonica pygmaea. Dwarf Jap. Qu			0.0
18 to 24 in		.35	
2 to 3 ft	.50	.45	.40
japonica rosea grandiflora. Pink	Flg. Qui	nce. 6'	
15 to 18 in		1.25	
$_{\sim}$ japonica rosea plena. $\mathit{Dbl.\ Pink\ }F$	lowering	Quince	e. 5'
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.50		
japonica umbilicata. Navel Flower	ina Quin	ce 8'	
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
4 to 5 ft			
	1.00	.15	.00
4 to 5 ft. heavyB&B	7.50		
japonica Vermilion. Red Flg. Quir	nce. 6'		
15 to 18 in		1.25	
kermesiana semi-plena. Rose Pink	-		
2 to 3 ft	2.00	1.75	
maulei. Lesser Flowering Quince.	5'		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
Cytisus hirsutus. 2'.	CO	50	
10 to 12 in., 4 in. pots	.60	.50	
nigricans. Spike Broom. 4'			
12 to 15 in	.60	.50	
scoparius. Scotch Broom. 10'			
18 to 24 in	.60	.50	.45
scoparius andreanus. Paradise Bro	om. 10'		
18 to 24 in		.50	.45
	•00	•••	•==0
supinus. 3'			
10 to 12 in., 4 in. pots	.60	.50	
· •			

	1-4 Each	5-24 Each	25 & up Each
Daphne cneorum. Garland Flower. 1'			
8 to 10 in. spdB&B		.60	.50
10 to 12 in. spdB&B			
12 to 15 in. spdB&B	1.50	1.25	1.00
mezereum. February Daphne. 4'			
15 to 18 inB&B	1.50	1.25	1.00
18 to 24 inB&B	1.75	1.50	1.25
2 to $2\frac{1}{2}$ ft	2.00	1.75	1.50
2½ to 3 ftB&B	2.50	2.25	2.00
mezereum alba. White February 1	Daphne.	4'	
18 to 24 inB&B	1.75	1.50	1.25
24 to 30 inB&B	2.00	1.75	1.50
2½ to 3 ftB&B	2.50	2.25	
Davidia involucrata. Dovetree. 40'			
6 to 10 in. from pots	. 6.00		
Decumaria barbara.			
3 yr. from pots	50	45	.40
	.00	.10	•40
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'	4.0	0.0	
15 to 18 in	.40	.30	
18 to 24 in	.50	.35	,
24 to 30 in	.60		
30 to 36 in	.75	.60	.50
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.35	.30
$2\frac{1}{2}$ to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
lemoine avalanche. Avalanche Deu	itzia. 4	•	
2 to $2\frac{1}{2}$ ft	.50	.40	.35
$2\frac{1}{2}$ to 3 ft	.60	.50	.40
lemoine compacta. $ ilde{\it \it o}'$			
18 to 24 in	.45	.35	.30
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
myriantha Boule Rose. Dbl. Pink	Deutzia	. 4'	
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
ningpoense. δ'			
4 to 4½ ft	2.00	1.50	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Deutzia Manaelina Dautzia 5/			
parviflora. Mongolian Deutzia. 5'	4.0	0.0	0.5
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
rosea. Rose-paniele Deutzia. 5'			
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
2 ½ to 3 ft	.75	.60	.50
3 to $3\frac{1}{2}$ ft	1.00	.75	.60
rosea campanulata. Bellflower Dev	itzia.	5 '	
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea carminea. Carmine Deutzia.	4'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
rosea eximea. Pink Choice Deutzia.	5 ′		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
2 10 0 10	.00	.40	.40
rosea venusta. White-panicle Deutz	ia. 5'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
3 to 3½ ft	.75	.60	.50
Fusca Doutsia 10'			
scabra. Fuzzy Deutzia. 12' 2 to 3 ft	.35	25	20
3 to 4 ft		.25 $.30$.20
4 to 5 ft	$.40 \\ .50$.25
4 10 5 10	.50	.40	
scabra candidissima. Snowflake Deu	tzia.	12 '	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
scabra Pride of Rochester. 12'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
scabra rosea plena. 12'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35

	1-4 Each	5-24 Each	25 & up Each
Deutzia			
scabra watereri. Waterer's Deutzia	. 12'		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
scabra wellsi. Wells Deutzia. 12'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
schneideriana laxiflora. $ heta'$.			
4 to $4\frac{1}{2}$ ft	2.00	1.50	,
vilmorinae. Vilmorin Deutzia. 10'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Diervilla sessilifolia. Southern Bush Ho	neysuck	le. 5'	
$2\frac{1}{2}$ to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
trifida. Dwarf Bush Honeysuckle.	4'		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	.40
(See also Weigela)			
Diospyros virginiana. Common Persimm	on. 15	•	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
10 to 12 ft	6.00	5.00	
Dirca palustris. Leatherwood. 6'			
18 to 24 in	2.00		
Elaeagnus angustifolia. Russian Olive.	20 '		
3 to 4 ft	.60_	.45	.40
4 to 5 ft	.70	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.50	3.00	
argentea. Silverberry. 12'			
3 to 4 ft	.80	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
longipes. Cherry Elacagnus. 6'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	

	1-4	5-24	25 & up
Elaeagnus	Each	Each	Each
parvifolia. Chinese Elaeagnus. 15' 3 to 4 ft	1.25	1.00	
4 to 5 ft	1.25 1.75	1.50	
5 to 6 ft	2.25		
0 00 0 10	2.20	2.00	
umbellata. Autumn Elaeagnus. 12	•		
2 to 3 ft	.50	.45	
3 to 4 ft	.65	.55	
4 to 5 ft	.75	.65	
5 to 6 ft	1.00	.85	
6 to 8 ft	1.25	1.00	
Elsholtzia stauntoni. 4'			
18 to 24 in		.50	
2 to 3 ft	.75	.60	
Enkianthus campanulatus. Redvein Eni	kianthus	. 15'	
12 to 18 in		1.25	
perulatus. White Enkianthus. 6'			
12 to 18 in	1.50	1.25	
Erica carnea. Spring Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
	2.00	•••	.00
darleyensis. 2'			
6 to 8 in., 4 in. pots	1.00	.75	.60
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
Eucommia ulmoides. 60'			
2 to 3 ft	3.00	2.50	
3 to 4 ft	3.50	3.00	
0 00 10	0.00	5.00	
Euonymus alatus. Winged Euonymus.	<i>10'</i>		
2 to 3 ft	.75	.65	
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.35	
5 to 6 ft	2.00	1.75	. •
6 to 8 ft	2.50	2.00	1.75
6 to 8 ft. heavyB&B	7.50		
8 to 10 ft. heavyB&B	10.00		
alatus compacts Drugget Wingad E	aromaissa.	s. 6'	
alatus compacta. Dwarf Winged E 2 to 3 ft	1.25	s. b	
3 to 4 ft		1.00 1.25	
υ ω ± 1ω	$\mathbf{T}^{\bullet}\Omega\Omega$	1.40	

	1-4	5-24	25 & up
Euonymus	Each	Each	Each
americanus. Brook Euonymus. 8'		ь	•
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
atropurpureus. Native Wahoo. 15'	•		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
bungeanus. Winterberry Euonymu	s. 15'		
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.7 5
6 to 8 ft	1.25	1.10	1.00
europaeus. European Burning Bus	h. 15'		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
8 to 10 ft	1.75	1.50	1.25
europaeus fructu-coccineus. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
latifolius. Broadleaf Burning Bush.	<i>10'</i>		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	
maacki. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00	.75	.60
15 to 18 in	1.25	1.00	

_	1-4 Each	5-24 Each	25 & up Each
Euonymus			
obovatus. Running Euonymus. 1'			
8 to 10 in	.40	.30	.25
oxyphyllus 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
patens syn. sieboldianus. 8'			
18 to 24 in	.65	.55	.50
2 to 3 ft	.90	.80	.75
3 to 4 ft	1.25	1.00	.90
radicans. Wintercreeper. 15'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
18 to 24 in	.75	.60	.50
radicans acutus. Sharpleaf Winter			.00
12 to 15 in	.50	.40	.35
15 to 18 in	.65	.50	.45
10 10 10 11	.00	.50	.40
radicans argenteo-marginatus.			
Silveredge Wintercreeper. 1'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40
radicans carrieri. Glossy Wintercre	eper. 3	?'	
12 to 15 in	.50	.40	.35
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.65	.55
radicans colorata. 10'			
12 to 15 in	.40	.30	.25
15 to 18 in	.55		.35
18 to 24 in			.45
radicans kewensis. Prostrate Baby			, - ,
8 to 12 in. from pots		.35	.30
radicans minima. Baby Wintercree			
•	-	0.5	0.0
8 to 12 in. from pots			
12 to 15 in. from pots	.55	.45	.40
radicans vegetus. Bigleaf Wintercre	eeper.	4 '	
12 to 15 in	.55	.45	.40
15 to 18 in	.65	.55	.50
18 to 24 in	.80	.70	.65
24 to 30 in	1.50	1.25	

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
sieboldianus (see patens)			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Euptelea polyandra. 20'			
18 to 24 in	2.00	1.75	
2 to 3 ft	2.50	2.00	
Evodia hupehensis. 25'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Exochorda grandiflora. Pearl Bush. 10) '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.65	.55	.45
5 to 6 ft	.75	.65	.55
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	
6 to 8 ft. specB&B	10.00		
8 to 10 ft. specB&B	12.50		
giraldi wilsoni. Wilson Pearlbush.	<i>15</i> ′		
2 to 3 ft	2.00		
3 to 4 ft	2.50		
4 to 5 ft	3.00		
Fagus americana. American Beech. 60	,		
2 to 3 ftB&B	3.50	3.00	2.75
3 to 4 ftB&B	4.50	4.00	3.75
4 to 5 ftB&B	6.00	5.00	4.75
5 to 6 ftB&B	8.50	7.50	6.50
6 to 8 ftB&B	12.50	10.00	8.50
sylvatica. European Beech. 75'			
3 to 4 ftB&B	3.50	3.00	2.50
4 to 5 ftB&B	4.50	4.00	3.50
5 to 6 ftB&B	6.50	5.50	5.00
6 to 8 ftB&B	9.00	8.00	7.50
	12.50	10.00	9.00
10 to 12 ftB&B		15.00	12.50
12 to 14 ftB&B		20.00	
14 to 16 ftB&B	35.00	30.00	

Fagus	1-4 Each	5-24 Each	25 & up Each
sylvatica fastigiata. Pyramidal B			
8 to 10 ftB&F	3 20.00		
sylvatica heterophylla. Fernleaf	Beech. 2	25'	
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	12.50		
sylvatica pendula. Weeping Beec	ch. 50'		
5 to 6 ftB&B			
6 to 8 ftB&B			
8 to 10 ftB&B			
10 to 12 ftB&B			
12 to 14 ftB&B	35.00		
sylvatica purpurea. Purple Beech	n. 75'		
3 to 4 ftB&B	6.00	5.00	
4 to 5 ftB&B	7.50	6.50	
5 to 6 ftB&B	10.00	7.50	
6 to 8 ftB&B	12.50	10.00	
8 to 10 ftB&B	15.00		
10 to 12 ftB&B	20.00		
sylvatica riversi. River's Beech.	<i>75'</i>		
5 to 6 ftB&B	12.50		
6 to 8 ftB&B	15.00		
8 to 10 ftB&B	20.00		
10 to 12 ft., 1½ in B&B	25.00		
Fontanesia fortunei. Fortune Fontanes	ria. 15'		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Forsythia europea. Albanian Forsythia.	6 '		
2 to 3 ft	75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	
intermedia. Border Forsythia. 8	,		•
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.65	.55	.45
6 to 8 ft	.90	.75	.60
intermedia primulina. Primrose	For sythia	. 10'	
3 to 4 ft	. 1.50	1.25	

30			4	F 0.4	0
Forsythia			1-4 Each	5-24 Each	25 & up Each
interm	edia	a spectabilis. Showy Bor	der For	sythia.	· 8'
2	to	3 ft	.35	.25	.20
3	to	4 ft	.40	.30	.25
4	to	5 ft	.50	.40	.30
5	to	6 ft	.65	.55	.45
6	to	8 ft	.90	.75	.60
ovata.	8'				
2	to	3 ft	.75	.50	.40
		4 ft	1.00	.75	.60
4	to	5 ft	1.25	1.00	
suspen	ısa.	Weeping Forsythia. 6'			
		3 ft	.35	.25	.20
		4 ft	.45	.35	.30
		5 ft	.60	.50	.40
		6 ft	.75	.60	.50
suspen	ısa	atrocaulis. Purple Stem	Forsuth	ia. 6'	
		3 ft	.35	.25	.20
		4 ft	.45	.35	.30
		5 ft	.60	.50	.40
		6 ft	.75	.60	.50
Suspen	sa f	fortunei. <i>Golden Bell. 8</i>	,,		
		3 ft		.25	.20
	• •	4 ft	.40	.30	.25
		5 ft	.50	.40	.30
		6 ft	.65	.55	
		8 ft	.90	.75	,
				***	.00
_		sieboldi. $Siebold \; Forsyth$		0.5	0.0
		3 ft	.35	.25	.20
		4 ft	.40	.30	.25
		5 ft	.50	.40	.30
		6 ft 8 ft	.65	.55	
		•	.90	.75	.60
		a. Greenstem Forsythia.			
		3 ft	.35	.25	.20
		4 ft	.40	.30	.25
		5 ft	.60	.45	.35
Fothergilla	gai	rdeni. Dwarf Fothergilla.	3'		
		18 inB&B	2.50	2.00	
18	to	24 inB&B	3.50	3.00	
Franklinia	(see	e Gordonia)			

	1-4	5-24	25 & up
Fraxinus americana. White Ash. 80'	Each	Each	Each
8 to 10 ft	1.75	1.50	1.25
1 1/4 to 1 1/2 in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 % to 2 in	4.00	3.75	3.50
2 to $2\frac{1}{2}$ in	5.00	4.50	
2½ to 3 in	6.50	5.50	
chinensis. Chinese Ash. 50'			
3 to 4 ft	2.00		
excelsior. European Ash. 100'			
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 ¾ to 2 in	4.00	3.75	3.50
$\frac{2}{2}$ to $\frac{2\frac{1}{2}}{2}$ in	5.00	4.50	4.00
$2\frac{1}{2}$ to 3 in	7.50	6.00	
lanceolata. Green Ash. 60'			
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
1 ¾ to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
$2\frac{1}{2}$ to 3 in	6.50	5.50	5.00
3 to $3\frac{1}{2}$ in	10.00	7.50	
$3\frac{1}{2}$ to 4 in		10.00	
mandshurica. Manchurian Ash. 80		4 50	4.05
6 to 8 ft			
8 to 10 ft	2.00	1.75	1.50
nigra. Black Ash. 80'	0.50	9.00	
8 to 10 ft pennsylvanica. Red Ash. 60'	2.50	2.00	
8 to 10 ft	2.50	2.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	$\frac{2.50}{3.50}$		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50		
1 % to 2 in	6.00		
Gaylussacia baccata. Black Huckleberr		0.00	
15 to 18 inB&B	_	2.00	
18 to 24 inB&B		2.50	
Genista juncea. 2'	3.00	_,,,	
15 to 18 in. from pots	.60	.50	.40
	•00	•00	• • •
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	60	.50	.40
SEE PAGE 157 FOR A COMPLETE LIST OF	HERBACE	ous sto	CK.

	1-4 Each	5-24 Each	25 & up Each
Genista			
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	.75	.60	.50
scoparia. (See Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60		
Ginkgo biloba. Maidenhair-tree. 60'			
6 to 8 ft	3.25	2.50	2.25
8 to 10 ft	3.75	$\frac{2.30}{3.25}$	2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	$\frac{3.23}{4.00}$	$\frac{2.15}{3.75}$
	6.00		4.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	•		
	7.50	6.00	5.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10.00	8.50	7.50
$2\frac{1}{2}$ to 3 in	15.00	12.50	10.00
3 to $3\frac{1}{2}$ in		20.00	
$3\frac{1}{2}$ to 4 in	30.00	25.00	
Gleditsia elegantissima. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
japonica. Japanese Honeylocust.	<i>40'</i>		
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
triacanthos. Honey Locust. 60'			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.25	2.00
1 ½ to 1½ in	3.50	3.00	_,,,
1½ to 1¾ in	4.50	3.50	
1 3/4 to 2 in	6.50	5.00	
$\frac{1}{4}$ to $\frac{2}{2}$ in	9.00	7.50	
$2\frac{1}{2}$ to 3 in	12.50	10.00	
2 /2 to o III	14.00	10.00	
triacanthos inermis. Thornless Hor	neylocus	st. 50'	
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	3.50	3.25	3.00
1 3/4 to 2 in	6.50	5.00	
2 to $2\frac{1}{2}$ in	9.00	7.50	

,	4.4	F 0.4	95 0
	1-4 Each	5-24 Each	25 & up Each
Gordonia alatamaha. 20'			
2 to 3 ftB&B	5.00		
3 to 4 ft	7.50		
4 to 5 ftB&B	10.00		
Gymnocladus dioica. Kentucky Coffeetre	ee. 40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	6.50	5.00	
2 to 3 in	15.00		
Halesia tetraptera. Great Silverbell. 18	5'		
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	_,,
10 to 12 ft	3.50	3.00	
8 to 10 ft. specB&B		3.00	
Hamamelis japonica. Japanese Witchh		,	
18 to 24 in	1.25	1.00	.75
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	1.50
japonica rubra. 20'		1110	2.00
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	$\frac{1.50}{2.00}$	1.25 1.75	1.50
4 to 5 ft	2.00 2.25	$\frac{1.75}{2.00}$	1.75
	2.20	2.00	1.70
vernalis. Vernal Witch Hazel. 6'	1 75	1.05	1.00
3 to 4 ft	1.75	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
6 to 8 ft	3.00	2.50	2.25
vernalis tomentella. 6'			4.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
virginiana. Witch Hazel. 15'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50

Hedera helix. English Ivy. 20'	1-4 Each	5-24 Each	25 & up Each
	.50	.40	.30
2 year, 4 in. pots	.60		.40
	.00	.00	•40
helix Albany. Albany Ivy.	75	CO	۲n
2 yr., 3 in. pots	.75	.60	.50
helix baltica. 16'			w .
2 year, 3 in. pots	.75	.60	.50
helix conglomerata. 10'			
2 year, 3 in. pots	1.00		
helix gracilis. Small-leaved English	Ivy.	<i>10</i> ′	
2 year, 3 in. pots	.50	.40	.30
3 year, 3 in. pots	.60	.50	.40
Helwingia japonica. 5'			
12 to 15 in., 3 in. pots	1.00	.75	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties.			
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	
6 to 8 ft	1.00	.85	
8 to 10 ft. hvy B&B		.00	
Ardens—Purple.	10.00		
Banner—Blush.			
Jeanne d'Arc—White.			
Lady Stanley—White, shaded	roco		
Rubra Plena—Red.	1056.		
Speciosa Plena—Pink.			
single varieties. 2 to 3 ft	40	20	0.0
3 to 4 ft	.40	.30	.20 $.25$
4 to 5 ft	.50	.35	.35
5 to 6 ft	.75		
Coelestis—Blue.	. 75	.60	.50
Rosea—White, crimson eye.			
Rubis—Red.			
Totus albus—White.			
variegatus. Variegated leaved Alth			
2 to 3 ft	.45		.30
3 to 4 ft	.60		
4 to 5 ft	.75		.50
5 to 6 ft	1.00	.75	.60

	Hibiscus	1-4 Each	5-24 Each	25 & up Each
	variegatus meehani. Meehan's Va	rieaated	Althea	. 6'
	2 to 3 ft	_		.40
	3 to 4 ft	.75		.50
		.10	•00	•00
	Hicoria ovata. Shagbark Hickory. 75'			
	3 to 4 ft	1.50		
	4 to 5 ft	2.00		
1	Hippophae rhamnoides. Sea-buckthorn.	12'		
	3 to 4 ft	1.25	1.00	
	4 to 5 ft	1.75	1.50	
	5 to 6 ft	2.50	2.00	
	6 to 8 ft	3.00	2.50	
	8 to 10 ft	3.50	3.00	
	10 to 12 ft	5.00		
	Holodiscus discolor ariaefolius. 4'			
	2 to 3 ft	1.50		
	*Hovenia dulcis. Raisintree. 6'			
	3 to 4 ft	2.00	1.50	1.25
	4 to 5 ft	2.50	2.00	1.50
	5 to 6 ft	3.50	2.50	2.00
			_	2.00
	Hydrangea arborescens. Smooth Hydro			
	2 to 3 ft		.40	.30
	3 to 4 ft	.60		.40
	4 to 5 ft	.75	.60	.50
	arborescens grandiflora. Snowhill	Hydrang	yea. 6'	
	2 to 3 ft	.50	.40	.30
	3 to 4 ft	.60	.50	.40
	4 to 5 ft	.75	.60	.50
	cineria sterilis. Ashy Hydrangea.	6'		
	2 to 3 ft	.50	.40	
	3 to 4 ft	.75	.50	
	amula: dos Otolosos e/			
	opuloides Otaksa. <i>3'</i> 4 year	75	.60	.50
	·	.75	.00	.50
	opuloides Thos. Hogg. 3'			~ ^
	4 year	.75	.60	.50
	paniculata. Panicle Hydrangea. 10	,		
	2 to 3 ft	.45		
1	3 to 4 ft	.55	.45	.40
	4 to 5 ft	.65	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Hydrangea		400	
paniculata grandiflora. Peegee Hyd		10'	0.5
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
3 to 4 ft., tree form	1.25	1.00	
4 to 5 ft., tree form	1.50	1.25	
paniculata praecox. 10'	.75	60	
2 to 3 ft	1.00	.60 $.75$	
3 to 4 ft petiolaris. Climbing Hydrangea.	1.00	.10	
4 inch pots	1.00	.85	.75
•		.00	
quercifolia. Oakleaf Hydrangea. 4 2 to 3 ft	1.00	.85	
3 to 4 ft	1.25	.00	
	1.20		
radiata. Silverleaf Hydrangea. 6'	CO	50	40
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
Hypericum arnoldianum. b'			
18 to 24 in	.75	.60	
2 to 3 ft	.90	.75	
aureum. Golden St. Johnswort. 4'			
18 to 24 in	.45	.35	
2 to 3 ft	.60	.45	
3 to 4 ft	.75	.55	.50
bucklei. Mountain St. Johnswort.			
6 inches	.75	.60	.50
densiflorum. 5'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
kalmianum. 4'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	
3 to 4 ft	.75		
lobocarpum. 6'			
2 to 3 ft	.60	.45	.40
3 to 4 ft	.00 .75	.55	
	.10	.00	.00
moserianum. Goldflower. 2'	. .		4.0
15 to 18 in		.45	
18 to 24 in	.65	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Hypericum patulum. Japanese Hypericum. 3'			
18 to 24 in	.75	.60	.50
patulum henryi. Henry Hypericum.	4'		
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.55	.50
prolificum. Shrubby St. Johnswort.	<i>5'</i>		
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	.40
. 3 to 4 ft	.75	.55	.50
Idesia polycarpa. 40'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
llex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	2.00		
crenata. Japanese Holly. 10'			
15 inB&B	2.50	2.00	1.75
18 inB&B	3.50	3.00	2.50
24 inB&B	5.00	4.00	3.50
30 inB&B	6.00	5.00	
crenata bullata. 10'			
12 to 15 inB&B	2.50	2.00	1.50
crenata latifolia. 10'			
18 to 24 inB&B		2.50	
24 to 30 inB&B	4.00	3.50	
crenata microphylla. Little Leaf Ja	panese	Holly.	10'
15 inB&B	2.50	2.25	2.00
18 inB&B	3.50	3.00	2.50
24 inB&B	5.00	4.00	
geniculata. δ'			
3 to 4 ft	1.50	1.25	
glabra. Inkberry. 8'			
12 to 15 in		1.50	1.35
15 to 18 inB&B		2.00	
18 to 24 inB&B			•
24 to 30 inB&B			2.75
30 to 36 inB&B			
36 to 42 inB&B	6.00	5.00	
laevigata. Smooth Winterberry. 6'			
2 to 3 ft	.75	.60	.50

llex monticola. Mountain Winterberry.	1-4 Each <i>10'</i>	5-24 Each	25 & up Each
3 to 4 ft	1.25	1.00	
opaca. American Holly. 40'			
2 ftB&B	3.00	2.50	2.25
3 ftB&B	4.50	3.75	3.25
4 ftB&B	6.50	5.00	4.50
5 ftB&B	10.00	7.50	6.00
6 ftB&B	12.50	10.00	7.50
7 ftB&B	15.00	12.50	
8 ftB&B	20.00		
serrata. syn. sieboldi. Finetooth E	folly.	<i>12</i> '	
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
verticillata. Common Winterberry.	6'		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
verticillata chrysocarpa. Yellow-fri			-
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	
Indigofera amblyantha. Pink Indigo.		1 00	
2 to 3 ft	1.25	1.00	.75
kirilowi. Kirilow Indigo. 4'			
2 ft	2.00		
potanini. Potanin Indigo. 5'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
Itea virginica. Sweetspire. 3'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75
Jamesia americana. 3'			
10 to 12 in., 4 in. pots	1.50	1.25	
Jasminum nudiflorum. Winter Jasmine.	3'		
15 to 18 in	.50	.40	.30
18 to 24 in			
12 to 15 in. $2\frac{1}{2}$ in. pots			
stephanense. 3'			
2 ft., 4 in. pots	1.25	1.00	.75

	1-4	5-24	25 & up
Juglans cinerea. Butternut. 75'	Each	Each	Each
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
nigra. Black Walnut. 80'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
1 % to 2 in	4.50	4.00	
regia. English or Persian Walnut.	<i>50'</i>		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
sieboldiana. Japanese Walnut. 50'	•		
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
Juniperus chinensis. Chinese Juniper.	20'		
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.00
4 ftB&B	5.50	4.50	4.00
5 ftB&B	7.00	6.00	5.50
6 ftB&B	8.50	7.50	7.00
7 ftB&B	12.50	10.00	8.50
8 ftB&B	15.00	12.50	
For larger sizes to 16 ft., add \$5.0	0 per f	oot.	
chinensis albovariegata. Whiteleaf	Chinese	e Junipe	r. 20'
3 ftB&B	7.50	6.00	5.00
4 ftB&B	8.50	7.50	
5 ftB&B	10.00		
6 ftB&B	12.50		
chinensis columnaris. Columnar C	hinese J	uniper.	20 '
4 ftB&B	6.00	5.00	4.00
5 ftB&B	7.50	6.50	5.50
6 ftB&B	10.00	8.00	7.00
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
chinensis globosa. $Globe\ Chinese\ J$	uniper.	5 '	
18 inB&B		3.50	3.00
24 inB&B	4.50	4.00	3.50
36 inB&B			

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
chinensis mas. 10'			
2 ftB&B	3.50	3.00	2.50
2 ½ ftB&B	4.00	3.50	3.00
3 ftB&B	6.00	5.00	4.00
3 ½ ftB&B	7.50	6.00	
$4 \qquad \text{ft.} \dots B\&B$	10.00	7.50	
chinensis neaboriensis. Conical Ch	inese J	uniper.	10'
3 ftB&B	4.50	4.00	
4 ftB&B	5.50		
5 ftB&B	6.50		
6 ftB&B	8.50		
7 ftB&B	12.50		
8 ftB&B	15.00		
9 ftB&B	18.00		
chinensis oblonga. 8'			
_	10.00		
6 ftB&B			
7 ftB&B			
8 ftB&B	15.00		
chinensis pfitzeriana. Pfitzer's Jun	iper. 6	3 ′	
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to $2\frac{1}{2}$ ft. spd B&B	3.00	2.75	2.50
$2\frac{1}{2}$ to 3 ft. spdB&B	4.00	3.50	3.25
3 to $3\frac{1}{2}$ ft. spdB&B	5.50	4.50	4.00
$3\frac{1}{2}$ to 4 ft. spdB&B	6.50	5.50	5.00
4 to $4\frac{1}{2}$ ft. spd B&B	7.50	6.50	6.00
$4\frac{1}{2}$ to 5 ft. spdB&B	10.00	8.50	7.50
5 to 6 ft. $spdB&B$			
6 to 7 ft. $\operatorname{spd} \ldots \operatorname{B\&B}$			12.50
7 to 8 ft. spd B&B			
8 to 9 ft. spdB&B			
(Upright form can be furnish	ed in s	sizes 18'	' to 6')
chinensis sargenti. Sargent Junipe	r. 2'		
18 inB&B	3.00	2.75	
24 inB&B	4.00	3.75	
30 inB&B	6.00	5.00	
chinensis smithi. Smith Chinese Ju	uniper.	gv	
18 inB&B	_	2.00	
2 ftB&B			
2	9.00	9.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
communis. Common Juniper. 25'			
3 ftB&B	3.75	3.00	2.50
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.00	5.50	5.00
7 ftB&B	7.50	6.50	
8 ftB&B	9.00	8.00	7.50
communis dayi 25'			
$4 ext{ ft.} \dots B\&B$	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.50	
communis depressa Prostrate Jun	iper.	3'	
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. $spdB&B$	3.00	2.75	2.50
$2\frac{1}{2}$ to 3 ft. spdB&B	4.00	3.50	3.00
3 to 4 ft. $spdB&B$	5.00	4.50	4.00
4 to 5 ft. $\operatorname{spd}B\&B$	7.50	6.00	5.00
communis depressa aurea. Golden P	Prostrat	e Junip	er. 3'
18 to 24 in. spdB&B	3.00	2.50	
24 to 30 in. spdB&B	3.50	3.00	
$2\frac{1}{2}$ to 3 ft. spdB&B	4.50	4.00	
3 to 3½ ft. spdB&B	6.00	5.00	
$3\frac{1}{2}$ to 4 ft. spdB&B	7.50	6.00	
4 to 5 ft. spdB&B	10.00	7.50	
communis depressa plumosa.			
Purple Spreading Juniper. 3'			
	2.75	2.25	1.75
24 to 30 inB&B		3.00	
2½ to 3 ftB&B			3.00
3 to 3½ ftB&B			
	7.50	6.50	
4 to 4½ ftB&B	10.00		
	**		
communis hibernica. Irish Juniper.	<i>15'</i>	2.00	1 7 7
2 ftB&B		2.00	1.75
3 ftB&B		2.50	
4 ftB&B		3.50	
5 ftB&B		4.50	
	7.50	6.00	5.50
	$10.00 \\ 12.50$	7.50	
		10.00	
9 ftB&B	15.00		

111111111111111111111111111111111111111			0 = 0
Juniperus	1-4 Each	5-24 Each	25 & up Each
communis kraccovica. Polish Juniz	er. 10'		
2 ftB&B	2.50		
3 ftB&B	3.00		
communis suecica. Swedish Junipe	r. 25'		
	2.50	2.25	2.00
3 ftB&B	3.00	2.75	2.50
4 ftB&B			3.50
5 ftB&B		5.00	
communis suecica nana. $\mathit{Dwarf}\ \mathit{St}$	vedish J	uniper.	6 '
2 ftB&B		3.00	
3 ftB&B		4.00	
4 ftB&B			
conferta. Shore Juniper. 5'			
18 inB&B	4.00	3.50	
	5.00		
2½ ftB&B	6.50	5.50	
excelsa. Greek Juniper. 50'			
3 ftB&B	3.50	3.00	
4 ftB&B	4.50		
5 ftB&B	6.00	5.50	
	7.50		
	8.50		
	12.50	10.00	
9 ftB&B		12.50	
10 ftB&B		15.00	
excelsa stricta. Spiny Greek Junip			
18 inB&B		2.00	1.75
2 ftB&B		2.50	
2½ ftB&B		3.00	
3 ftB&B		4.00	
3 ½ ftB&B		6.00	
4 ftB&B		7.50	
4½ ftB&B			
5 ftB&B			
$5\frac{1}{2}$ ftB&B			
6 ftB&B		15.00	
7 ftB&B		_0.00	
8 ftB&B			
horizontalis. Creeping Juniper. 1			
18 to 24 in. spdB&B		2.25	2.00
24 to 30 in. spdB&B			
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			

	1-4 Each	$\begin{array}{c} 5-24 \\ \text{Each} \end{array}$	25 & up Each
Juniperus			
horizontalis glauca. Blue Creeping			2.00
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B			
$2\frac{1}{2}$ to 3 ft. spdB&B			3.50
3 to 3½ ft. spdB&B	5.00	4.50	
japonica. Japanese Juniper. 8'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	2.75	2.50
$3 \text{ ft.} \dots B\&B$	5.00	4.00	3.50
4 ftB&B	7.50	6.00	
5 ftB&B	10.00		
japonica aurea. $Golden\ Japanese\ J$	uniper.	<i>8</i> ′	
18 inB&B	3.50	3.00	
$2 \text{ ft.} \dots B\&B$	4.50	4.00	
$3 \text{ ft.} \dots B\&B$	6.00		
recurva. Himalayan Juniper. 30'			
2 ftB&B	3.50		
3 ftB&B	5.00		
rigida. Needle Juniper. 30'			
2 ftB&B	4.00	3.00	
3 ftB&B	5.00	4.00	
sabina. Savin Juniper. 6'			
18 to 24 in. spdB&B	2.50	2.25	2.00
2 to $2\frac{1}{2}$ ft. spdB&B	3.00	2.50	2.25
$2\frac{1}{2}$ to 3 ft. $\operatorname{spd}B\&B$	3.75	3.00	2.75
3 to $3\frac{1}{2}$ ft. spdB&B	5.00	4.00	3.50
$3\frac{1}{2}$ to 4 ft. spdB&B	6.50	5.50	4.50
4 to $4\frac{1}{2}$ ft. spdB&B	9.00	7.50	6.00
$4 \frac{1}{2}$ to 5 ft. spdB&B	12.50	10.00	
sabina tamariscifolia. Tamarix San			
18 to 24 in. spd $B&B$			2.25
24 to 30 in. spd $B&B$			
$2\frac{1}{2}$ to 3 ft. spdB&B	5.00	4.50	4.00
3 to $3\frac{1}{2}$ ft. spdB&B	7.50	6.00	5.50
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	3.50	3.00	
30 to 36 in. spdB&B	4.50	4.00	
36 to 42 in. spdB&B	7.50	6.00	

70		HENH	KY KOH	LANKIE	& SON		
Juniperus					1-4 Each	5-24 Each	25 & up Each
_							
scopul				per. 40			
3				B&B	4.00	3.50	
4	ft		• • • • • •	B&B	6.00	5.00	4.50
5	ft			B&B	7.50	6.50	6.00
6	ft			B&B	10.00	8.50	7.50
7	ft			B&B	12.50	10.00	9.00
8	ft			B&B	15.00	12.50	10.00
\mathbf{F}_{0}	or larg	er sizes	s to 16	ft., add	\$5.00	per foo	ot.
sphaer	ica.						
2	ft	• • • • •		B&B	3.50	3.00	•
3	ft			B&B	4.50	4.00	
4				B&B		5.00	
squam	ata. J	apanese	Trailin	g $Junip$	er. 3'		
2			. spd		5.00		
	ata m		Manar	Juniper.	,, ,		
-		-	-	B&B	•	2 00	2.50
						3.00	
				B&B		3.50	
				B&B	5.00	4.50	4.00
			dar. 40				
_				B&B	3.50	3.00	2.50
4				B&B		4.00	3.50
5			• • • • •		6.00	5.50	5.00
6				B&B		7.00	
7	ft			B&B	10.00	9.00	8.00
8	ft			B&B	15.00	12.50	10.00
9	ft			B&B	18.00	15.00	12.50
10	ft			B&B	22.50	18.00	15.00
For	larger	sizes t	to-20 ft	., add	\$5.00 p	er foot	•
virgini	iana bı	ırki. Sy	yn. virg	iniana	venust	a.	
virgini	iana ca	nnarti.	Cann	art Red	Cedar.	<i>15</i> ′	
3					5.00	4.50	4.00
4			• • • • •		6.00	5.50	5.00
5				B&B		7.00	West Control of the C
6				B&B		9.00	
7				B&B		12.50	
8				B&B			
9				B&B			
10				B&B			
						22.30 per fo	
1	or ruig	OI 0121C1	U IU	10., au	. φυ.υ(, ber 10	00.

•	1-4 Each	5-24 Each	25 & up Each
Juniperus	$D \circ J = C \circ$	J 15	,
virginiana elegantissima. Goldtip			
2 ftB&B		4.00	3.50
3 ftB&B		4.50	4.00
4 ftB&B		5.50	
5 ftB&B			
6 ftB&B			
For larger sizes to 12 ft., add	\$5.00 p	er foot	•
virginiana glauca. Silver Red Ced	ar. 25'		
3 ftB&B	4.50	4.00	3.50
4 ftB&B	6.00	5.00	4.50
5 ftB&B	8.00	7.00	6.00
6 ftB&B	11.00	9.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
9 ftB&B	22.50		
For larger sizes to 18 ft., ad	d \$5.00	per fo	ot.
virginiana globosa. Globe Red Ce	dar. 4'		
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.00	4.50	4.00
3 to 3½ ftB&B		5.50	5.00
$3\frac{1}{2}$ to 4 ftB&B		6.50	
virginiana keteleeri. 15'			
2 ftB&B	2 50	3.25	3.00
3 ftB&B			
4 ftB&B			0.10
5 ftB&B			
6 ftB&B			
7 ftB&B			
7 10	10.00	12.00	
virginiana kosteri. Koster Red C	edar. 4	•	
2 to $2\frac{1}{2}$ ft. spdB&B	3.50	3.00	2.75
$2\frac{1}{2}$ to 3 ft. spdB&B	4.50	4.00	3.50
3 to $3\frac{1}{2}$ ft. spd B&B	6.00	5.00	4.50
$3\frac{1}{2}$ to 4 ft. $\operatorname{spd} \ldots B \& B$			
4 to $4\frac{1}{2}$ ft. spdB&B	10.00	7.50	
$4\frac{1}{2}$ to 5 ft. spdB&B	12.50	10.00	
5 to 6 ft. $\operatorname{spd}B\&B$	15.00		
virginiana pendula. Weeping Red	Cedar.	<i>15</i> ′	
6 ftB&B		-	
7 ftB&B			
LARGE SPECIMEN SHRUBS QUOTED		QUEST.	

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
virginiana schotti. Schott Red Ced			
3 ftB&B		4.50	
4 ftB&B			
5 ftB&B			
6 ftB&B	12.50	10.00	8.00
7 ftB&B	15.00	12.50	10.00
For larger sizes to 18 ft., add	\$5.00 p	er foot	•
virginiana tripartita. Fountain Re	d Ceda	r. 5'	
2 ftB&B	4.50	4.00	
$2\frac{1}{2}$ ftB&B	5.50	5.00	
3 ftB&B	8.50	7.50	
3 ½ ftB&B	10.00	9.00	
4 ft		10.00	•
virginiana venusta. 15'			
3 ftB&B	5.00	4.50	4.00
4 ftB&B		5.50	5.00
5 ftB&B		7.50	0.00
6 ftB&B		10.00	
7 ftB&B		12.50	
8 ft		15.00	
8 It	10.00	15.00	
Kalmia latifolia. Mountain Laurel. 6'			
18 to 24 inB&B	3.00	2.50	2.25
2 to 3 ftB&B	3.50	3.00	2.75
3 to 4 ftB&B	5.00	4.00	3.75
Kerria japonica. Kerria. 4'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60	.55
japonica florepleno. Double Kerrio	a. 4'		
18 to 24 in	1.00	.75	
Koelreuteria paniculata. Goldenrain Tr	ee. 25'		
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
Kolkwitzia amabilis. Beauty Bush. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.25		
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.25 1.50	1.00
O 10 O 11	T. 19	1.00	

							1-4 Each	5-24 Each	25 & up Each
*Laburnum	al	pin	um.	Scot	tch L	aburnum		Each	Dach
4	to	5	ft.				3.50		
5	to	6	ft.				5.00		
6	to	8	ft.	heavy	y	B&B	15.00		
8	to	10	ft.	heavy	7	B&B	20.00		
*vulga	re.	G	olde	nchain	ı. <i>20</i>	•			
4	to	5	ft.				2.50	2.00	
5	to	6	ft.			• • • • • •	3.50	3.00	
6	to	8	ft.	heav	у	B&B	12.50		
8	to	10	ft.	heav	y	B&B	15.00		
10	to	12	ft.	heav	y	B&B	20.00		
*wate	rer	i.	Wat	erer 1	Labur	num. 20) '		
5	ft	• • •	• • •				10.00		
6	ft	• • • •		• • • • •	• • • •	• • • • •	12.50		
Lagerstroe	mia	ine	lica	rubra	a. <i>R</i>	Red Crap	emyrtle.	. 12'	
18	to	24	in.	from	pots		1.25	1.00	
Larix euro	pea	. E	uro	pean .	Larch	. 60'			
5	to	6	ft.		• • • •	B&B	$\boldsymbol{6.00}$	5.00	
6	to	8	ft.			B&B	7.50	6.00	
8	to	10	ft.	• • • • •	• • • •	B&B	10.00	7.50	
laricin									
		_		-		B&B			
8	to	10	ft.			B&B	12.50		
10	to	12	ft.	• • • •	• • • •	B&B	15.00		
leptole	-		_						
						B&B		4.00	
						B&B		5.00	
						B&B			
8	to	10	ft.		• • • •	B&B	10.00	7.50	
10	to	12	ft.			B&B	15.00	12.50	
12	to	14	ft.	• • • • •	• • • •	B&B	20.00		
Lauroceras	us	offi	cina	alis sc	hipk	aensis.	<i>10</i> ′		
12	to	15	in.	,4 in.	pots		1.00	.75	
18	to	24	in.			B&B	1.50	1.25	1.00
24	to	30	in.	• • • • •	• • • •	B&B	2.00	1.50	
Leiophyllur	n h	uxi	foli	um pi	rostra	itum.			
				dmyrtl					
	•	•				B&B	2.50	2.00	
J	50							2.00	

Lespedeza bicolor. Shrub Bushclover.	1-4 Each 6'	5-24 Each	25 & up Each
2 to 3 ft	.60	.50	
3 to 4 ft	.75		
4 to 5 ft	1.00	.75	
	1.00 1.25		
5 to 6 ft		1.00	.,
formosa syn. penduliflorum. Purp			-
2 year			.30
3 year	.60	.50	.40
formosa albiflora. Japanese Busho			4.0
2 year	.60	.50	.40
Leucothoe catesbaei. Drooping Leucoth	hoe. 4'		
15 to 18 inB&B	2.00	1.75	1.50
18 to 24 inB&B	2.50	2.00	1.75
24 to 30 inB&B	3.50		
Libocedrus decurrens. Incense Cedar.	100'		
18 to 24 inB&B	2.25	2.00	
24 to 30 inB&B	3.00	2.50	
3 to 3½ ftB&B		3.50	
Ligustrum acuminatum. 10'			
	.40	.30	.25
3 to 4 ft		.40	.35
		·	•00
acuminatum macrocarpum. Bigber			0.5
	.40	.30	.25
3 to 4 ft	.50	.40	.35
amurense. Amur Privet. 15'			
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50		.40
ibota. Ibota Privet. 10'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35

	1-4 Each	5-24 Each	25 & up Each
Ligustrum			
ibota nanum. Pygmy Privet. 6'	0.5	0.5	0.0
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
ibota regelianum. Regel Privet. 6	,		
18 to 24 in. spd	.45	.35	.30
24 to 30 in. spd	.55	.45	.40
$2\frac{1}{2}$ to 3 ft. spd	.75	.65	.55
3 to 4 ft. spd	1.25	1.00	.75
4 to 5 ft. spd	1.75	1.50	1.25
lodense. Dwarf Privet. 3'			
12 to 15 in	.35	.25	.20
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
ovalifolium. California Privet. 10	,		
18 to 24 in	.20	.10	.06
24 to 30 in	.25	.12	.07
ovalifolium variegatum. Golden P	rivet.	10'	
15 to 18 in		.30	.25
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
vulgare. European Privet. 12'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	
5 to 6 ft	.65	.55	
6 to 8 ft	1.00	.80	
vulgare foliosum. 10'			
2 to 3 ft	.45	.35	.30
vulgare leucocarpum. Yellowberry	Privet.	12'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	.35
4 to 5 ft	.65	.50	.40
5 to 6 ft	.75	.60	.50
Lindera benzoin. (See Benzoin aestivale).		
*Liquidambar formosana Formosa Swe	etgum.	<i>60'</i>	
5 to 6 ft	5.00		
6 to 8 ft	7.50		

1-4 Eacl	5-24 Each	25 & up Each
Liquidambar		
*styraciflua. Sweetgum. 60'	0.77	0.50
6 to 8 ft 3.00		2.50
8 to 10 ft 3.75		3.00
1½ to 1½ in 4.50		3.50
1½ to 1¾ in 5.00		4.00
1 % to 2 in 6.00		5.00
2 to $2\frac{1}{2}$ in		6.00
2½ to 3 in		7.50
3 to 3½ in 20.00		
4 to 5 in		
5 to 6 in 50.00		
*Liriodendron chinense. Chinese Tulip Tree		
5 to 6 ft 6.00		
6 to 8 ft)	
*tulipifera. Tuliptree. 80'		
6 to 8 ft 2.00	1.75	1.50
8 to 10 ft 2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 4.00	3.50	3.00
1 3/4 to 2 in 5.00	4.50	4.00
2 to $2\frac{1}{2}$ in 7.50	6.00	5.00
$2\frac{1}{2}$ to 3 in	10.00	7.50
3 to $3\frac{1}{2}$ in 20.00	15.00	
$3\frac{1}{2}$ to 4 in	18.00	
4 to 5 in 35.00	30.00	
*tulipifera pyramidale. Pyramid Tulipta	·ee. 70'	
6 to 8 ft 7.50		
8 to 10 ft 10.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		
2 to $2\frac{1}{2}$ in 15.00		
$2\frac{1}{2}$ to 3 in		
3 to $3\frac{1}{2}$ in 30.00		
Lonicera alseuosmoides.		
2 year	.60	.50
bella albida. White Belle Honeysuckle.		0.0
2 to 3 ft		.20
3 to 4 ft		.25
4 to 5 ft		.35
$5 \text{ to } 6 \text{ ft.} \dots \dots$.50
6 to 8 ft 1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
bella rosea. Belle Honeysuckle. 10) '		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
billardi. 8'			
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
/ browni plantierensis. Orange Hone	ysuckle.	4'	
2 year	.50	.40	.35
3 year	.60	.50	
caprifolium. Sweet Honeysuckle.	10'		
2 year	.50	.40	.30
chrysantha. Coralline Honeysuckle.	<i>10'</i>		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	.90	.75	.60
6 to 8 ft	1.00	.85	.75
conjugialis. 8'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.75	.60	.50
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
fragrantissima. Winter Honeysuck	le. 8'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	
fuchsioides.			
2 year	.75	.65	.60
gracilipes. Spangled Honeysuckle.	<i>6'</i>		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
		.00	•40
heckrotti. Everblooming Honeysuck		40	0.0
2 year	.50	.40	.30
henryi. Henry Honeysuckle. 15'		. —	
2 year	1.00	.85	.75

	1-4 Each	5-24 Each	
Lonicera	Hach	124011	
hirsuta. Hairy Honeysuckle. 15'			•
2 year	.50	.40	
3 year	.60	.50	
japonica. Japanese Honeysuckle. 1	5'		
2 year		.20	.15
3 year	.35	.25	.18
japonica halleana. Hall Japanese	Honey	suckle.	20'
2 year	.25		.15
3 year	.35		_
japonica reticulata aurea.	•••	•	,
Yellow Japanese Honeysuckle. 15	,		
2 year	.45	.35	.25
kesselringi. Black fruited Honeys		-	.20
2 to 3 ft		.40	
3 to 4 ft	.75		
	.10	.50	
koehneana. 12'	0.0	~ 0	4.0
18 to 24 in	.60		.40
2 to 3 ft	.75	.60	.50
korolkowi floribunda. Broad Bluele	•	ney suck l	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	
ledebouri. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.50	
maacki. Amur Honeysuckle. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	
maacki podocarpa. Late Honeysuc	kle. 8	,	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	
muendeniensis. Muenden Honeysu	ckle. 8	,	
5 to 6 ft	.65	.55	.50
6 to 8 ft	.75	.65	.60
🗸 nitida. 🗳			
6 to 12 in	.50	.40	.30
periclymenum belgica. Dutch Woo	odbine.	<i>15</i> ′	
2 year	.40	.30	.25
3 year	.50	.40	.35
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.60	.50	.40
prolifera syn. sullivanti. $\mathit{Grape}\ \mathit{H}$	Coneysu	ckle. 5'	
3 year	.60	.45	.35
– quinquelocularis. Mistletoe Honeys	suckle.	<i>10</i> ′	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
- ruprechtiana. Manchurian Honeys			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
saccata. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
sempervirens. Trumpet Honeysuck			
2 year	.40	.30	.25
3 year	.50	.40	.30
spinosa alberti. Thorn Honeysuck			
12 to 15 in	.45	.35	.30
15 to 18 in	.55	.45	.40
18 to 24 in	.75	.60	.55
standishi. 5'	- ^	4.0	0.0
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	
SEE PAGE 157 FOR A COMPLETE LIST OF H	HERBACE	ous sto	CK.

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
syringantha. Lilac Honeysuckle. 4	i'		
15 to 18 in., 4 inch pots	1.00	.75	•
2 to 3 ft., field grown	1.50	1.25	1.00
syringantha wolfi. Wolf Honeysuc	kle. 6'		
15 to 18 in., 4 in. pots		.75	
2 to 3 ft., field grown	1.50	1.25	
tatarica. Red Tatarian Honeysucki	le. 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
tatarica alba. White Tatarian Hon	ney suckl	e. 10'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
tatarica grandiflora. Pink Tataria	n Hone	usuckle.	<i>10</i> ′
2 to 3 ft		.25	.20
3 to 4 ft		.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft		.60	.50
6 to 8 ft		.75	
tatarica lutea. Yellow Tartarian H	Toneusuo	kle. 10) '
3 to 4 ft	-		
tatarica siberica. Siberian Honeyse		10'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	-	
5 to 6 ft	.75		
6 to 8 ft			
	1.00	.10	.00
tellmanniana.	4 00	0.0	
2 year		.90	•
- thibetica. Tibetan Honeysuckle. 4'			
2 year	1.25	1.00	
verna. δ'			
2 year	.50	.35	.30

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
virginalis alba. Maiden Honeysuck	cle. 10'	,	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
xylosteum. Fly Honeysuckle. 8'		•	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.50	.40
Lycium chinense. Chinese Matrimony	Vine. É	5'	
2 to 3 ft	.25	.20	.15
3 to 4 ft	.35	.25	.20
halimifolium. Common Matrimony	Vine.	<i>6'</i>	
2 to 3 ft	.25	.20	.15
3 to 4 ft	.35	.25	.20
Lyonia ligustrina. He-Huckleberry. 12	?'		
15 to 18 in	1.25	1.00	
18 to 24 in	1.50	1.25	
Maackia amurensis. Amur Maackia. 40'	,		
2 to 3 ft	1.50		
3 to 4 ft	2.00		
Magnolia acuminata. Cucumber Tree.	70 '		
4 to 5 ftB&B	3.00	2.50	
5 to 6 ftB&B	4.00	3.50	
6 to 8 ftB&B	5.00	4.00	
8 to 10 ftB&B	6.00	5.00	•
10 to 12 ftB&B	10.00	7.50	
conspicua. Yulan. 50'			
4 to 5 ftB&B			
5 to 6 ftB&B			
6 to 8 ftB&B	15.00		
fraseri. Fraser Magnolia. 50'			
5 to 6 ftB&B			
6 to 8 ftB&B	12.50		
glauca. Sweetbay. 25'			
2 to 3 ftB&B		2.50	2.00
3 to 4 ftB&B		3.50	3.00
4 to 5 ftB&B			
5 to 6 ftB&B		•	
6 to 8 ftB&B		8.00	
8 to 10 ftB&B	12.50	10.00	$\boldsymbol{9.00}$

	1-4	5-24	25_& up
Magnolia	Each	Each	Each
hypoleuca. Silver Magnolia. 50'			
4 to 5 ftB&B	10.00	7.50	
	12.50	10.00	
	15.00	12.50	
8 to 10 ftB&B	20.00	17.50	
kobus. 30'			
4 to 5 ftB&B	5.00	4.00	3.50
5 to 6 ftB&B	7.50	6.50	6.00
6 to 8 ftB&B	10.00	9.00	8.50
8 to 10 ftB&B	12.50	11.00	10.00
8 to 10 ft. specB&B	20.00		
lennei. Lenne Magnolia. 20'			
2 to 3 ftB&B	4.00		
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
5 to 6 ftB&B	10.00		
6 to 8 ftB&B	15.00		
parviflora. Oyama Magnolia. 30'			
3 to 4 ftB&B	10.00	7.50	
4 to 5 ft	12.50	10.00	
5 to 6 ftB&B	15.00		
soulangeana. Saucer Magnolia. 2	0'		
3 to 4 ft	5.00	4.00	
4 to 5 ft	6.50	5.0 0	
5 to 6 ftB&B	10.00	7.50	
6 to 8 ftB&B	12.50		
soulangeana nigra. 20'			
5 to 6 ftB&B	15.00		
stellata. Star Magnolia. 8'			
2 to 3 ftB&B	6.00	5.00	
3 to 4 ftB&B	7.50	6.50	
4 to 5 ft			
stellata rosea. Pinkstar Magnolia.	<i>15'</i>		
2 to 3 ftB&B	7.50		
3 to 4 ftB&B			
4 to 5 ftB&B			
5 to 6 ft	15.00		
tripetala. Umbrella Magnolia. 30'	6.00	E 00	
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B 8 to 10 ftB&B	7.50	$6.00 \\ 7.50$	
10 to 12 ftB&B		10.00	
10 10 14 11	14.00	10.00	

Mahonia aquifolium. Oregon Hollygrap	1-4 Each	5-24 Each	25 & up Each
18 to 24 inB&B	2.00	1.75	1.50
24 to 30 inB&B	2.50	2.00	1.75
30 to 36 in	3.00	2.75	2.50
	0.00	2.10	2.00
Malus angustifolia. Southern Crab. 25	,		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
arnoldiana. Arnold Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
	3,30	3.00	_,,,
baccata. Siberian Crab. 30'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft		7.50	
baccata mandshurica. Manchurian	Crab.	<i>30</i> ′	
	1.75		1.05
3 to 4 ft		1.50 1.75	$1.25 \\ 1.50$
4 to 5 ft	2.00		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
brevipes. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
coronaria. Wild Sweet Crab. 30'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
	_ 3.30		

	1-4 Each	5-24 Each	25 & up Each
Malus			
coronaria Charlotte. 15'		4 50	4.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.50	3.00	9
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
dolga. <i>15'</i>			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	1.75	
6 to 8 ft	3.00	2.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
Elisa Rathke. Weeping Flg. Apple	e. 8'		
3 to 4 ft. spread	3.00		
4 to 5 ft. spread	4.00		
florentina. Florentine Crab. 20'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	2.75	2.50	
floribunda. Japanese Flowering Cr	rab. 20	,	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00
floribunda atrosanguinea. Carmino	e Crab.	20 '	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
8 to 10 ft. specB&B	12.50		
floribunda lemoinei. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	

3	1-4 Each	5-24 Each	25 & up Each
Malus	Each	Each	Eagn
fusca. Oregon Crab. 20'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
glaucescens. Dunbar Crab. 12'			
3 to 4 ft	1.50	-1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
halliana. Hall Crab. 15'			
6 to 8 ft	6.00	5.00	
8 to 10 ft	7.50		
halliana parkmani. Parkman Crab.	<i>15</i> ′		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	4.50	$\boldsymbol{4.00}$	3.50
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
hopa. Red Flowering Crab. 12'	4		405
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50		1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	6.00	5.00	
ioensis. Prairie Crab. 25'	1 55	1 50	1.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
$5 \text{ to } 6 \text{ ft.} \dots \dots$	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
ioensis bechteli. Bechtel Crab. 15'	1.75	1.50	1.25
3 to 4 ft	$\frac{1.75}{2.00}$	1.75	1.20 1.50
5 to 6 ft	3.00	2.50	1.00
6 to 8 ft	4.00	$\frac{2.50}{3.50}$	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
micromalus. Midget Crab. 10'	10.00	••••	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	$\frac{1.50}{2.00}$	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
O OO TO TOWN	9.00	4.00	

·	1-4 Each	5-24 Each	25 & up Each
Malus	Bacii	Bach	Басп
niedzwetzkyana. Redvein Crab. 2	o '		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
Oekonemurat Echtermeyer. 15'			
• 3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
purpurea. Purple Crab. 15'			
3 to 5 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00
purpurea eleyi. Eley Flowering Cr	ab. 15'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
prunifolia rinki. Chinese Apple.	15 '		
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	
robusta. Cherry Crab. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	

Malus	1-4 Each	5-24 Each	25 & up Each
robusta fastigiata. 15'	Each	Each	Dacii
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
robusta persicifolia. 12'			
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sargenti. Sargent Crab. 6'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	
scheideckeri. Scheidecker Crab. 2	20 '		
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	
sieboldi. Toringo Crab. 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.60
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	
10 to 12 ft	10.00	7.50	
spectabilis. Chinese Flowering Cras	b. 15'		
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50°	3.00	
spectabilis alba plena. Dbl. White	e Chinese	Crab.	<i>15</i> ′
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.25	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00		
sublobata. Yellow Autumn Crab.	12'		
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
	_		

			1-4 Each	5-24 Each	25 & up Each
Malus			234011	134011	220011
theifera.	T	ea Crab. 20'			-
4 to	5	ft	- 2.00	1.50	
5 to	6	ft	2.75	2.25	
6 to	8	ft	4.00	3.50	
theifera	rose	ea. 20'			
4 to	5	ft	2.25	2.00	1.75
5 to	6	ft	2.75	2.50	2.25
6 to	8	ft	4.00	3.50	3.00
8 to	10	ft	6.00	5.00	
10 to	12	ft	10.00	7.50	
toringoid	les.	Cutleaf Crab. 15'		·	
4 to	5	$ft \dots \dots \dots$	2.00	*	
5 to	6	$ft \dots \dots \dots$	2.50		
6 to	8	ft	3.50		
8 to	10	ft	5.00		
tschonos	ki.	20 '			
3 to	4	ft	1.75	1.50	1.25
4 to	5	ft	2.00	1.75	1.50
, 5 to	6	ft	3.00	2.50	2.25
6 to		ft	4.00	3.50	3.00
8 to	10	ft	5.00	4.50	4.00
yunnane	nsis	veitchi. 25'			
3 to	4	ft	1.75	1.50	1.25
4 to	5	ft	2.00	1.75	
5 to	6	ft	2.50	2.25	
6 to		ft	3.50		
• •		O 1 sol			
		Crab. 12'	1 75	1 EA	1 05
4 to		ft	1.75	-	
		ft	$\frac{2.50}{2.50}$	2.00	
		ft	3.50	3.00	2.50
		ft	6.00		
		ft	10.00	7.50	
zumi cal				4 ~ ^	4 05
		ft	$\frac{1.75}{2.50}$	1.50	
		ft	2.50		
		ft	3.50	3.00	2.50
8 to	10	ft	5.00	4.50	
3.5		•			

Morus alba pendula. Weeping Mulberry. 10' 3 yr. heads, 5 to 7 ft. stems 3.00

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	$\begin{array}{c} 5-24 \\ ext{Each} \end{array}$	25 & up Each
Morus		27.000	-
alba tatarica. Russian Mulberry.	<i>60</i> ′		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	2.00	1.75	1.50
1 3/4 to 2 in	2.50	2.25	2.00
2 to $2\frac{1}{2}$ in	3.50	3.00	
Myrica carolinensis. Northern Bayberr	y. 5'		
18 to 24 in	.75	.60	.50
24 to 30 in	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
cerifera. Southern Waxmyrtle. 5'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
gale. Sweetgale. 4'			
18 to 24 inB&B	2.00	1.50	
2 to 3 ftB&B	2.50	2.00	
Nandina domestica. Nandina. 8'			
18 to 24 inB&B	2.50	2.00	
Neillia longeracemosa. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
(sinensis. Tube Neillia. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
Nemopanthus mucronatus. Mountain He	olly. 10) '	
2 to 3 ft	1.25		
3 to 4 ft	1.50		
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
*Nyssa aquatica. Big Tupelo. 40'	_ :		
2 to 3 ft	2.00		

	1-4	5-24	25 & up
	Each	Each	Each
Nyssa			
*sylvatica. Tupelo. 40'			
3 to 4 ft	. 2.00	1.75	1.50
4 to 5 ft	. 3.00	2.50	2.00
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.50	4.00
8 to 10 ft	. 7.50	6.50	5.50
10 to 12 ft	. 12.50	10.00	
Osmanthus aquifolium. Holly Osman	thus. 15'	•	
12 to 18 in., 4" pots			
Ostrya virginiana. American Hophori		<i>io</i> '	
5 to 6 ft	. 1.75	1.50	
6 to 8 ft	2.50	2.00	•
8 to 10 ft	. 3.50	3.00	
10 to 12 ft		4.50	
_*Oxydendrum arboreum. Sourwood.	/O'		
2 to 3 ft	•	1.00	.75
3 to 4 ft			
		1.25	1.00
		1.75	1.50
		2.50	2.00
		3.50	3.00
8 to 10 ft		5.50	4.50
10 to 12 ft	. 10.00	7.50	
Pachistima canbyi. Canby Pachistima.	. 1'		
3 inch pots	75	.60	.50
Paeonia suffruticosa. Tree Peony. 6	,		
8 to 10 in., 3 year	. 3.00	2.50	
Paulownia tomentosa. Royal Paulow	nia. 30'		
6 to 8 ft		3.50	
8 to 10 ft	. 5.00		
10 to 12 ft			
Periploca graeca. Silk Vine. 30'			
2 year	50	.40	.30
3 year			
sepium. Chinese Silkvine. 25'			
2 year	. 1.25		
Perowskia atriplicifolia. 4'			
2 to 3 ft	. 1.50	1.25	1.00
3 to 4 ft	-	1.50	1.25
		2.00	

	1-4 Foods	5-24	
Phellodendron amurense. Amur Corkti	Each ree. 50'	Each	Each
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
	2.50	2.25	2.00
	3.00	2.75	2.50
	4.00	3.50	3.00
2 to $2\frac{1}{2}$ in	5.50	4.50	4.00
$2\frac{1}{2}$ to 3 in	7.50	6.50	5.00
3 to 3½ in	12.50	10.00	
$3 \frac{1}{2}$ to 4 in	15.00	12.50	
chinense. Chinese Corktree. 30'			
8 to 10 ft	3.00	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
1 % to 2 in	5.00	4.00	
2 to $2\frac{1}{2}$ in	6.00	5.00	
sachalinense. Sakhalin Corktree. E	50'		
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	4.00	
1 % to 2 in	6.00	5.00	
2 to $2\frac{1}{2}$ in	9.00	7.50	
Philadelphus Albatre. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
Argentine. δ'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
Avalanche. δ'		_	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
Banniere. 8'	4.0	0.0	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Bouquet Blanc. 5'	4.0	0.5	0.0
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	.35
coronarius. Sweet Mockorange. I		0.5	0.0
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75

	1-4	5-24	25 & up
	Each	Each	Each
Philadelphus			
coronarius aureus. Golden Mocko		4'	
18 to 24 in	.50	.45	.40
24 to 30 in	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
coronarius nanus. 4'			
12 to 15 in	.60	.50	
15 to 18 in	.75	.60	
coronarius multiflorus plenus. $m{6'}$			
2 to 3 ft	.50	.40	.30
Dame Blanche. 6'			
2 to 3 ft	.40	.30	.25
dianthiflorus plenus. 4'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
falconeri. Star Mockorange. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	
Favorite. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Gerbe de Neige. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Glacier. δ'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	
gordonianus. Gordon Mockorange.	12 '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
grandiflorus. Big Scentless Mocko		8'	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
V V	 00	•00	• • •

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
incanus. Gray Mockorange. 10'			
18 to 24 in	1.00	.75	
lemoinei erectus. 6'		2.2	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
lewisi. Lewis Mockorange. 10'		4	
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Magdalene. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
nepalensis. Nepal Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
nivalis. Snowbank Mockorange. 10'	•		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
Norma. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Ophelia. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
	.00	•40	.50
Pavillon Blanc. 8'	F 0	40	9.0
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
pyramidale. 6'			
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
5 to 6 ft	.90	.75	

	÷	1-4 Each		& up Each
Philadelphus				, is
sericanthus	. Silk Mockorange. 12'			
3 to 4	4 ft	1.50	1.25	
Sybille. 5'				
	3 ft	.50	.40	.30
3	3'			Δ.
	3 ft	.50	.40	.35
3 to	4 ft	.60	.50 .	.45
4 to	5 ft	.75	.65	.60
5 to	6 ft	1.00	.85	.75
Voie Lacte				
	3 ft	.50	.40	.30
	4 ft	.60	.50	.40
4 to	5 ft	.75	.60	.50
zeyheri. Z	Teyher Mockorange. 10'			
3 to	4 ft	.50	.40	.30
4 to	5 ft	.60	.50	.40
5 to	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75
Photinia villosa.				
	4 ft	.75	.60	.50
	5 ft			.75
5 to	6 ft	1.50	1.25	1.00
6 to	8 ft	2.50	2.00	1.50
8 to 1	0 ft	3.50	3.00	2.50
villosa laev				
4 to	5 ft	1.50	1.25	1.00
5 to	6 ft	2.00	1.50	1.25
6 to	8 ft	3.00	2.50	2.00
Physocarpus in	termedius parvifolius.	Dwarf	${\it Ninebark}.$	4 '
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
opulifolius.	Ninebark. 10'			
2 to	3 ft	.35	.25	.20
3 to	4 ft	.45	.35	.25
4 to	5 ft	.60	.45	.35
5 to	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75

	1-4 Each	$\begin{array}{c} \mathbf{5-24} \\ \mathbf{Each} \end{array}$	25 & up Each
Physocarpus			
opulifolius luteus. Goldleaf Ninebo	ark. 1	0 '	
2 to 3 ft	.35	.25	.20
3 to 4 ft	.45	.35	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	-85	.75
opulifolius nanus. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
Picea alba. White Spruce. 50'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.25
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.50	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 20 ft., add	\$5.00	per foo	t.
alba gloriosa. 30'			
2 ftB&B	7.50		
3 ftB&B	10.00		•
4 ftB&B			
5 ftB&B	15.00		
alcockiana. Alcock Spruce. 75'			
4 ftB&B	12.50		
8 ftB&B	20.00		
For larger sizes to 15 ft., add \$5.	00 per	foot.	
canadensis. Black Hills Spruce. 60) '		
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.25
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	9.00	7.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.50	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 18 ft., add	\$5.00	per foo	t.

	1-4 Each	5-24 Each	25 & up Each
Picea			
engelmanni. Engelmann Spruce. 7	5 ′		
6 ftB&B	15.00		
7 ftB&B	18.00		
For larger sizes to 16 ft., add	\$5.00	per foo	t.
excelsa. Norway Spruce. 75'			
2 ftB&B	2.00	1.50	1.25
3 ftB&B	2.50		1.75
4 ftB&B			
5 ftB&B			•
6 ftB&B			
7 ftB&B			6.00
8 ftB&B			
9 ftB&B			
10 ftB&B			
For larger sizes to 25 ft., add		per foot	t.
, , , , ,		•	
excelsa aurea. Golden Norway Sp	ruce.	75 '	
$3 \text{ ft.} \dots B\&B$		8.00	
4 ftB&B	12.50	10.00	
5 ftB&B	15.00	12.50	
6 ftB&B	18.00		
$7 \text{ft.} \dots B\&B$			
For larger sizes to 12 ft., ad	ld \$5.0	00 per f	oot.
excelsa clanbrasiliana. 7'			
15 inB&B	5.00		
18 inB&B	6.50		
2 ftB&B	8.00		
excelsa maxwelli. Maxwell Spruce	. 6'		
18 to 24 inB&B	7.50		
24 to 30 inB&B			
30 to 36 inB&B		10.00	
36 to 42 inB&B		12.50	
excelsa nana compacta. Dwarf Sp			~ 00
18 to 24 inB&B		6.00	5.00
24 to 30 inB&B		7.50	6.00
30 to 36 inB&B			
36 to 42 in		12.50	10.00
42 to 48 inB&B			
excelsa nana pyramidalis. Pyrami		of. Spruce	3. 4'
18 inB&B	6.00		
$2 \text{ ft.} \dots B\&B$	7.50		

,	1-4	5-24	25 & up
Picea	Each	Each	Each
excelsa pendula. Weeping Spruce.	20'		
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	8.00	
6 ftB&B	12.50	10.00	
7 ftB&B	15.00		
excelsa pygmea. Pygmy Norway	Spruce.	, 20'	
18 to 24 inB&B	6.00	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00		
36 to 42 inB&B	15.00		
excelsa remonti. Remont Spruce.	6'		
18 to 24 inB&B	6.50	5.50	5.00
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B	10.00		
36 to 42 inB&B	12.50		
glauca conica. Dwarf Alberta Sp	ruce. 6	3'	
2 ftB&B	6.00	5.00	
$2\frac{1}{2}$ ftB&B	7.50	6.00	
3 ftB&B	10.00	7.50	
mariana. Black Spruce. 30'			
4 ftB&B	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.00	
7 ftB&B	10.00	7.50	
8 ftB&B	12.50	10.00	
For larger sizes to 18 feet, a	dd \$5.0	00 per f	oot.
mariana doumeti. Doumet Spruce	. 25'		
$2 \text{ ft.} \dots B\&B$		4.00	
$3 \text{ft.} \dots B\&B$		5.00	
4 ftB&B			
5 ftB&B	10.00		
omorika. Serbian Spruce. 50'	10 70		
3 ftB&B			
4 ftB&B			
5 ftB&B			
6 ftB&B	25.00		
orientalis. Oriental Spruce. 75'			
2 ftB&B	4.00		
3 ftB&B	5.00		
10 ftB&B			
11 ftB&B	40.00		

	1-4 Each	5-24 Each	25 & up Each
Picea	24011		
polita. Tigertail Spruce. 75'			
$2 \text{ ft.} \dots B\&B$	4.00		
9 ftB&B	20.00		
10 ftB&B			•
For larger sizes to 16 ft., add		per fo	ot.
pungens. Colorado Spruce. 60'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.00	3.50
5 ftB&B		6.00	5.00
6 ftB&B	10.00	7.50	6.00
7 ftB&B	12.50	10.00	7.50
8 ftB&B	15.00	12.50	
For larger sizes to 18 ft., add	d \$5.00	per fo	ot.
pungens glauca. Blue Colorado S	pruce.	60 '	
2 ftB&B	4.00	3.50	3.00
3 ftB&B	5.00	4.50	4.00
4 ftB&B	7.50	6.50	6.00
5 ftB&B	10.00	9.00	8.00
6 ftB&B	15.00	12.50	10.00
7 ftB&B	18.00	15.00	12.50
8 ftB&B	25.00	20.00	17.50
9 ftB&B	35.00	30.00	
For larger sizes to 20 ft., ad	d \$5.00	per fo	ot.
pungens kosteri. Koster Blue Spr	ruce. 50) '	
2 ftB&B	5.00	4.50	4.00
$2\frac{1}{2}$ ftB&B	6.00	5.50	5.00
3 ftB&B	7.50	7.00	6.50
$3 \frac{1}{2}$ ftB&B	10.00	9.00	8.50
$4 \qquad \mathbf{ft}\mathbf{B\&B}$	12.00	11.00	10.00
$4\frac{1}{2}$ ftB&B	14.00	13.00	12.00
$5 ext{ft.} \dots B\&B$	16.00	15.00	14.00
$5 \frac{1}{2}$ ftB&B			15.00
$6 ext{ft.} \dots B\&B$			
7 ftB&B			
8 ftB&B			
For larger sizes to 25 ft., ad	ld \$10.0	00 per	foot.
pungens moerheimi. 40'			
2 ½ ftB&B	7.00	6.50	
$3 \qquad \text{ft.} \dots B\&B$	8.50	8.00	
3 ½ ftB&B	12.00	10.00	
$egin{array}{lll} 4 & ext{ft.} & \dots & B\&B \end{array}$	15.00	12.50	

	1-4 Each	5-24 Each	25 & up Each
Picea			
rubra. Red Spruce. 60'			
5 ftB&B	6.00	5.00	4.50
6 ftB&B	7.50	6.50	5.50
7 ftB&B		7.50	6.50
8 ftB&B		10.00	7.50
9 ftB&B		12.50	10.00
10 ftB&B	20.00	15.00	·
Pieris floribunda. Mountain Andromedo	ı. 4'		
18 to 24 inB&B		3.50	3.00
24 to 30 inB&B	5.50		
japonica. Japanese Andromeda. 10'			
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.00	2.50	
24 to 30 inB&B	5.00		
mariana. Staggerbush. 4'			
24 to 30 inB&B	3.00	2.50	
30 to 36 inB&B	4.00	3.50	
Pinus banksiana. Jack Pine. 60'			
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4.50	4.00	3.50
5 ftB&B		5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ftB&B	22.50	18.00	15.00
11 ftB&B			
For larger sizes to 18 ft., ad	d \$5.00	per fo	oot.
densiflora. Japanese Red Pine. 6	?O '		
3 ftB&B	3.50	3.00	2.50
4 ftB&B		4.00	
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B		10.00	9.00
9 ftB&B			. 4
For larger sizes to 17 ft., add	1 \$5.00	per 10	ot.

SEE PAGE 157 FOR A COMPLETE LIST OF HERBACEOUS STOCK.

Pinus	1-4 Each	5-24 Each	25 & up Each
flexilis. Limber Pine. 30'	134011	Zacii	134011
4 ftB&B	7.50		
5 ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
For larger sizes to 16 ft., add	\$5.00	per foo	t.
montana. Swiss Mountain Pine. 10)'	_	
18 inB&B	3.00	2.75	2.50
$2 \qquad \text{ft.} \dots B\&B$	3.50	3.25	3.00
$2\frac{1}{2}$ ftB&B	4.50	4.25	4.00
$3 \qquad \text{ft.} \dots B\&B$	6.50	5.50	5.00
$3\frac{1}{2}$ ftB&B	10.00	8.00	7.50
$\mathbf{a} = \mathbf{ft} \dots \mathbf{B\&B}$	15.00	12.50	10.00
$5 \qquad ext{ft.} \ldots B\&B$	20.00	15.00	12.50
6 ftB&B	25.00		
$7 \qquad \text{ft.} \dots B\&B$	35.00		
montana mughus. Dwarf Mountain	n Pine.	4'	
15 to 18 in. spdB&B	2.50	2.25	2.00
18 to 24 in. $\operatorname{spd} \ldots \operatorname{B\&B}$	3.00	2.75	2.50
2 to 2½ ft. spdB&B	3.50	3.25	3.00
$2\frac{1}{2}$ to 3 ft. spdB&B	4.50	4.25	4.00
3 to $3\frac{1}{2}$ ft. spdB&B	7.50	6.50	5.50
$3\frac{1}{2}$ to 4 ft. spdB&B	10.00	8.00	7.50
4 to 5 ft. $\operatorname{spd}B\&B$	15.00	12.50	10.00
5 to 6 ft. $\operatorname{spd} \ldots \operatorname{B\&B}$	25.00		
6 to 7. ft. $\operatorname{spd} \ldots \operatorname{B\&B}$	35.00		
nigra. Austrian Pine. 50'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.00
$4 ext{ ft.} \dots B\&B$	5.00	4.50	4.00
$5 \text{ft.} \dots B\&B$	7.50	6.00	5.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
	22.50		
10 ftB&B			
For larger sizes to 16 ft., add	•	per fo	ot.
ponderosa. Western Yellow Pine.	<i>60'</i>		
2 ftB&B	3.00	2.75	2.50
3 ftB&B	4.00	3.75	
4 ftB&B	6.00	5.00	4.50
5 ftB&B		6.50	
10 ftB&B 2		A	
For larger sizes to 18 ft., add	\$5.00	per foo	ot.

	1-4	5-24 Each	25 & up Each
Pinus	Each	Each	Each
resinosa. Red Pine. 50'			
3 ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
For larger sizes to 18 ft., add	\$5.00	per foo	t.
strobus. White Pine. 75'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
For larger sizes to 14 ft., add	1 \$5.00	per fo	ot.
sylvestris. Scotch Pine. 50'			
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ftB&B			
9 ftB&B			
10 ftB&B	22.50	18.00	15.00
11 ftB&B			
For larger sizes to 18 ft., add	\$5.00	per fo	ot.
thunbergi. Japanese Black Pine.	60 '		
2 ftB&B		3.00	
3 ftB&B	5.00	4.00	
4 ftB&B	7.50	6.00	
$10 ext{ ft.} \dots B\&B$	25.00		
For larger sizes to 14 ft., add	\$5.00	per foo	t.
Platanus occidentalis. American Planeta	ree. 75	5 '	
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	
1½ to 1¾ in	3.50	3.00	
1 3/4 to 2 in	5.00	4.00	
2 to $2\frac{1}{2}$ in	6.50	5.50	

	1-4 Each	5-24 Each	25 & up Each
Platanus	20011	220011	
orientalis. European Planetree. 80) '		
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.50	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	2.50
$1\frac{3}{4}$ to 2 in	4.00	3.75	3.25
2 to $2\frac{1}{2}$ in	6.00	5.00	4.50
Polygonum auberti. China Fleecevine.		٥.	25
2 year	.50	.35	.25
Populus alba. White Poplar. 60'	1 7 5	1 50	
10 to 12 ft	1.75	1.50	
1 % to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
alba nivea. Silver Poplar. 90'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.25	2.00	
berolinensis. Volga Poplar. 40'	0 = 0	0.05	2.00
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	3.00
1¾ to 2 in	5.00	4.00	3.50
bolleana. Bolleana Poplar. 50'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.75	2.50	
	3.50	3.00	
	4.50	3.50	
	6.50	5.50	
$2\frac{1}{2}$ to 3 in	10.00	7.50	
3 to $3\frac{1}{2}$ in		10.00	
4 to 4½ in	15.00		
certinensis. Certinensis Poplar. 40) '		
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.00	2.50	2.00
1¾ to 2 in	4.00	3.50	3.00
maximowiczi. Japanese Poplar. "	40 '		
8 to 10 ft	3.00	2.50	
10 to 12 ft	3.50	3.00	
1½ to 1¾ in			
2 to 2½ in		5.00	
	3.30	0.00	

PAINESVILLE, OHIO	O		103
D	1-4 Each	5-24 Each	25 & up Each
Populus			
nigra betulifolia. 60'			
8 to 10 ft	2.50	2.25	2.00
nigra italica. Lombardy Poplar. 6	30 '		
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75
10 to 12 ft	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	1.60	1.35
1 % to 2 in	3.00	2.50	2.00
2 to $2\frac{1}{2}$ in	4.00	3.00	
2½ to 3 in	5.00	4.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	•••
	,,	_,_,	
suaveolens przewalski. 40'	0.50		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50		
tremuloides. Quaking Aspen. 50'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.75	2.25	1.75
10 to 12 ft	3.50	3.00	2.50
$1\frac{3}{4}$ to 2 in	4.00	3.50	3.00
2 to $2\frac{1}{2}$ in	5.00	4.50	$\boldsymbol{4.00}$
trichocarpa: Black Cottonwood. 40	O '		
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	2.75	2.25	1.75
Potentilla fruticosa. Shrubby Cinquefoil	. 4'		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
Prinsepia sinensis. Cherry Prinsepia. 6'	.00	.40	•00
9 to 12 in., from pots	1.25	1.00	
Prunus americana. American Plum. 20) '		
4 to 5 ft	.75	.60	:50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
americana Newport. Purple-leaved			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00		.75
5 to 6 ft	1.25		1.00
6 to 8 ft	1.75	1.65	1.50
- UO O 10	1.10	1.00	1.00

104 HIMME ROHAMELLS	æ son		
	1-4	5-24 Each	25 & up Each
Prunus	Each	Lacii	Each
armeniaca sibirica. Siberian Apric	ot. 12'	-	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	•
*avium plena. Double White Flow	ering Ch	erry.	<i>30</i> ′
6 to 8 ft	3.50	3.00	2.25
8 to 10 ft	5.00	4.00	
10 to 12 ft	6.00	5.00	
3 to 4 in. specimens	25.00		
besseyi. Bessey Cherry. 8'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
cerasifera pissardi. Purpleleaf Plu	ım 12'		
4 to 5 ft	.85	.75	.65
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.00	1.00
cistena. Purpleleaf Sand Cherry.		2.00	
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25		-
demissa. Western Chokecherry. 30		2.00	•••
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
	1.00	.,,	
dunbari. Dunbar Plum. 6'	0 =		•
2 to 3 ft	.85	.70	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.25	
glandulosa. Flowering Almond. 10			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
glandulosa albiplena.	. •		
Double Whiteflowering Almond.			
2 to 3 ft	.65	.50	
3 to 4 ft	.75	.65	.60
2 to 3 ft. own roots	1.50		

	1-4	5-24	25 & up
Prunus	Each	Each	Each
glandulosa sinensis.			
Double Pinkflowering Almond. 6	,		
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.65	.60
2 to 3 ft. own roots	1.50		
3 to 4 ft. own roots	2.00		
hortulana. Hortulan Plum. 30'			
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
J to 8 ft	2.00	1.50	
8 to 10 ft	2.50	2.00	
incisa. Mame Cherry. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.00	2.50
japonica. Chinese Bush Cherry. 18	9 /		
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
*lannesiana. Hitoye Cherry. 30'	1.10	1.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft		3.50	
	1.00	0.00	
*lannesiana Amayadori. 30'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
*lannesiana Jonioi. 25'			
4 to 5 ft	2.50		
*lannesiana sirotae. Mt. Fuji Che	rry. 25	,	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
maacki. Amur Cherry. 12'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
maritima. Beech Plum. 12'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.75	.60
5 to 6 ft	1.00	.85	.75

	1-4 Each	5-24 Each	25 & up Each
Prunus			
moseri fl. pl. 12'	4.0		
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	
mume. Japanese Apricot. 15'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.00	2.75	2.50
padus. European Bird Cherry. 30'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.35	1.10	1.00
8 to 10 ft	1.50	1.35	1.25
pennsylvanica. Pin Cherry. 25'			
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.5(
10 to 12 ft	3.00	2.50	2.25
persica. (See Amygdalus).			
pumila. Sand Cherry. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
10 to 12 ft	2.50	2.00	_,,,
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	_, _,
*serrulata Higantakura. Dbl. Whi	te Flg.	Cherry.	<i>30</i> ′
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
*serrulata Hisakura. Dbl. Pink Flg			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
	10.00	7.50	

	1-4	5-24	25 & up
Prunus	Each	Each	Each
*serrulata James H. Veitch. syn.	Fugenzo	. 30'	
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	
*serrulata sachalinensis. syn. Sarg	enti.		
Yama Cherry. 50'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*sieboldi. syn. Naden. Siebold Che	erry. 40	,	
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
spinosa. Blackthorn. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
	201		
*subhirtella ascendens. Shiro-higa		0.50	
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00		
6 to 8 ft	5.00	4.50	
*subhirtella autumnalis.			
Autumn Flowering Higan Cherry.	. <i>30</i> ′		
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft	10.00		
10 to 12 ft., specB&B	35.00		
*subhirtella pendula. Weeping Hig	gan Cher	ry. 15	,
2 yr. hds., 4 to 6 ft. stem		3.00	

	1-4 Each	5-24 Each	25 & up Each
Prunus	114011	24011	
tomentosa. Nanking Cherry. 8'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	
triloba. Single Flowering Plum.	<i>10</i> ′		
4 to 5 ft	2.50		
5 to 6 ft	3.50		
triloba plena. Double Flowering	Plum.	<i>10'</i>	
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
virginiana. Chokecherry. 30'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.75	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
*yedoensis. Yoshino Cherry. 35'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*yedoensis taizanfukun.			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft., specB&B	30.00	,	
12 to 14 ft. specB&B	35.00		

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink Gioiko—semi-double pale yellow Hata-zakura—semi-double white Horaisan—double pink Hosokawanioi—semi-double flesh Kuramayami—double pink

.20

.30

.45

1-4 5-24 25 & up Each Each Each

Prunus

Kwanzan—syn. Sekiyama—double deep pink Miyako—double pink Shirofugen—double light pink Shogetsu—double soft pink Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga douglasi. Douglas Fir. 70	,		
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.00	2.75	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.00	4.50
6 ftB&B	8.50	7.50	6.00
7 ftB&B	10.00	8.50	7.50
8 ft	15.00	12.50	10.00
9 ftB&B	18.50	15.00	12.50
10 ftB&B	22.50	18.50	15.00
For larger sizes to 25 ft., add	\$5.00	per foot	- /•
		_	
Pseudolarix kaempferi. Golden Larch.	50 '		
9 ftB&B	40.00		
10 ftB&B	50.00		
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Pterostyrax corymbosa. Little Epaulet	te- $tree$.	20 '	
2 to 3 ft	2.50	2.00	
3 to 4 ft	3.00	2.50	
Pueraria thunbergiana. Kudzu-bean.	40 '		

Pyracantha. (See Crataegus).

year.....

IIU HENRI KUHANKIE	w bon		
	1-4 Each	5-24 Each	25 & up Each
Pyrus calleryana. Callery Pear. 20'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
salicifolia. Willowleaf Pear. 30'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
serrulata. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft,	3.00	2.50	
Quercus alba. White Oak. 75'			
6 to 8 ft	4.50	4.00	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.50	5.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.50	6.00	
1 % to 2 in	8.50	7.50	
2 to $2\frac{1}{2}$ in	12.50	10.00	
$2\frac{1}{2}$ to 3 in	15.00	12.50	
3 to $3\frac{1}{2}$ in	20.00	15.00	•
$3\frac{1}{2}$ to 4 in	25.00	20.00	
bicolor. Swamp White Oak. 60'	4 = 0	4.00	
6 to 8 ft			
$1\frac{1}{4}$ to $1\frac{1}{2}$ in		5.00	
1½ to 1¾ in		6.00	
1 3/4 to 2 in		7.50	
$\frac{2}{2}$ to $\frac{2}{2}$ in			
$2\frac{1}{2}$ to 3 in		12.50	
3 to 3½ in	20.00		
coccinea. Scarlet Oak. 75'	4.00	2 50	2.00
6 to 8 ft		3.50	
1½ to 1½ in		4.50	
1½ to 1¾ in		5.50	
1¾ to 2 in		7.50	
2 to 2½ in		10.00	
2½ to 3 in		12.50	
3 to 3½ in		15.00	
$3\frac{1}{2}$ to 4 in		•	
4 to 4½ in	35.00		
lyrata. Overcup Oak. 75'	10 50		
1 % to 2 in			
$\frac{2}{2}$ to $\frac{2}{2}$ in			
$2\frac{1}{2}$ to 3 in			
3 to $3\frac{1}{2}$ in	20.00		

	1-4 Each	5-24 Each	25 & up Each
Quercus			
macrocarpa. Mossycup Oak. 75'			
1½ to 1¾ in	6.00	5.50	5.00
1% to 2 in	7.50	6.50	6.00
2 to 2½ in	12.50	10.00	7.50
2 ½ to 3 in	15.00	12.50	10.00
3 to 3½ in	20.00	15.00	12.50
3½ to 4 in	25.00	20.00	
4 to 4½ in	35.00		
palustris. Pin Oak. 75'			
6 to 8 ft	2.50	2.25	2.00
1 1/4 to 1 1/2 in	3.00	2.75	2.50
1½ to 1¾ in	3.75	3.25	3.00
1 % to 2 in	5.50	5.00	4.50
2 to 2½ in	8.50	7.50	6.00
2½ to 3 in	12.50	10.00	8.00
3 to 3½ in	15.00	12.50	10.00
$3\frac{1}{2}$ to 4 in	20.00	15.00	12.50
4 to 5 in	30.00	25.00	
5 to 6 in	40.00		
phellos. Willow Oak. 40'			
4 to 5 in	40.00		
5 to 6 in	50.00		
prinus. Chestnut Oak. 50'			
6 to 8 ft	4.50	4.00	3.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.50	5.00	4.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	7.50	6.00	5.50
1 3/4 to 2 in	10.00	7.50	
2 to $2\frac{1}{2}$ in	12.50	10.00	
$2\frac{1}{2}$ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
robur. English Oak. 80'			
6 to 8 ft	4.50	4.00	3.50
	5.00	4.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in			
2 to $2\frac{1}{2}$ in	•		7.50
$2\frac{1}{2}$ to 3 in			10.00
3 to $3\frac{1}{2}$ in	20.00	15.00	
$3\frac{1}{2}$ to 4 in	25.00		

1,12	HENRY KOHANKIE	a son		
				25 & up
Quercus		Each	Each	Each
rubra. Red	Oak. 75'		k. •	ents:
6 to	8 ft	3.50	2.75	2.50
	1½ in			.nef 3.50
$1\frac{1}{2}$ to	1¾ in	5.50	5.00	4.50
1% to	2 in	7.50	6.50	6.00
2 to 2	2½ in	10.00	8.50	7.50
$2\frac{1}{2}$ to	3 in	15.00	12.50	10.00
3 to	3½ in	20.00	15.00	
$3\frac{1}{2}$ to	4 in	25.00	20.00	
4 to	4½ in	35.00	1	
texana. <i>75</i> ′				
	1¾ in	7.50	6.00	
	2 in			
	2½ in	-	1.0	
	3 in			
	3½ in			
• • •			• •	
velutina. Bi	lack Oak. 70'		*	
6 to	8 ft	5.00	4.00	
$1\frac{1}{4}$ to	1½ in	6.00	5.00	
Retinospora. (Se	ee Chamaecyparis).	t		•
Rhamnus carolini	ana. Carolina Bucktho	orn. 25'		
2 to 3	ft	.45	.35	.30
3 to 4	ft	.55	.45	.40
cathartica.	Buckthorn. 12'	•		
3 to 4	ft	.50	.40	.35
4 to 5	ft	.60	.50	.45
5 to 6 to	ft	.75	.60	.55
6 to 8 t	ft	1.00	.75	.65
	Dahurian Buckthorn. 12			
	ft		.35	
		.60		.40
		.75		
5 to 6 1	ft	1.00	.75	.60
LARGE SP	ECIMEN SHRUBS QUOTED	ON RIQU	JIST.	

	1-4 Each	5-24 Each	25 & up Each
Rhamnus	,		
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
frangula asplenifolia. Fernleaf Rh	amnus.	12 '	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.00	3.50	
6 to 8 ft	4.50	4.00	
koraiensis. 12'			
3 to 4 ft	1.00	.90	.75
4 to 5 ft	1.50	1.25	1.00
purshiana. Cascara Buckthorn. 12	,		
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25°	.85	.75
8 to 10 ft	1.50	1.25	1.00
utilis. 10'	1.00	1.20	1.00
2 to 3 ft	1.25	1.00	
wilsoni. 10'	1.20	1.00	
2 to 3 ft	1.25	1 00	
Rhododendron carolinianum. Carolina H			6 '
2 to 3 ftB&B	4.50	4.00	3.75
catawbiense. Catawba Rhododendro	on 01		
2 to 3 ftB&B		4.00	3.50
3 to 4 ftB&B		5.00	4.75
5 to 4 1t		9.00	4.10
maximum. Rosebay Rhododendron.	<i>15</i> ′		
$2 \text{ to } 3 \text{ ft.} \dots B\&B$	4.00	3.50	3.00
3 to 4 ftB&B	5.00	4.50	4.00
4 to 5 ftB&B	7.50		
Rhodora canadensis. Rhodora. 3'			
15 to 18 inB&B	2.50	2.00	
Rhodotypos kerrioides. Jetbead. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.40	
		-	_ _

DI L		Tunna A. Garage		1-4 Each	5-24 Each	25 & up Each
				٣.	4 15	40
2 t		ft		.50	.45	.40
3 t		ft		.60	.55	.50
4 t		ft		.75	.65	.60
5 t	_	ft	• • •	1.00	.80	.75
copallin		hining Sumac. 20'				
2 t		ft	-	.55	.45	.40
3 t	_	ft		.65	.55	.50
4 t		ft		.75	.65	.60
5 t		ft		1.00	.80	.75
6 t		ft		1.50	1.25	1.00
8 t	o 10	ft	• • •	1.75	1.50	1.25
cotinus.	Pu	rple Fringe or Smol	ketree	. 12'		
3 t	o 4	ft		1.25	1.00	.75
4 t	o 5	ft		1.50	1.25	1.00
5 t	o 6	ft		2.00	1.75	1.50
6 t	o 8	ft		2.50	2.25	2.00
8 t	10	ft		2.75		
glabra.	Sm	ooth Sumac. 12'				
2 t		ft		.30	.25	.18
3 t		ft		.40	.30	.25
		osbecki. Java 80		_		• 22
_		ft		1.25	1.00	
5 to	_	ft		1.50	1.25	
6 t	_	ft		2.00		
-		ft		3.00	2.50	
typhina.		aghorn Sumac. 25'	• • •	0.00	2.00	
2 t		ft		.35	.25	.18
3 t		ft		.40	.30	.25
		ft		.45	.35	.30
5 t		ft		.60	.45	
					.40	.40
_		niata. Shredded St				
2 t		ft	=	.40	.30	.25
3 t		ft		.45	.35	.30
4 t	5	ft		.55	.45	.40
5 t	o 6	ft		.75	.60	.50
6 to	8	ft	• • •	1.00	.85	
Ribes alpinus	m. 7	Mountain Currant.	4"			
18 t	0 24	in		.50	.40	.35
2 t	o 3	ft		.60	.50	.45
3 t	o 4	ft		.75	.65	

aureum. Slander Golden Currant. 10' 2 to 3 ft	Ribes	Each 1-4	Each 5-24	Each 25 & up
3 to 4 ft	aureum. Slender Golden Currant.		0-24	25 & up
## 4 to 5 ft	2 to 3 ft	.50	.40	.35
fasciculatum. Winterberry Currant. 4' 18 to 24 in	3 to 4 ft	.60	.50	.40
18 to 24 in	4 to 5 ft	.75	.60	.50
2 to 3 ft	fasciculatum. Winterberry Currant	. 4'		
3 to 4 ft. .75 .60 .50 gordonianum. Gordon Currant. 8' 3 to 4 ft. .75 .60 sanguineum. Ruby Winter Currant. 8' 2 to 3 ft. .60 .50 3 to 4 ft. .75 .60 Robinia Elliotti. 6' 2 to 3 ft. 3.00 fertilis. 25' 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 10 to 12 ft. 6.50 5.50 hispida. Rose Acacia. 2 yr. standard, 3 to 4 ft. 1.75 1.50 2 yr. standard, 4 to 5 ft. 2.00 1.75 Bush form 2 to 3 ft. 1.50 holdt. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft. 4.00 8 to 10 ft. 5.00 4 to 8 ft. 1.00 8 to 10 ft. 2.00 1.50 1.50 pseudoacacia.	18 to 24 in	.50	.40	.35
gordonianum. Gordon Currant. 8' 3 to 4 ft		.60	.45	.40
3 to 4 ft	3 to 4 ft	.75	.60	.50
sanguineum. Ruby Winter Currant. 8' 2 to 3 ft. .60 .50 3 to 4 ft. .75 .60 Robinia Elliotti. 5' 2 to 3 ft. 3.00 fertilis. 25' 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 10 to 12 ft. 6.50 5.50 hispida. Rose Acacia. 2 yr. standard, 3 to 4 ft. 1.75 1.50 2 yr. standard, 4 to 5 ft. 2.00 1.75 Bush form 2 to 3 ft. 1.50 holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelsey Locust. 8' 5 to 6 ft. 4.00 3.50 4.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50	gordonianum. Gordon Currant. 8	•	•	
2 to 3 ft	3 to 4 ft	.75	.60	
2 to 3 ft	sanguineum. Ruby Winter Curran	t. 8'		
Robinia Elliotti. 5' 2 to 3 ft			.50	
Robinia Elliotti. 5' 2 to 3 ft	3 to 4 ft	.75	.60	
2 to 3 ft 3.00 fertilis. 25' 6 to 8 ft 4.00 3.50 8 to 10 ft 5.00 4.50 10 to 12 ft 6.50 5.50 hispida. Rose Acacia. 2 yr. standard, 3 to 4 ft 1.75 1.50 2 yr. standard, 4 to 5 ft 2.00 1.75 Bush form 2 to 3 ft 1.50 holdti. Holdt Locust. 25' 6 to 8 ft 3.50 8 to 10 ft 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft 4.00 8 to 10 ft 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft 75 60 50 6 to 8 ft 1.00 85 75 8 to 10 ft 2.00 1.50 1.00 10 to 12 ft 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft 3.00 2.50 5 to 6 ft 4.00 3.50 6 to 8 ft 3.00 2.50 5 to 6 ft 3.00 2.50 5 to 6 ft 4.00 3.50 6 to 8 ft 5.00 4.50				
fertilis. 25' 6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 10 to 12 ft. 6.50 5.50 hispida. Rose Acacia. 2 yr. standard, 3 to 4 ft. 1.75 1.50 2 yr. standard, 4 to 5 ft. 2.00 1.75 Bush form 2 to 3 ft. 1.50 holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft. 4.00 8 to 10 ft. 5.00 4.50 8 to 10 ft. 6.00 5 to 6 ft. 75 6 to 8 ft. 1.00 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 5.00 4.50		2 00		
6 to 8 ft. 4.00 3.50 8 to 10 ft. 5.00 4.50 10 to 12 ft. 6.50 5.50 hispida. Rose Acacia. 2 yr. standard, 3 to 4 ft. 1.75 1.50 2 yr. standard, 4 to 5 ft. 2.00 1.75 Bush form 2 to 3 ft. 1.50 holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft. 5.00 4.50 8 to 10 ft. 5.00 4.50 8 to 10 ft. 5.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. 7.75 60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50		3.00		
8 to 10 ft		4 00	3 50	
hispida. Rose Acacia. 2 yr. standard, 3 to 4 ft. 1.75 1.50 2 yr. standard, 4 to 5 ft. 2.00 1.75 Bush form 2 to 3 ft. 1.50 holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50 8 to 10 ft. 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. 75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50				
hispida. Rose Acacia. 2 yr. standard, 3 to 4 ft. 1.75 1.50 2 yr. standard, 4 to 5 ft. 2.00 1.75 Bush form 2 to 3 ft. 1.50 holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50 8 to 10 ft. 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. 75 60 50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50				
2 yr. standard, 3 to 4 ft 1.75		0.00	3.30	
2 yr. standard, 4 to 5 ft 2.00 1.75 Bush form 2 to 3 ft 1.50 holdti. Holdt Locust. 25' 6 to 8 ft 3.50 8 to 10 ft 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft 4.00 3.50 6 to 8 ft 5.00 4.50 8 to 10 ft 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft	-	4 5 5	1 50	
Bush form 2 to 3 ft. 1.50 holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50 8 to 10 ft. 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	•			
holdti. Holdt Locust. 25' 6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelsey Locust. 8' 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50 8 to 10 ft. 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	·		1.75	
6 to 8 ft. 3.50 8 to 10 ft. 4.00 kelseyi. Kelsey Locust. 8' 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50 8 to 10 ft. 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. 75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	Bush form 2 to 3 ft	1.50		
8 to 10 ft 4.00 kelseyi. Kelsey Locust. 8' 4.00 3.50 5 to 6 ft 5.00 4.50 8 to 10 ft 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft 5 to 8 ft 1.00 .85 .75 8 to 10 ft 2.00 1.50 1.00 10 to 12 ft 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft 3.00 2.50 5 to 6 ft 4.00 3.50 6 to 8 ft 5.00 4.50	holdti. Holdt Locust. 25'			
kelseyi. Kelsey Locust. 8' 5 to 6 ft	6 to 8 ft	3.50		
5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50 8 to 10 ft. 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	8 to 10 ft	4.00		
5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50 8 to 10 ft. 6.00 5.50 pseudoacacia. Common Locust. 60' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	kelsevi. Kelsey Locust. 8'			
8 to 10 ft	•	4.00	3.50	
pseudoacacia. Common Locust. 60' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	6 to 8 ft		4.50	
5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	8 to 10 ft	6.00	5.50	
5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .85 .75 8 to 10 ft. 2.00 1.50 1.00 10 to 12 ft. 3.00 2.50 pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft. 3.00 2.50 5 to 6 ft. 4.00 3.50 6 to 8 ft. 5.00 4.50	Toman Loguet Co	n/		
6 to 8 ft	-		60	50
8 to 10 ft				
10 to 12 ft				
pseudoacacia bessoniana. Besson Locust. 40' 4 to 5 ft				1.00
4 to 5 ft				
5 to 6 ft	-		•	
6 to 8 ft 5.00 4.50			_	
	8 to 10 ft	6.00	5.50	

	1-4	5-24	25 & up
Robinia	Each	Each	Each
pseudoacacia decaisneana. $Decais$	ne Locu	ıst. 40	,
5 to 6 ft	3.50	,	
6 to 8 ft	4.00		
8 to 10 ft	5.00		
pseudoacacia Marguerite. 10'			
5 to 6 ft	4.50	4.00	
6 to 8 ft	5.00	4.50	
pseudoacacia umbraculifera. 20'			
3 to 4 ft	2.50		
viscosa. Clammy Locust. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	.90	.75
Rosa acicularis. Prickly Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.45
blanda. Meadow Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
canina. Dogbrier. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
coriifolia froebeli. Froebel Rose.	<i>51</i>		
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.50	.40
davurica. Dahurian Rose. 6'	•00	.00	.=0
2 to 3 ft	1.00	75	60
ecae. Eca Rose. 6'	1.00	.75	.60
	50	4.0	0.5
2 to 3 ft		.40	.35
4 to 5 ft	.60	.50	.40
	.75	.60	.50
foetida. Austrian Copper Rose. 4'	1.00		
2 to 3 ft		.75	
foetida persiana. Persian Yellow Ro		_ ~	
2 year	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Rosa			
fujisanensis. Mt. Fuji Rose. 8'		_ 0	0
3 to 4 ft	.75	.60	.50
helenae. Helen Rose. 6'			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75		.55
humilis. Pasture Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
lucida. Virginia Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
marreti. Marret Rose. 6'			
3 to 4 ft	1.25	1.00	.75
5 10 4 11	1,40	1.00	.10
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.25	1.00	
multiflora. Japanese Rose. 8'			
2 to 3 ft	50	25	.25
3 to 4 ft	.55	.40	.30
4 to 5 ft	.60	.50	.40
4 00 0 10	.00	.00	•40
multiflora cathayensis. Cathay Rose	e. 6'		
3 to 4 ft	.60	.50	.40
nitida. Bristly Rose. 3'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	
3 to 4 ft	.75	.60	
palustris. Swamp Rose. 8'		.00	.00
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.30	.35
3 to 4 ft	.60	.50	
	.00	.50	.40
pendulina. 3'	77	CO	F 0
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
rauletti.			
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., F. G	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Rosa			
rubiginosa. Sweetbriar. 6' 2 to 3 ft	. 40	25	20
	•		
3 to 4 ft			.35
4 to 5 ft		.50	
rubiginosa hybrids. Lady Penza	-		•
Green Mantle, Lucy Ashton,	J eann	ie Dear	is, and
Flora McIvor. 6'	 -		
$2 \text{ to } 3 \text{ ft.} \dots$.60	
3 to 4 ft	1.00	.75	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
rugosa. Rugosa Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	
rugosa alba. White Rugosa Rose.	6 '		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	
rugosa hybrids. ō'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
Varieties:-Blanche de Coube	rt, C.	F. Mey	er,
C. F. Worth, Agnes Carme	-		
Nova Zembla, Mad. Geo. E			
thony Waterer, Belle Poiter	vine, Si	r Thom	as
Lipton, Hansa, Agnes, F.	J. Gro	otendor	st.
rugosa hyb.—climbing. Max Graf	7É	.60	
rugosa nyo.—emmonig. wax diai	.10	.00	
sericea. 4'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
setigera. Prairie Rose. 6'			
2 to 3 ft	.40	.35	.30
3 to 4 ft		.40	
4 to 5 ft		.45	
·			
spinosissima altaica. Altai Rose.	4'		
18 to 24 in	.50	.45	.40
2 to 3 ft	.65	.55	.50
3 to 4 ft			.60

	_	-4 ach	5-24 • Each	25 & up Each
Rosa				
spinosissima hispida. Bristly S	cotch .	Rose.	6 '	
2 to 3 ft	• •	.75	.60	.50
3 to 4 ft	1	.00	.75	.60
4 to 5 ft	1	.25	1.00	.75
spinosissima hybrids. 5'				
2 to 3 ft	1	00	75	
3 to 4 ft		.25		
Dbl. Blush, Dbl. White, D	. •	_		
wichuraiana. Wichurian Rose.		, -		
2 year		.40	.30	.25
3 year		.50		
o year	• •	.00	.40	.00
wichuraiana hybrids. 2'				
2 year		.75	.60	.50
Jersey Beauty, Sweethear ite, Manda's Triumph, Sotion, Evergreen Gem.				
Roses				
Hybrid Perpetuals. 2 year No. 1	• • •	.60	.50	
Anne de Diesbach J	J. B. (Clark		
Baroness Rothchild	Mme.	Alber	t Barb	oier
Baron de Bonstettin	Mrs. J	ohn I	Laing	
Earl of Dufferin	Magna	Chai	rta	
Clio	M. P.	Wilde	er	
Eugene Furst	Marga	ret D	ickson	
Frau Karl Druschki	Paul N	Teyro	n	
Gen. Jacqueminot	Tom V	Vood		
Geo. Arends	Ulrich	Brun	ner	
Hybrid Teas. 2 year No. 1	.75	.6	30	
Betty Uprichard N	Madam	e Bu	tterfly	-
			Bowle	
_		-	Morse	
	Pres. I	_		
-	Radian	ce		
Killarney F	Rev. F	. Pag	e-Robe	erts
Lady Alice Stanley S	Sunbur	st		
Lady Hillingdon V	White	Killa	rney	
Mad. Abel Chatenay	Willow	mere		

Climbing roses. 2 year No. 1.		5-24 Each 0 .50	
American Beauty	Mad. Gregoi		nelin
American Pillar	Mary Wallac		
Aviateur Bleriot	Paul's Scarle		er
Dr. W. Van Fleet	Roserie		
Dorothy Perkins	Silver Moon		
Excelsa	Star of Pers	sia	
Gardenia	White Dorot	hy Perk	ins
Hiawatha			
Polyantha hybrids 2 year No.	. 1	.5 5	
Else Poulsen	Ideal		
Gloria Mundi	Katherine Ze	eimet	
Golden Salmon	Lafayette		
Rubus deliciosus. Boulder Ras	pberry. 5'		
2 to 3 ft		5 1.00	.75
3 to 4 ft	1.50	0 1.25	1.00
odoratus. Flowering Rasp	berry. 6'		
2 to 3 ft		.35	.30
3 to 4 ft		.40	.35
4 to 5 ft		.50	.40
5 to 6 ft		.60	.50
phoenicolasius. Wineberry	. 8'		
3 to 4 ft	1.00	.75	
Salix babylonica. Babylon We	eping Willow.	50 '	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.78	5 1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	2.00	
babylonica crispa. Ringlea	f Weeping W	llow. 30'	
6 to 8 ft		3.00	
8 to 10 ft	4.00	3.50	
babylonica dolorosa. Wisc	consin Weeping	Willow.	<i>40</i> '
	1.50	1.25	1.00
8 to 10 ft	1.78		1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.28	5 2.00	1.75
babylonica salamoni. Sala		Willow.	<i>50'</i>
6 to 8 ft	1.78	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in			2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\dots 2.75$	2.50	

Salix babylonica salamoni	1-4 Each	5-24 Each	25 & up Each
1 % to 2 in	3.50	3.00	
2 to 2½ in	5.00	4.00	
2 to 2 /2 in	7.50	5.00	
· · · · · · · · · · · · · · · · · · ·	10.00		
	10.00	7.50	
caprea. Goat Willow. 20'	75	00	F0
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.65
8 to 10 ft	1.25	1.00	.90
discolor. Pussy Willow. 20'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.65
8 to 10 ft	1.25	1.00	.90
doniana. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
elegantissima. Thurlow Weeping V	Villow.	<i>50</i> ′	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
1¼ to 1½ in	2.50	2.25	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.00
1 % to 2 in	3.00	2.75	2.50
incana. syn. rosmarinifolia. Rosen	nary W	illow.	20 '
3 to 4 ft. shrub form	.55	.45	.40
4 to 5 ft. shrub form	.65	.55	.50
	.75		
6 to 8 ft. shrub form	1.00		
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25		.75
6 to 8 ft		1.25	
8 to 10 ft	2.00		1.00
jessoensis. 6'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00		1.25
4 to 5 ft	2.25	1.75	
matsudana. Hankow Willow. 35'	•		
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
8 to 10 ft	1.25	1.00	.75

122 HEMILI ROHAMRI	2 & BOIL		
	1-4 Each	5-24 Each	25 & up Each
Salix	230011		
matsudana tortuosa. 20'			
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft		1.75	1.50
			_,,
mutabilis. 5'			4.0
2 to 3 ft		.50	.40
3 to 4 ft	.75	.60	.50
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	Ł.	1.25	1.00
nigricans cotinifolia. 12'	2,00	2.20	2000
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft		1.75	1.50
8 to 10 ft		2.00	1.75
	я	_,,	_,,,
niobe. Niobe Weeping Willow. 3		4 - 6	4.05
6 to 8 ft		1.50	1.25
8 to 10 ft		1.75	1.50
10 to 12 ft	2.75	2.50	2.25
pentandra. Laurel Willow. 30'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft		1.50	1.25
1 1/4 to 1 1/2 in		1.75	1.40
1½ to 1¾ in			
1 ¾ to 2 in			
1/4 00 2 111	. 0.00	2.00	2.00
purpurea nana. Dwf. Purple Os	ier. $\tilde{\it 5'}$		
2 to 3 ft	. 1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	. 1.50	1.25	1.0 0
regalis. Royal Willow. 30'			•
5 to 6 ft	90	.80	
6 to 8 ft		1.00	
0 10 0 10	. 1,20	1.00	
sieboldiana. Siebold Willow. 30'			
5 to 6 ft	1.00	.75	.65
6 to 8 ft	. 1.25	1.00	.90
uralensis. <i>15'</i>			
4 to 5 ft	GΛ	ξΛ	40
		.50	
5 to 6 ft		.65	
6 to 8 ft	. 1.00	.90	.75

	1-4 Each	5-24 Each	25 & up Each
Salix			
vitellina. Golden Willow. 30'			
6 to 8 ft	1.25	1.00	.90
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	1.40
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	2.00	1.60
1 % to 2 in	3.00	2.50	2.00
vitellina britzensis. Bronze Golden	Willow	v. 30'	
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	1.75	1.50	1.25
1½ to 1¾ in	2.50	2.00	1.75
1 3/4 to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
vitellina glauca. Blue Russian Wi	llow. 2	20 '	
5 to 6 ft	.75	.60	.50
6 to 8 ft		.85	.75
8 to 10 ft	1.50		1.00
	2,00	2,20	
vitellina pendula. Golden Weeping	Willo	w. 40'	
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1¾ in	2.50	2.25	2.00
1 3/4 to 2 in	3.00	2.75	2.50
wentworthi. 50'			
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	2.00	1.50
Sambucus canadensis. American Elder.	10 '		
2 to 3 ft	.35	.25	.20
	.45	Ī	-
4 to 5 ft	.60		
	.75	.60	
6 to 8 ft		.75	
canadensis acutiloba. Cutleaved El			,,,,
	.35	.25	.20
3 to 4 ft			.25
4 to 5 ft			
	.75		
	.10	.00	.50
nigra. European Elder. 15'		2.5	<u>-</u> -
4 to 5 ft			
5 to 6 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Sambucus			
nigra aurea. Golden European Eld	ler. 15		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	65	.50	.45
5 to 6 ft	.75	.65	.60
nigra variegata. Variegated Elder.	10'		
3 to 4 ft	.75	.50	
4 to 5 ft	1.00	.75	
pubens. Scarlet Elder. 8'			
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
pubens leucocarpa. Yellow-fruited		<i>8</i> ′	
4 to 5 ft	1.50		
5 to 6 ft	1.75		
racemosa. European Red Elder. 8'	•		
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	.00
Sassafras variifolium. Sassafras. 50'	_,	2.00	
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	4.00		
	6.00	5.00	
Schizophragma hydrangeoides. 20'			
Japanese Hydrangea-vine			
from pots	1.00	.85	.75
from pots	1.00	.00	.10
Sciadopitys verticillata. Umbrella Pine.	<i>60'</i>		
6 ftB&B	50.00		
Shepherdia argentea. Silver Buffaloberr,	v. 15'		
4 to 5 ft		.75	
5 to 6 ft	1		
6 to 8 ft	1.50		
Skimmia japonica. Japanese Skimmia. 5			
6 in. bushy, 4 in. pots		1.25	
	1.00	1.40	
Smilax rotundifolia. Horsebrier.	~^	4.0	0.0
18 to 24 in			
2 to 3 ft	.60	.50	1
SEE PAGE 157 FOR A COMPLETE LIST OF HI	ERBACEC	US STO	CK.

	1-4 Each	5-24 Each	25 & up Each
Solanum dulcamara. True Bittersweet.			
2 year	.40	.30	.25
*Sophora japonica. Chinese Scholartree	. 25'		
2 to 3 ft	2.00	1.50	1.00
3 to 4 ft	2.50	2.00	1.50
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	4.00	3.50	
6 to 8 ft	6.00	5.00	
5 to 6 ft. specB&B	7.50		
6 to 8 ft. specB&B	10.00		
vicifolia. Vetchleaf Sophora. 6'			
3 to 4 ftB&B	3.50		
Sorbaria aitchisoni. Kashmir False Spi	raea.	<i>8</i> ′	
3 to 4 ft	.50	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
arborea glabrata. 15'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.85	.70	.60
6 to 8 ft	1.00	.85	.75
lindleyana. Lindley False Spiraea.	<i>8</i> ′		
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	
sorbifolia. Ural False Spiraea. 6'		•	
2 to 3 ft	.45	.35	.30
	.55	.45	
4 to 5 ft	.65		
5 to 6 ft	.75		.60
Sorbus americana. American Mountain	Ash.	<i>25'</i>	
5 to 6 ft	2.50	2.00	
6 to 8 ft			
8 to 10 ft			
aria latifolia. White Beam-tree. 40)*		
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
1¾ to 2 in	5.00	4.50	

196	HENRY KOHANKIE	& SON		4
126	HENRI KOHANKIE	1-4	5-24	25_& up
Sorbus		Each	Each	Each
aucuparia. <i>l</i>	European Mountain As	h. 50'		
6 to	8 ft	2.50	2.00	1.60
8 to 1	.0 ft	3.00	2.50	2.00
1 1/4 to	1½ in	3.50	3.00	2.50
$1\frac{1}{2}$ to	1¾ in	4.00	3.50	3.00
1 3/4 to	2 in	4.50	4.00	3.50
2 to	2½ in	6.00	5.00	4.50
$2\frac{1}{2}$ to	3 in	10.00	7.50	6.50
3 to	3½ in	12.50	10.00	
commixta	Japanese Mountain Ash	. 25'		
6 to 8	ft	3.00	2.50	
8 to 10	ft	3.50	3.00	
quercifolia.	Oak-leaf Mountain Asl	h. 25'		
6 to	8 f t	2.75	2.25	2.00
8 to 1	.0 ft	3.50	2.75	2.50
1 1/4 to	1½ in	4.00	3.50	3.00
$1\frac{1}{2}$ to	1 % in	5.00	4.50	4.00
1 3/4 to	2 in	6.00	5.00	
2 to	2 ½ in	7.50	6.00	
$2\frac{1}{2}$ to	3 in	10.00	7.50	
3 to	3½ in	12.50	10.00	
spuria. <i>15'</i>				
6 to	8 ft	3.00	2.50	
8 to 1	.0 ft	3.50	3.00	
$1\frac{1}{4}$ to	1½ in	4.00	3.50	
Spirea arguta. G	arland Spiraea. 6'			
2 to 3	ft	.35	.25	.20
3 to 4	ft	.40	.30	.25
4 to 5	ft	.50	.40	.30
5 to 6	ft	.60	.50	.40
aitchisoni. (A	See Sorbaria).			
billiardi. Bil	lliard Spiraea. 6'			
2 to 3	ft	.35	.25	.20
3 to 4	ft	.40	.30	.25
4 to 5	ft	.50	.40	.30
bumalda. Bi	umalda Spiraea. 3'			
	in	.40	.30	.25
24 to 30	in	.45	.35	.30
bumalda Ant	hony Waterer.			
Anthony W	Taterer Spiraea. 3'			
18 to 24	in	.40	.30	.25
24 to 30	in	.45	.35	.30

TAIMEDVILLE, OIII	O		121
	1-4 Each	$rac{5-24}{\mathrm{Each}}$	25 & up Each
Spiraea			220011
bumalda walluffi. 3'			
18 to 24 in	.45	.35	
24 to 30 in	.50	.40	
callosa alba. (See japonica ovalifo	lia).		
chamaedryfolia ulmifolia. Elmleaf	Spirae	a. 6'	
2 to 3 ft	.75		
dasyantha. 8'		•	
3 to 4 ft	1.25	1.00	
douglasi. Douglas Spiraea. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.75	.60	.50
fortunei. Fortune Spiraea. 4'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
		.00	0
froebeli. Froebel Spiraea. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
japonica. Japanese Spiraea. 6'			
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
japonica ovalifolia. White Japanes	e Spira	ea. 3'	
18 to 24 in	.40	.30	.25
24 to 30 in	.45	.35	.30
japonica ruberrima. Pink Japanese	s Spirae	a. 5'	
2 to 3 ft			.25
3 to 4 ft	.50	.40	.30
latifolia syn. bethlehemensis $Pink$ M		Spirae	
2 to 3 ft		.30	.25
3 to 4 ft	.50	.40	.30
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea. 5'	•		
2 to 3 ft		.35	.30
nipponica rotundifolia. Big Nippo-	_		
•		.50	
	.75		
5 to 6 ft	1.00	.75	

	1-4 Each	5-24 Each	25 & up Each
Spiraea			
prunifolia. Bridal Wreath. 8'	.45	.35	.30
2 to 3 ft	.55	.45	.40
4 to 5 ft	$.6\overline{5}$.55	.50
5 to 6 ft	.75	.65	.60
pubescens. 6'	.10	.00	.00
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
reevesiana. Reeves Spiraea. 8'		.00	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
reevesiana lanceata. Double Reev			
2 to 3 ft	.45	.35	
3 to 4 ft	.55	.45	
salicifolia. Willowleaf Spiraea. 5'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
5 to 6 ft	.60	.50	.45
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
syringiflora. Lilac Spiraea. 3'			
18 to 24 in	.60	.50	
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
tomentosa. Hardhack. 4'	4.0	0.0	0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
trichocarpa. Korean Spiraea. 4'	40	20	95
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50 .60	.40	.30
4 to 5 ft		.50	.40
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.13
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
0 00 0 10	.00	•00	•00

	runino (mai, omi	•		120
		1-4 Each	5-24 Each	25 & up Each
Spiraea		Each	Hacii	13aCII
veitchi.	Veitch Spiraea. 12'			
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
wilsoni.	Wilson Spiraea. 6'			
3 to	4 ft	1.00	.75	.60
Staphylea bur	nalda. Bumalda Bladderna	ut. 8'		
2 to	3 ft	.60	.50	.40
3 to	4 ft	.75	.60	.50
	5 ft	1.00	.75	
colchica	Colchis Bladdernut. 12'			
3 to		1.75	1.25	
	5 ft	2.00	1.20	•
4 10	O 10	2.00		
pinnata.	European Bladdernut. 1	2'		
3 to	4 ft	.60	.50	.40
4 to	5 ft'.	.75	.60	.50
5 to	6 ft	1.00	.75	.65
6 to	8 ft	1.25	1.00	
4	American Diaddonnut 10	,		
	American Bladdernut. 12		40	9.0
2 to			.40	.30
3 to			.50	.40
		.75		
	6 ft			
6 to	8 ft	1.25	1.00	.75
Stephanandra	flexuosa. Cutleaf Stepha	nandra.	6'	
2 to	3 ft	.40	.30	.25
3 to	4 ft	.50	.40	.35
Stewartia pen	tagyna. Mountain Stewar	rtia. 15	,	
3 to			4.00	
4 to	5 ftB&B		5.00	
	6 ftB&B			
	8 ftB&B			
	a grandiflora, 15'	·		
4 to				
	6 ftB&B			
6 to	8 ftB&B	12.50		
pseudoca	mellia. Japanese Stewart	tia. 25'		
3 to	4 ftB&B	5.00		
4 to	5 ftB&B	7.50		

	1-4 Each	5-24 Each	25 & up Each
Stranvaesia davidiana. 5'	Each	Each	Each
12 to 15 in., from pots	1.25	1.00	.75
18 to 24 inB&B		1.50	
24 to 30 inB&B	2.50	2.00	
*Styrax japonica. Japanese Snowbell.	20 '		
3 to 4 ft	1.00	.75	.65
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.50	4.50	3.50
obassia. Fragrant Snowbell. 20'	•		
4 to 5 ftB&B	4.00	3.00	
5 to 6 ftB&B	5.00	4.00	
6 to 8 ftB&B	6.00	5.00	
Symphoricarpos chenaulti. δ'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
mollis. Spreading Snowberry. 6'	•=0	•00	,,
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
			120
occidentalis. Western Snowberry.		0.0	0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
o. heyeri. 5'		0.5	2 -
2 to 3 ft	.50	.35	.25
racemosus. Snowberry. 6'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.30
5 to 6 ft	.60	.50	.40
vulgaris. $Coralberry.$ $ ilde{o}'$			
2 to 3 ft	.35		
3 to 4 ft	.40	.30	.25
*Symplocos paniculata. syn. crataegoio	les.		
Asiatic Sweetleaf. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.50	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	2.50	2.25
	50		

	1-4	5-24	25 & up
S · M· Time to	Each	Each	Each
Syringa affinis. Early Lilac. 12'	4 60		
3 to 4 ft			
affinis giraldi. Purple Early Lie		1.00	
2 to 3 ft		1.00	
3 to 4 ft		1.25	
4 to 5 ft		1.50	
5 to 6 ft		$\frac{2.00}{2.00}$	
8 to 10 ft		3.00	
8 to 10 1t	5.00	4.00	
chinensis. syn. rothomagensis.	Chinese Lil	ac. 10'	
2 to 3 ft	55	.45	.40
3 to 4 ft	65	.55	.50
4 to 5 ft	75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
chinensis alba. White Chinese L	ilac. 10'		
2 to 3 ft		.75	.60
3 to 4 ft		1.00	.75
4 to 5 ft		1.25	1.00
5 to 6 ft		1.50	1.00
chinensis metensis. 10'	1.10	1.00	•
3 to 4 ft	1.25	1.00	.75
4 to 5 ft		1.25	
chinensis saugeana. Purple Chi			
2 to 3 ft		.45	.40
3 to 4 ft		.55	.50
4 to 5 ft			
5 to 6 ft			.75
6 to 8 ft	1.25	1.00	.90
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.00	.75	
4 to 5 ft		1.00	
5 to 6 ft		1.50	
0 00 0 10	2.00	1.00	
henryi eximea. 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
henryi lutece. 8'			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	

		1-4 Each	5-24 Each	25 & up Each
Syringa				
japonica.	Japanese Tree Lilac. 20'			
3 to	4 ft	.75	.60	.50
4 to	5 ft	1.00	.90	.75
5 to	6 ft	1.50	1.25	1.00
6 to	8 ft	1.75	1.50	1.25
8 to	10 ft	2.50	2.25	1.75
10 to	12 ft	6.00	5.00	
12 to	15 ft	10.00		
josikaea.	Hungarian Lilac. 10'			
2 to		.50	.40	.35
3 to		.60	.50	.45
4 to		.75	.60	.50
5 to		1.00	.75	.60
6 to		1.25	1.00	.75
0 00		1.20	1.00	.10
microphy	lla. Littleleaf Lilac. 10'			
2 to	3 ft	1.50	1.25	1.00
3 to		2.00	1.50	1.25
4 to		2.50	2.00	
5 to		3.00	2.50	
oblata.	12'		_,,	
3 to	4 ft	1.50	1.25	1.00
	5 ft	1.75	1.50	1.25
- oblata di	latata. <i>12</i> ′			
2 to	3 ft	1.00	.75	.60
3 to	4 ft	1.25	1.00	.75
4 to	5 ft	1.50	1.25	1.00
_ palibinia	na. <i>10'</i>			
3 to	4 ft	1.50		
	5 ft	2.00		
pekinens	is. Peking Lilac. 15'			
4 to	5 ft	1.75	1.50	1.25
5 to		2.50	2.00	•
	8 ft	3.00	2.75	
	10 ft	4.00	$\frac{2.15}{3.75}$	3.50
	12 ft	7.50	6.00	0.00
	8 ft. spec B&B	10.00	0.00	
	10 ft. specB&B	12.50		
0 10	TO It. specD&D	14.00		

	1-4 Each	5-24 Each	25 & up Each
Syringa			
persica. Persian Lilac. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	
persica alba. White Persian Lilac.	10'		
2 to 3 ft	.85	.75	
3 to 4 ft	1.00	.90	
velutina. 10'	0.00	1 50	
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
villosa. Late Lilac. 8'	~ 0	4.0	95
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
vulgaris. Common Purple Lilac. 1	'.5 '		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
4 to 5 ft. clumps	4.00		
5 to 6 ft. clumps	5.00		
vulgaris alba. Common White Lile	ic. 15'		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
4 to 5 ft. clumps	4.00		
5 to 6 ft. clumps	5.00		
vulgaris. Named Varieties. 15'			
These hybrid lilacs are grown	n on t	heir ov	vn
roots in bush form. Can also	be fur	nished	in tree
form in first two sizes at 25%	addit	ional.	
2 to 3 ft		.75	
3 to 4 ft			
	1.50		
5 to 6 ft	2.25		
6 to 8 ft	3.00	2.75	2.50

Syringa vulgaris. Named Varieties.

Belle de Nancy-Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly-Dark Purplish Red.

2-3' 3-4' 4-5' 5-6'

Frau Dammann—Single White.

2-3' 3-4' 4-5' 5-6'

La Tour d'Auvergne-Double Purple.

2-3' 3-4' 4-5' 5-6'

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited qualtity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices: A list of varieties will be forwarded on request.

		1-4 Each	5-24 Each	25 & up Each
2 to	3 ft	1.50		
3 to	4 ft	2.00		
4 to	5 ft	2.50		
5 to	6 ft	3.50		
yunnanen	sis. Yunnan Lilac. 10'			
3 to	4 ft	2.00	1.75	
Tamarix africa	ana. African Tamarix. 1	5 '		
3 to	4 ft	.40	.30	.25
4 to	5 ft	.50	.40	.35
5 to	6 ft	.75	.60	.50
6 to	8 ft	1.00	.85	.75
gallica.	French Tamarix. 10'			
3 to	4 ft	.45	.35	.30
4 to	5 ft	.60	.45	.40

PAINESVILLE, OHIO				
Tamarix gallica indica. India Tamarix. 10' 3 to 4 ft	PAINESVILLE, OHI	O		135
gallica indica. India Tamarix. 10' 3 to 4 ft				
3 to 4 ft	Tamarix			
4 to 5 ft		•		
5 to 6 ft. .75				
juniperina. Juniper Tamarix. 15' 3 to 4 ft		_		
3 to 4 ft. 1.50 1.25 4 to 5 ft. 1.75 odessana. Odessa Tamarix. 6' 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .45 .40 5 to 6 ft. .75 .60 .50 pentandra. Fivestamen Tamarix. 12' 3 to 4 ft. .55 .45 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .75 tetandra purpurea. Fourstamen Tamarix. 10' 3 to 4 ft. .50 .40 .35 4 to 5 ft. .60 .50 .45 5 to 6 ft. .75 .60 Taxodium distichum. Common Baldcypress. 50' 4 to 5 ft. .8&B 4.50 4.00 5 to 6 ft. .8&B 5.50 5.50 6 to 8 ft. .8&B 15.00 12.50 10 to 12 ft. .8&B 20.00 15.00 Taxus baccata. English Yew. 50' 18 in. .8&B 3.50 3.00 2.50 2 ft. .8&B 6.00 5.00 4.50 <td>5 to 6 ft</td> <td>.75</td> <td>.60</td> <td>.50</td>	5 to 6 ft	.75	.60	.50
4 to 5 ft. 1.75 odessana. Odessa Tamarix. 6' 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .45 .40 5 to 6 ft. .75 .60 .50 pentandra. Fivestamen Tamarix. 12' 3 to 4 ft. .55 .45 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .75 tetandra purpurea. Fourstamen Tamarix. 10' 3 to 4 ft. .50 .40 .35 4 to 5 ft. .60 .50 .45 5 to 6 ft. .75 .60 Taxodium distichum. Common Baldcypress. 50' 4 to 5 ft. .8&B 4.50 4.00 5 to 6 ft. .8&B 6.50 5.50 6 to 8 ft. .8&B 10.00 7.50 8 to 10 ft. .8&B 15.00 12.50 10 to 12 ft. .8&B 3.50 3.00 2.50 2 ft. .8&B 4.50 4.00 3.50 2 ft. .8&B 4.50 4.00 3.50 3 to 3½ ft. .8&B 7.50 6.50 5.50 3 ½ ft. .8&B 7.50 6.50 5.50 3 ft. .8&B 10.00 3½ ft. 3½ ft. .8&B 15.00 4.50 4 ft. .8&B 20.00 baccata	juniperina. Juniper Tamarix. 15'			
odessana. Odessa Tamarix. 6' 3 to 4 ft. .45 .35 .30 4 to 5 ft. .60 .45 .40 5 to 6 ft. .75 .60 .50 pentandra. Fivestamen Tamarix. 12' 3 to 4 ft. .55 .45 .35 4 to 5 ft. .75 .60 .50 5 to 6 ft. .100 .75 tetandra purpurea. Fourstamen Tamarix. 10' 3 to 4 ft. .50 .40 .35 4 to 5 ft. .60 .50 .45 5 to 6 ft. .50 .40 .35 4 to 5 ft. .8&B 4.50 4.00 5 5 to 6 ft. .8&B 8 10.00 7.50 8 to 10 ft. .8&B 10.00 7.50 Taxus baccata. English Yew. 50' 18 in. .8&B 3.50 3.00 2.50 2 ½ ft. .8&B 6.00 5.00 4.50 3 to 3½ ft. .8&B 7.50 6.50 5.50 3½ ft. .8&B 7.50 6.50	3 to 4 ft	1.50	1.25	-
3 to 4 ft	4 to 5 ft	1.75	*	
## to 5 ft	odessana. Odessa Tamarix. 6'			
5 to 6 ft. .75 .60 .50	3 to 4 ft	.45	.35	.30
Pentandra. Fivestamen Tamarix. 12' 3 to 4 ft.	4 to 5 ft	.60	.45	.40
3 to 4 ft	5 to 6 ft	.75	.60	.50
3 to 4 ft	pentandra. Fivestamen Tamarix.	12 '		
4 to 5 ft	-		.45	.35
tetandra purpurea. Fourstamen Tamarix. 10' 3 to 4 ft. .50 .40 .35 4 to 5 ft. .60 .50 .45 5 to 6 ft. .75 .60 Taxodium distichum. Common Baldcypress. 50' 4 to 5 ft. .8&B 4.50 4.00 5 to 6 ft. .8&B 6.50 5.50 6 to 8 ft. .8&B 10.00 7.50 8 to 10 ft. .8&B 15.00 12.50 10 to 12 ft. .8&B 20.00 15.00 Taxus baccata. English Yew. 50' 18 in. .8&B 3.50 3.00 2.50 2 ft. .8&B 4.50 4.00 3.50 2 ½ ft. .8&B 6.00 5.00 4.50 3 to 3½ ft. .8&B 7.50 6.50 5.50 3½ ft. .8&B 10.00 7.50 baccata erecta. Broom Yew. 10' 2½ ft. .8&B 15.00 4 4 ft. .8&B 20.00 baccata fastigiata. Irish Yew. 10' 2 ft. .8&B 12.50		.75	.60	
3 to 4 ft	5 to 6 ft	1.00	.75	
4 to 5 ft	tetandra purpurea. Fourstamen T	'amarix	. 10 '	
5 to 6 ft. .75 .60 Taxodium distichum. Common Baldcypress. 50' 4 to 5 ft. .8&B 4.50 4.00 5 to 6 ft. .8&B 6.50 5.50 6 to 8 ft. .8&B 10.00 7.50 8 to 10 ft. .8&B 15.00 12.50 10 to 12 ft. .8&B 20.00 15.00 Taxus baccata. English Yew. 50' 18 in. .8&B 3.50 3.00 2.50 2 ft. .8&B 4.50 4.00 3.50 2½ ft. .8&B 6.00 5.00 4.50 3 to 3½ ft. .8&B 7.50 6.50 5.50 3½ to 4 ft. .8&B 10.00 7.50 baccata erecta. Broom Yew. 10' 2½ ft. .8&B 15.00 4 4 ft. .8&B 20.00 baccata fastigiata. Irish Yew. 10' 2 2 ft. .8&B 12.50	3 to 4 ft	.50	.40	.35
Taxodium distichum. Common Baldcypress. 50' 4 to 5 ft. B&B 4.50 4.00 5 to 6 ft. B&B 6.50 5.50 6 to 8 ft. B&B 10.00 7.50 8 to 10 ft. B&B 15.00 12.50 10 to 12 ft. B&B 20.00 15.00 Taxus baccata. English Yew. 50' 18 in. B&B 3.50 3.00 2.50 2 ft. B&B 4.50 4.00 3.50 2 ft. B&B 6.00 5.00 4.50 3 to 3½ ft. B&B 7.50 6.50 5.50 3½ to 4 ft. B&B 10.00 7.50 baccata erecta. Broom Yew. 10' 2½ ft. B&B 15.00 4 4 ft. B&B 20.00 baccata fastigiata. Irish Yew. 10' 2 ft. B&B 12.50	4 to 5 ft	.60	.50	.45
4 to 5 ft	5 to 6 ft	.75	.60	
5 to 6 ft	Taxodium distichum. Common Baldcy	press.	<i>50</i> ′	
6 to 8 ft	4 to 5 ftB&B	4.50	4.00	
8 to 10 ft	5 to 6 ftB&B	6.50	5.50	
10 to 12 ft	6 to 8 ftB&B	10.00	7.50	
Taxus baccata. English Yew. 50' 18 in. 3.00 2.50 2 ft.	8 to 10 ftB&B	15.00	12.50	
18 in. 3.00 2.50 2 ft. 4.00 3.50 2½ ft. .	10 to 12 ftB&B	20.00	15.00	
2 ft	Taxus baccata. English Yew. 50'			
2½ ft B&B 6.00 5.00 4.50 3 to 3½ ft B&B 7.50 6.50 5.50 3½ to 4 ft B&B 10.00 7.50 baccata erecta. Broom Yew. 10' 2½ ft B&B 7.50 3 ft B&B 10.00 3½ ft B&B 15.00 4 ft B&B 20.00 baccata fastigiata. Irish Yew. 10' 2 ft B&B 12.50	18 inB&B	3.50	3.00	2.50
3 to 3½ ft	$2 \qquad \text{ft.} \dots B\&B$	4.50	4.00	3.50
3½ to 4 ft	1			4.50
baccata erecta. Broom Yew. 10' 2½ ft. B&B 7.50 3 ft. B&B 10.00 3½ ft. B&B 15.00 4 ft. B&B 20.00 baccata fastigiata. Irish Yew. 10' 2 ft. B&B 12.50	· -			5.50
2½ ft. B&B 7.50 3 ft. B&B 10.00 3½ ft. B&B 15.00 4 ft. B&B 20.00 baccata fastigiata. Irish Yew. 10' 2 ft. B&B 12.50	$3\frac{1}{2}$ to 4 ftB&B	10.00	7.50	
2½ ft. B&B 7.50 3 ft. B&B 10.00 3½ ft. B&B 15.00 4 ft. B&B 20.00 baccata fastigiata. Irish Yew. 10' 2 ft. B&B 12.50	baccata erecta. Broom Yew. 10'			
3 ft		7.50		
3½ ft	· - - · · · · · · · · · · · · · · · · · ·			
4 ft				
baccata fastigiata. Irish Yew. 10' 2 ft				
2 ftB&B 12.50				
3 ftB&B 15.00	the state of the s			
	3 ftB&B	15.00		

		•	
	1-4 Each	5-24 Each	25 & up Each
Taxus	230011	134011	234011
baccata repandens. Spreading E	nglish Y	ew. 2'	
15 to 18 in. spdB&B	3.00	2.50	2.25
18 to 24 in. spdB&B	3.75	3.25	3.00
24 to 30 in. spdB&B	5.00	4.00	3.75
30 to 36 in. spdB&B	6.50	5.50	
36 to 42 in. spdB&B	10.00		
baccata washingtoni. Washington	Yew.	6'	
24 in. spec	10.00		
30 in. specB&B			
canadensis. Canada Yew. 3'		*. <u>;</u>	
15 to 18 in. spdB&B	2.50	2.00	
18 to 24 in. spdB&B			
cuspidata. Japanese Yew. 10'			
15 to 18 in. spdB&B	2.00	1.75	1.50
18 to 24 in. spdB&B	2.75	2.50	2.25
2 to 2½ ft. spdB&B	3.50	3.00	2.75
$2\frac{1}{2}$ to 3 ft. spdB&B	5.00	4.50	4.00
3 to 3½ ft. spdB&B	10.00	7.50	6.00
$3\frac{1}{2}$ to 4 ft. spdB&B	12.50	10.00	
4 to $4\frac{1}{2}$ ft. spdB&B	15.00	12.50	
4½ to 5 ft. spdB&B	20.00	17.50	
5 to 6 ft. spec B&B	40.00	35.00	
6 to 7 ft. spec B&B	50.00	45.00	
cuspidata brevifolia. Dwarf Japa	nese Y	ew. 6'	
15 to 18 inB&B	3.50	3.00	2.50
18 to 24 inB&B	4.50	4.00	3.50
24 to 30 inB&B	7.50	6.50	5. 50
30 to 36 inB&B	10.00	8.50	
36 to 42 inB&B	12.50		
cuspidata brevifolia compacta. 6	•		
18 to 24 inB&B	6.00	5.00	
24 to 30 inB&B	7.50		
cuspidata capitata. $Upright\ Japa$	nese Ye	w. 25'	
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	3.00	2.50
2 ½ ftB&B	4.50	3.50	3.00
3 ftB&B	7.50	6.00	5.00
3 ½ ftB&B	10.00	7.50	
4 ftB&B	12.50		
Tecoma. (See Bignonia).			

,			
	1-4 Each	$egin{array}{c} 5-24 \ ext{Each} \end{array}$	25 & up Each
Thuja occidentalis. American Arbor	vitae. 40'		
3 ftB&	2.25 2.25	2.00	1.75
4 ftB&	2B 3.50	3.00	2.75
4 ft. heavy specB&	6.00 B		
5 ft	άB 4.50	4.00	3.75
5 ft. heavy specB&	kB 7.50		
6 ftB&		5.50	5.00
6 ft. heavy specB&	B 10.00		
7 ftB&	kB 7.50	6.50	6.00
7 ft. heavy specB&	B 12.50	•	
8 ftB&		8.50	7.50
8 ft. heavy specB&			
9 ftB&		10.00	8.50
10 ftB&		12.50	
10 ft. heavy specB&		12.00	2000
For larger sizes to 18 ft.,		ner fo	ot.
Tor larger sizes to 10 100,	uuu qoioo	per 10	· ••
occidentalis aurea douglasi.			
Douglas Golden Arborvitae. 18	j ′		
3 ftB&		3.00	2.50
4 ftB&		4.00	3.50
5 ftB&		5.50	5.00
6 ftB&	-	6.50	
7 ftB&		8.50	7.50
8 ftB&			
9 ftB&			
10 ftB&			
For larger sizes to 16 ft., a			ot.
Tor larger sizes to to it, t	.uu	per ro	
occidentalis columbia. Silver-tip	pped Arbo	or vitae.	<i>40</i> °
3 ftB&	B 3.50	3.00	2.50
4 ftB&	B 4.50	4.00	3.50
5 ftB&	B 6.00	5.00	4.00
6 ftB&	B 7.50	6.00	
7 ftB&	B 8.50	7.00	
8 ftB&	B 10.00	8.00	
9 ftB&			
For larger sizes to 14 ft., a	add \$5.00	per foo	ot.
3	, , -	•	
occidentalis compacta. Compac	t Arborvit	tae. 4'	
15 inB&	B 1.50	1.25	1.00
18 inB&		1.50	1.25
24 inB&			
30 inB&			

	1-4 Each	5-24 Each	25 & up Each
Thuja occidentalis compacta			
36 inB&B	4.00	3.00	2.75
42 inB&B	5.00	4.50	4.00
48 inB&B	7.50	6.50	
occidentalis compacta. Parsons A	rborvit	ae. 10'	
$2\frac{1}{2}$ ftB&B	2.75	2.25	1.75
3 ftB&B	4.00	3.00	2.50
$3 \frac{1}{2}$ ftB&B	4.50	3.50	3.00
4 ftB&B	5.00	4.00	3.50
4 ½ ftB&B	6.00	5.00	
5 ftB&B	7.50	6.00	
5 ½ ftB&B	8.50	7.50	
6 ftB&B	10.00	8.00	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.00	15.00	
occidentalis elegantissima. <i>15'</i>			
2 ftB&B	2.00	1.50	1.25
3 ftB&B	2.50	2.25	2.00
4 ftB&B	3.50	3.00	2.50
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	9.00	7.50	6.00
8 ftB&B			
9 ftB&B			
10 ftB&B			0.00
For larger sizes to 15 ft., add			
occidentalis ellwangeriana. Tom T	Thumb	Arborvit	ae. 6'
2 ftB&B	2.50	2.00	1.50
2½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3 ½ ftB&B	4.50	4.00	3.50
4 ftB&B	5.00	4.50	4.00
4½ ftB&B	6.50	5.50	5.00
5 ftB&B	9.00	7.50	
· I · I · · · I · · · I · · · I · · · ·	• 4	<i>51</i>	
occidentalis ericoides. Heath Arbo			
3 ftB&B		3.00	
4 ftB&B	5.00		
LARGE SPECIMEN SHRUBS QUOTED	ON RE	QUEST.	

PAINESVILLE, OH.	10		139
	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis globosa. Globe Arbon	rvitae.	<i>3</i> ′	
18 inB&B	1.75	1.50	1.25
24 inB&B	2.00	1.75	1.50
30 inB&B	3.00	2.50	2.00
36 inB&B	3.50	3.00	2.50
42 inB&B	5.00	4.00	
occidentalis hoveyi. Hovey Golder	n Arbo	rvitae.	8 '
18 inB&B	1.75	1.50	1.25
2 ftB&B	2.00	1.75	1.50
$2\frac{1}{2}$ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
$3\frac{1}{2}$ ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
$4\frac{1}{2}$ ft	7.50	6.00	5.50
5 ftB&B	8.50	7.50	7.00
5½ ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
occidentalis Little Gem. 2'			
15 inB&B	3.00	2.50	
18 inB&B	4.00	3.50	
occidentalis lutea. Geo. Peabody's	Arhor	vitae 1	5 ′
3 ftB&B	3.50	3.00	2.50
4 ftB&B			$\frac{2.50}{3.50}$
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B			8.50
	15.00		10.00
10 ftB&B		15.00	10.00
For larger sizes to 16 ft., add			. t
roi larger sizes to 10 it., aud	. φυ.υυ	per 100	0.
occidentalis pumila. Green Globe	Arborv	itae. 3'	
18 in. spreadB&B	2.25	2.00	1.75
24 in. spreadB&B	3.00	2.50	2.25
30 in. spreadB&B			
36 in. spreadB&B		_	
42 in. spreadB&B		6.00	
48 in. spreadB&B		3.00	2.00

		æ 2011		
		1-4 Each	5-24 Each	25 & up Each
Thuja		Lacin	Lauri	24011
occidentalis pyramidalis.	Pyramid	lal Arbo	rvitae.	<i>25'</i>
2 ft	B&B	2.50	2.00	1.75
3 ft	B&B	3.00	2.50	2.25
4 ft	B&B	4.00	3.50	3. 00
5 f t	B&B	5.00	4.50	4.00
6 ft	B&B	7.50	6.00	5.50
7 ft	B&B	10.00	8.50	7.50
8 ft	B&B	12.50	10.00	9.00
9 ft		15.00	12.50	
10 ft		18.00	15.00	12.50
11 ft	B&B	22.50	18.50	15.00
For larger sizes to 16	ft., ad	d \$5.00	per fo	ot.
occidentalis douglasi pyra	midalie			
Douglas Pyramidal Arbo		20 '		
2 ft		3.00	2.50	2.00
3 ft		3.50	3.00	
4 ft		-	3.50	
5 ft				
6 ft		7.50	6.00	
7 ft			8.50	
For larger sizes to 13				ot.
			-	
occidentalis recurva nana.	6'			
18 in		2.50	2.25	2.00
2 ft	B&B	3.00	2.50	2.25
2½ ft	B&B	3.50	3.00	2.75
3 ft	B&B	4.50	4.00	3.50
3 ½ ft	B&B	6.00	5.00	
4 ft	B&B	7.50	6.50	
occidentalis reevesi. Reev	es Arhon	rvitae	10'	
2½ ft			2.50	2.00
3 ft			_	
3 ½ ft				
4 ft				
4½ ft				
5 ft				
6 ft				7.50
7 ft			10.00	
8 f t			_ 3,00	
			HEST	
LARGE SPECIMEN SHRUBS	Annifr	OH KEQ	OEDI.	

PAINESVILLE, OHI	.Ô 1-4	5-24	141 25 & up
TT1 +	Each	Each	Each
Thuja occidentalis reidi. Reid Arborvita	re. 8'		
2 ftB&B	3.00	2.50	2.25
2 ½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	3.75	3.25
3½ ftB&B		4.50	0.20
4 ftB&B	6.50	5.50	
	7.50	6.50	
5 ftB&B		7.50	
	12.50	10.00	
occidentalis riversi. Rivers Arbora	vitae.	12 '	
4 ftB&B	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	6.50	5.50	5.00
7 ftB&B	7.50	6.50	6.00
8 ftB&B	10.00	8.00	
9 ftB&B	12.50	10.00	
10 ftB&B	15.00	12.50	
For larger sizes to 12 ft., add	\$5.00	per foot	t.
occidentalis rosenthali. Rosenthal	Arbort	vitae. 10	•
2 ftB&B	2.50	2.00	1.50
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	
7 ftB&B			
occidentalis spiralis. Spiral Arbor		<i>25</i> ′	
2 ftB&B		2.00	1.75
3 ftB&B		2.50	
4 ftB&B			
5 ftB&B			
6 ftB&B			
7 ftB&B			
8 ftB&B			
9 ftB&B			
For larger sizes to 16 ft., add occidentalis umbraculifera. Dwar		_	
15 to 18 in. spdB&B			1.00
18 to 24 in. spdB&B			
24 to 30 in. spdB&B			
2½ to 3 ft. spdB&B			
3 to 3½ ft. spdB&B			
3½ to 4 ft. spdB&B			- - • •
4 to 5 ft. spdB&B			
	•	- • • •	

	1-4 Each	5-24 Each	25 & up Each
Thuja			
occidentalis vervaeneana. Verva			12'
3 ftB&I	•	2.00	1.75
4 ftB&F		3.00	2.75
5 ftB&F		4.50	4.00
6 ftB&F		6.50	5.50
7 ftB&F		7.50	
8 ftB&I		9.00	
9 ftB&I		10.00	9.00
10 ftB&I		12.50	10.00
For larger sizes to 16 ft., ac	id \$5.00	per 10	ot.
occidentalis wareana. Ware or S	liberian .	Arborvit	ae. 15'
18 inB&H	3 2.00	1.75	1.50
2 ftB&I	3 2.50	2.00	1.75
$2\frac{1}{2}$ ftB&I	3.00	2.50	2.00
3 ftB&F	3.50	3.00	2.50
$3 \frac{1}{2}$ ftB&I	3 4.00	3.50	3.00
4 ftB&F	5.00	4.50	4.00
4½ ftB&F	6.50	5.50	5.00
5 ftB&I	7.50	6.50	6.00
6 ftB&I	3 10.00	8.50	7.50
7 ftB&I	3 14.00	12.00	10.00
8 ftB&I	3 18.50	15.00	
For larger sizes to 12 ft., ac	dd \$5.00	per fo	ot.
occidentalis wareana lutescens.			
Golden Ware Arborvitae. 15'			
3 ½ ftB&F			
4 ftB&F			
5 ftB&I	3 7.50		
occidentalis woodwardi. Woodwa			
18 inB&F		2.00	1.75
24 in		2.50	2.00
3 ftB&F		3.00	2.50
4 ftB&F	· -	3.50	$\frac{2.50}{3.00}$
5 ftB&E		4.50	$\frac{3.00}{4.00}$
6 ftB&E		5.50	4.00
7 ftB&B 8 ftB&B			
9 ftB&B			
10 ftB&B			
For larger sizes to 15 ft., ad		•	o.t
roi larger sizes to 10 10., au	u \$5.00	her 100	06.

TL :	1-4 Each	$\begin{array}{c} 5-24 \\ ext{Each} \end{array}$	25 & up Each
Thuja orientalis conspicua. Goldspire Ar	hornitae	3. 20'	
2 ftB&B	3.50	3.00	
3 ftB&B	4.00	3.50	
4 ftB&B		0.00	
2 2000	0.00		
orientalis elegantissima.			
Rollinson's Golden Arborvitae. 10) '		
2 ftB&B	3.50	3.00	2.50
3 ftB&B	4.50	4.00	3.50
4 ftB&B	5.50	5.00	4.50
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.00	7.50
7 ftB&B	12.50	10.00	
orientalis nana aurea. Berkmans G	oldan A	rhornit	ae. 3'
18 inB&B	2.50	2.00	1.75
	3.50	3.00	
	4.00	3.50	2.00
$\frac{2}{72}$ $\frac{1}{1}$ t $\frac{1}{1}$ B&B	5.00	0.00	
o 1t	0.00		
orientalis sieboldi. Siebold Arborvi	itae. 3'	·	
2 ftB&B	3.50		
3 ftB&B	4.00		
uli1- Cinut Aubowitae 201			
plicata. Giant Arborvitae. 20'	2.00	0.50	
		$\frac{2.50}{2.50}$	
4 ftB&B 5 ftB&B	4.00	$\frac{3.50}{4.50}$	
	$\begin{array}{c} 5.00 \\ 6.00 \end{array}$		
6 ftB&B 7 ftB&B			
8 ftB&B			
9 ftB&B			o.t
For larger sizes to 14 ft., add	ι φυ.υυ	per 10	Ot.
standishi. Standish Arborvitae. 15	•		
$2 \text{ ft.} \dots B\&B$	2.50		
7 ftB&B	10.00		
8 ftB&B	12.50		
9 ftB&B	15.00		
10 ftB&B	18.00		

		4 4	F 04	05 0
		1-4 Each	5-24 Each	25 & up Each
Tilia america	na. American Linden. 75'			
6	to 8 ft	1.50	1.25	1.00
8	to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$	to 1½ in	2.50	2.00	1.75
$1\frac{1}{2}$	to 1 3/4 in	3.00	2.50	2.25
$1\frac{3}{4}$	to 2 in	4.00	3.25	2.75
2	to 2½ in	5.00	4.00	3.50
$2\frac{1}{2}$	to 3 in	7.50	6.00	5.00
3	to 3½ in	12.50	10.00	7.50
$3\frac{1}{2}$	to 4 in	15.00	12.50	
4	to 5 in	25.00		
5	to 6 in	35.00		
		,		
cordata.	Littleleaf European Linde	n. 70'		
8	to 10 ft	3.50	3.00	2.50
1 1/4	to 1½ in	4.00	3.50	3.25
$1\frac{1}{2}$	to 1% in	5.00	4.50	4.00
$1\frac{3}{4}$	to 2 in	6.00	5.50	5.00
2	to 2½ in	10.00	7.50	6.00
$2\frac{1}{2}$	to 3 in	12.50	10.00	7.50
euchlora	. Crimean Linden. 75'			
6	to 8 ft	3.50	3.00	2.50
8	to 10 ft	4.00	3.50	3.00
11/4		5.00	4.50	4.00
$1\frac{1}{2}$		6.50	5.50	5.00
1 34		7.50	7.00	
2	to 2½ in		8.50	
$\frac{2}{2}\frac{1}{2}$				1.00
henryana		10.00	12.00	
-	to 1½ in	5.00	4.50	
	to 1¾ in	6.50	5.50	
	to 2 in	7.50	6.50	
2	to 2½ in	10.00	8.50	
	to 3 in	12.50	10.00	
4 /2	10 6 m	12.00	10.00	
heteroph	ylla. Beetree Linden. 60'			
$1\frac{1}{2}$	to 13/4 in	4.00	3.50	
1 3/4	to 2 in	5.00	4.00	
2	to 2½ in	6.50	5.00	
$2\frac{1}{2}$	to 3 in	9.00	7.50	
3	to 3½ in	12.50		
oliveri.	<i>50</i> ′			
8 to	10 ft	5.00		

Tilia						1-4 Each	5-24 Each	25 & up Each
platyphy	llos.	Big	leaf	Euro	pean L		75'	Daen
6	to	8				2.00	1.75	1.50
8	to	10	ft			2.50	2.25	2.00
1 1/4	to	1 ½	in			3.50	3.00	2.75
1 1/2	to	$1\frac{3}{4}$	in			4.50	4.00	3.75
$1\frac{3}{4}$	to	2	in			5.50	5.00	4.50
2	to	$2\frac{1}{2}$	in			7.50	6.00	5.50
$2\frac{1}{2}$	to	3	in			10.00	7.50	6.50
3	to	$3\frac{1}{2}$	in		• • • • •	15.00	12.50	10.00
3 ½	to	4	in		• • • • •	17.50		
4	to	5	in			25.00		
tomentos	sa.	Silver	·Lin	den.	<i>40'</i>			
6	to	8	ft			3.50	3.00	2.50
$1\frac{1}{2}$	to	$1\frac{3}{4}$	in			6.50	5.50	5.00
1 3/4	to		in			7.50	7.00	6.50
2	to		in		• • • • • •	10.00	8.50	8.00
2 ½	to	3	in		• • • • •	15.00	12.50	11.00
3	to	$3\frac{1}{2}$				20.00	18.00	15.00
vulgaris.				_	n Linde		2.22	
6	to	8			• • • • •	2.25	2.00	1.75
8	to	10				2.75	2.50	2.25
1 1/4	to	$1\frac{1}{2}$			• • • • •	3.75	3.50	3.25
1 ½	to	$1\frac{3}{4}$	in		• • • • •	5.00	4.50	4.00
1 34	to	2				6.00	5.50	5.00
2	to	$2\frac{1}{2}$				8.50	7.00	6.00
2 ½	to	3					8.50	7.50
3	to		_				12.50	
3 ½	to	4			• • • • •		15.00	
4	to	5		• • • •		25.00		
Tripterygium	_				D 0 D	1 50	1 05	1 00
					.B&B		1.25	1.00
					B&B	1.75	1.50	1.25
Tsuga canade					моск. В&В	2.50	2.00	1.75
						$\frac{2.50}{3.50}$	$\frac{2.00}{3.00}$	$\frac{1.75}{2.50}$
					. B&B	5.50	$\frac{3.00}{4.50}$	$\frac{2.50}{3.75}$
					.B&B	7.50	4.00	5.19
						7.50	6.00	5.00
					.B&B B&B	10.00	0.00	5.00
					.B&B	8.50	7.50	6.50
					.B&B	12.50	10.00	9.00
					.B&B	15.00	10.00 12.50	10.00
					. B&B		15.00	10.00
							per fo	ot.
1 01		212			, wa	Y J . U U	r	

		5 0.4	05.0
Tsuga	1-4 Each	5-24 Each	25 & up Each
caroliniana. Carolina Hemlock.	<i>50'</i>		
2 ftB&l	3 5.00	4.00	
3 ftB&l	3 6.50	5.00	
4 ftB&l		9.00	
5 ftB&1			
sieboldi. Siebold Hemlock. 35'			
7 ft. specimensB&l	3 50.00		
8 ft. specimensB&I	3 60.00		
Ulex europeaus. Common Gorse.			
18 to 24 in., 4 in. pots	. 1.25	1.00	
20 00 21 mi, 1 mi potettiti	. 2.20	2.00	
Ulmus americana. American Elm. 8	o '		
8 to 10 ft		1.25	1.00
1½ to 1½ in		1.50	1.25
1½ to 1¾ in			1.50
1 3/4 to 2 in		2.50	2.00
2 to 2½ in		3.50	3.00
2½ to 3 in		5.00	4.00
3 to 3½ in		7.50	6.50
$3\frac{1}{2}$ to 4 in		10.00	9.00
4 to 4½ in			
americana moline. Moline Elm.	80'		
6 to 8 ft		1.00	.75
8 to 10 ft		1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in		1.20 1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		$\frac{1.50}{2.50}$	2.00
17 .			
		3.00	2.50
2 to 2½ in		4.00	
$2\frac{1}{2}$ to 3 in		6.00	5.00
3 to $3\frac{1}{2}$ in	10.00	7.50	
			•
americana vase-shaped. 50'			
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in		1.50	1.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in		2.50	2.00
1 3/4 to 2 in	3.50	3.00	2.50
2 to $2\frac{1}{2}$ in	5.00	4.00	3.50
$2\frac{1}{2}$ to 3 in	7.50	6.00	
3 to $3\frac{1}{2}$ in	10.00	7.50	

***		1-4 Each	5-24 Each	25 & 1 Eac
Ulmus campestris. English E	Ilm. 75'			
6 to 8 ft	• • • • • • • •	2.00	1.75	
			$\frac{1.75}{2.25}$	
		$\frac{2.50}{3.00}$		
,	• • • • • • • • • • • • • • • • • • • •		$\frac{2.75}{3.50}$	
	• • • • • • • • • • •		5.00 7.50	
·= ·	• • • • • • • • •			
			15.00	
	• • • • • • • • •			
5 to 6 in	• • • • • • • • • •	50.00	45.00	
campestris klemmeri.	Klemmer H	Elm. 75	•	
8 to 10 ft	• • • • • • • •	5.00		
campestris latifolia.	Belgian Eln	n. 75'		
8 to 10 ft		3.00		
1½ to 1¾ in		5.00		
2 to $2\frac{1}{2}$ in		10.00		
$2\frac{1}{2}$ to 3 in		12.50		
3 to 3½ in	• • • • • • • •	20.00		
campestris monumenta	alis. Monu	ment El	m. 75'	
6 to 8 ft		4.00	3.50	
			4.00	
	· · · · · · · · · · ·		5.00	
	· · · · · · · · · · · ·			
·-				
	• • • • • • • • • • •		_	
campestris purpurea.	Purpleleaf	English	Elm. 7	0'
	• • • • • • • • •		2.50	
	· · · · · · · · · · ·			
1½ to 1¾ in				
1¾ to 2 in			5.00	
2 to 2½ in				
· -				

140	HENRI ROHAN	KIE & SON		·
		1-4	5-24	25 & up
Ulmus		Each	Each	Each
	ris vegeta. $Hunting do$	on Elm. 75'		ž ₄
8	to 10 ft		2.25	2.00
1 1/4	to 1½ in		2.75	2.50
1 ½	to 1 3/4 in		3.25	3.00
$1\frac{3}{4}$	to 2 in		4.50	4.00
2	to 2½ in	8.50	7.50	6.00
$2\frac{1}{2}$	to 3 in	12.00	10.00	8.00
3	to 3½ in	15.00	12.50	
$3\frac{1}{2}$	to 4 in	20.00	15.00	
4	to 5 in	$\dots 35.00$		
5	to 6 in	50.00		
campest	ris wheatleyi. Wheatle	ey Elm. 75'		
6	to 8 ft		3.50	
8	to 10 ft		4.00	
1 1/4	to 1½ in	6.00	5.00	
1 ½	to 1\% in	7.50	6.50	
1 3/4	to 2 in	10.00	7.50	
2	to 2½ in	15.00		
$2\frac{1}{2}$	to 3 in	20.00		
fulva.	Slippery Elm. 65'			
$1\frac{1}{2}$	to 1 3/4 in	\dots 3.50		
$1\frac{3}{4}$	to 2 in	5.00		
2	to 2½ in	7.50		
$2\frac{1}{2}$	to 3 in	10.00		
glabr a.	Scotch Elm. 75'			
1 1/4	to 1½ in	4.00	3.50	
$1\frac{1}{2}$	to 1 3/4 in	5.00	4.50	
$1\frac{3}{4}$	to 2 in	7.50	6.00	
2	to 2½ in	10.00	7.50	
$2\frac{1}{2}$	to 3 in	12.50	10.00	
3	to 3½ in	18.00	15.00	
glabra c	amperdowni. Camperd	lown Elm.	20 '	
6 f	. stem	4.00	3.50	
_	ana. Globe Elm.			
6 to	8 ft. standards	10.00		
japonica	Japanese Elm. 70'			
8	to 10 ft			
	to 1 3/4 in			
	to 2 in			
2	to 2½ in			
	to 3 in			
3	to $3\frac{1}{2}$ in	15.00		

PAINESVILLE, OHI	0.		149
FAINESVILLE, OHI	1-4	5-24	
Ulmus	Each	Each	
parvifolia. Chinese Elm. 30'	$\mathcal{R}^{p} = -\frac{1}{r} \cdot \theta.$		
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	
$1 \frac{3}{4}$ to 2 in	4.00	3.50	
2 to $2\frac{1}{2}$ in	5.00	4.50	
racemosa. Rock Elm. 80'		F	
	25.00		
3 ½ to 4 in	30.00		
4 to 5 in		, •	
	-		
Vaccinium corymbosum. Highbush Blu	eberry.	<i>8</i> ′	
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.50	2.25	2.00
4 to 5 ftB&B	3.50	3.00	2.50
vacillans. Dryland Blueberry. 3'			
12 to 15 inB&B	2.00	1.75	
Viburnum acerifolium. Mapleleaf Vib	urnum.	5 '	
18 to 24 in			.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
americanum. American Cranberry	bush.	<i>10</i> ′	•
0	.50	.40	.35
3 to 4 ft	.60	•	
	.75		
5 to 6 ft		.80	
6 to 8 ft		1.25	1.00
bitchuiense. Yeddo Viburnum. 6'			
3 to 4 ftB&B	2.25	2.00	

100 HENRI KOHANKIE	& BON		·
	1-4 Each	5-24 Each	25 & up Each
Viburnum			
carlesi. Fragrant Viburnum. 4'			
18 to 24 inB&B	2.00	1.75	1.50
2 to 3 ftB&B	2.50	2.25	2.00
3 to 4 ftB&B	3.00	2.75	2.50
18 to 24 in., own roots, B&B	3.00	2.50	
2 to 3 ft., own roots, B&B	3.50	3.00	
Standards			
18 to 24 in. stemB&B	3.00	2.50	
2 to 3 ft. stemB&B	3.50	3.00	
cassinoides. Withe Rod. 6'			
2 to 3 ft	.65	.60	.55
3 to 4 ft	.75	.70	.65
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	2.00	1.50	1.25
dentatum. Arrow Wood. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
dilatatum. Linden Viburnum. 10'			
2 to 3 ft	.65	.55	.50
3 to 4 ft	.90	.75	.70
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
5 to 6 ft. specB&B	7.50	1,20	1.00
6 to 8 ft. spec B&B			
The second secon	12.00		
hupehense. Hupeh Viburnum. 6'			
2 to 3 ft	1.25	1.00	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.80	.70
6 to 8 ft	1.25		
0 10 0 11	1.20	1.00	.90
lantana rugosum. Wrinkleleaf Wa	yfaring-	tree.	15'
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00

	TAINESVIDEE, OIII	O		101
Viburnum		1-4 Each	5-24 Each	25 & up Each
lentago.	Nannyberry. 20'	Buton	130011	250011
3 to	4 ft	.75	.65	.60
4 to	5 ft	.90	.80	.75
5 to	6 ft	1.25	1.10	1.00
6 to	8 ft	2.00	1.75	1.50
8 to	10 ft	2.50	2.25	2.00
10 to	12 ft. specB.&B	15.00		
molle.	Kentucky Viburnum. 10'			
2 to	3 ft	.45	.35	.30
3 to	4 ft	.60	.45	.40
4 to	5 ft	.75	.65	.55
5 to	6 ft	1.00	.80	.75
6 to	8 ft	1.25	1.10	1.00
nudum.	Smooth Withe Rod. 8'			
2 to	3 ft	.75	.60	.50
	4 ft	1.00	.75	.60
4 to	5 ft	1.25	1.00	.75
_	6 ft	1.75	1.50	1.25
	8 ft. spec B&B	7.50		
opulus.	High Bush Cranberry. 10'			
2 to	3 ft	.50	.40	.35
3 to	4 ft	.60	.50	.45
4 to	5 ft	75	.60	.55
5 to	6 ft	1.00	.85	.75
6 to		1.25	1.10	1.00
8 to	10 ft	1.75	1.65	1.50
opulus na	anum. Dwarf Cranberry	Bush.	2'	
=	12 in	.55	.45	.40
	15 in	.65	.55	.50
15 to	18 in	.75	.65	.60
opulus st	erile. Common Snowball.	<i>10</i> ′		
2 to	3 ft	.50	.40	.35
3 to	4 ft	.65	.50	.45
4 to	5 ft	.75	.60	.55
5 to	6 ft	1.00	.75	
ovatifolii	ım. Eggleaf Viburnum.	<i>10</i> ′		
	4 ft	1.50	1.25	
prunifoli	um. Blackhaw. 12'			
2 to		1.25	1.00	.90
3 to	4 ft	1.50	1.35	1.25
4 to	5 ft	1.75	1.65	1.50
5 to		3.00	2.75	2.50
6 to		4.00	3.75	
8 to	10 ft	6.50	5.50	5.00

		1-4 Each	5-24 Each	25 & up Each
urnum				
	ens. Downy Viburnum. 6'			٠
	to 3 ft	.75	.60	.50
	to 4 ft	1.00	.75	.60
4	to 5 ft	1.25	1.00	.75
5	to 6 ft	1.50	1.25	
rhytid	phyllum. Leatherleaf Vibur	num. 8	,	
18	to 24 inB&B	1.50	1.25	1.00
2	to 3 ftB&B	2.00	1.75	1.50
3	to 4 ftB&B	3.00	2.50	2.00
4	to 5 ftB&B	4.50	4.00	3.50
	ım. Southern Blackhaw. 10) '		
	to 3 ft	1.25	1.00	.90
	to 4 ft	1.50	1.35	1.25
4	to 5 ft	1.75	1.65	1.50
5	to 6 ft	3.00	2.75	2.50
6	to 8 ft	4.00	3.75	3.50
8	to 10 ft	6.50	5.50	5.00
sargen	i. Sargent Cranberrybush.	<i>10'</i>		
2	to 3 ft	.50		
3	to 4 ft	.75		
4	to 5 ft	1.00		
5	to 6 ft	1.50		
siebolo	. Siebold Viburnum. 10'			
3	to 4 ft	.75	.60	.50
4	to 5 ft	1.00	.75	.60
5	to 6 ft	1.50	1.00	.75
6	so 8 ft	2.50	1.50	1.25
8	to 10 ft	3.50	3.00	2.50
theifer	ım. Tea Viburnum. 12'			
2	to 3 ft	1.25	1.00	
tomen	osum. Doublefile Viburnum	. 8'		
2	to 3 ft	.55	.45	.40
3	to 4 ft	.65	.55	.50
4	to 5 ft	.75	.65	.60
5	to 6 ft	1.00	.80	.75
6	co 8 ft	1.50	1.25	1.00
toment	sum plicatum. Japanese S	nowball.	<i>8</i> ′	
2	o 3 ft	.65	.55	.50
3	o 4 ft	1.00	.75	.60
	o 5 ft	1.50	1.25	

PAINESVILLE, OHI	O		153
	1-4 Each	5-24 Each	25 & up Each
Viburnum	Bach	134611	Bach
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
venosum canbyi. Canby Viburnun	a. 8'		
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
wrighti. Wright Viburnum. 8'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.25	1.75	1.50
Vinca minor. Periwinkle.			
8 to 12 in	.12	.10	.08
minor alba. White Periwinkle.			
2 year	.40	.30	.25
minor rubra plena. Dbl. Red Per			V C
2 year	.50	.40	.30
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50		
4 to 5 ft	.65		
agnus castus alba. White Chaste-t		4 5	9 5
2 to 3 ft	.55		.35
3 to 4 ft	.65	.50	
macrophylla. Hemp-tree. 4'			
2 to 3 ft	.60		.35
3 to 4 ft	.75	.60	
negundo incisa. Cutleaf Chaste-tre	e. 4'		
3 to 4 ft	1.00	.75	
Vitis aestivalis. Summer Grape. 40'			
2 year	.45	.35	.30
3 year	.55	.45	.40
amurensis. Amur Grape. 40'			
3 year	75	.60	
o your intrinsication		•00	

	1-4 Each	5-24 Each	25 & up Each
Vitis	naci	Lacin	134011
coignetiae. Gloryvine. 40'			
2 year	.60	.50	.40
3 year	.75	.60	.50
4 year	1.00		
cordifolia. Frost or Winter Grape.	<i>40</i> ′		
2 year	.45	.35	.30
3 year	.55	.45	.40
labrusca. Fox Grape. 40'			
2 year	.45	.35	.30
3 year	.55	.45	.40
rotundifolia. Muscadine Grape. 40		• • •	• • •
3 year	.60	.50	.40
4 year	.75	.60	.50
vulpina. Riverbank Grape. 40'		.00	.00
2 year	.45	.35	.30
3 year	.55		
4 year	.75	.60	.50
•			
Weigela Abel Carriere. 10'	~ ~		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
amabilis. Rose Weigela. 8'	a =		•
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
candida. Snow Weigela. 8'	4.0	0.0	0.5
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	.35
desboisi. Desbois Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Eva Rathke. δ'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
floribunda. Crimson Weigela. 8'			
2 to 3 ft	.40,	.30	.25
3 to 4 ft	.50	.45	.35
4 to 5 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Weigela			
groenewegeni. Greenway Weigela.	<i>8'</i>		
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Gustav Mallot. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.55	.45
hortensis rubra. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
5 to 6 ft	.75	.60	.50
japonica. Japanese Weigela. 8'			
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	.35
rosea. Pink Weigela. 8'			
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
	, ,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	~*
rosea nana variegata. Dwarf Vari	•	•	
2 to 3 ft			•
3 to 4 ft	.50	.35	.30
sieboldi argenteomarginata. Varie	-		8 '
3 to 4 ft	.65	.50	
styriaca. 8'			
3 to 4 ft	.60		
4 to 5 ft	.75	.60	
Vanhoutte. Van Houtte Weigela.	<i>8</i> ′		
2 to 3 ft	.35	.25	.20
3 to 4 ft	.40	.30	.25
4 to 5 ft	.60	.45	.35
Wistaria frutescens. American Wistari	a. 30'		
2 year	.50	.35	.25
frutescens magnifica. Yelloweye	Wistario	ı. 25'	
2 year	.50	.35	.25
3 year	.60	.45	.35

	1-4 Each		25 & up Each
Wistaria			
multijuga. Japanese Wistaria. 30			
2 year	.50		
3 year		.50	
4 year		.65	.55
sinensis. Chinese Purple Wistaria.			0.0
2 year			
3 year	.60	.45	.40
2 year grafted flower-			
ing plants	1.25	1.00	
Standards. 4 ft. stem,			
30 in. head		_	
sinensis alba. Chinese White Wista	•		
2 year		.35	
3 year		.45	.40
4 year	1.00	.75	
2 year grafted flower-			
ing plants	1.25	1.00	
Standards. 4 ft. stem,			
30 in. head	6.00		
venusta. Silky Wistaria. 30'			
3 year	.60	.50	
4 year	.75		
Xanthoceras sorbifolia. 15'			
2 to 3 ftB&B	4.00		
3 to 4 ftB&B	5.00		
Zanthorhiza apiifolia. Yellowroot. 3'			
12 to 15 in. clumps	.45	.35	.25
15 to 18 in. clumps	.60	.45	.35
18 to 24 in. clumps	1.00	.75	.60
Zanthoxylum americanum. Prickly Ash	. 15'		•
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
0 00 0 10	1.20	1.00	•••
Zelkova serrata. Sawleaf Zelkova. 50'	•		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	

Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5-24 each	25&up each
*Acaena buchanani. Bluish gray, Aug., 1"\$ *sanguisorbae. Bright green foliage, 2"	.20 .20	\$.18 .18
Acanthus mollis. Purple rose, July, 4'	.20	
mollis latifolius. Rose, July, 2-3'	.20	
*Achillea ageratifolia aizoon. White, May, June,		
8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.15	.12
*millefolium Cerise Queen. Rose, July, 2'	.15	.12
*nana. White, June, July, 6"	.18	.15
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.15	.12
*ptarmica Boule de Neige. White, June,		
July, 2'	.15	.12
*ptarmica Perry White. June, July, 2'	.15	.12
*tomentosa. Yellow, June, 1'	.15	.12
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July, Aug.,		
5'	.30	.25
Actaea alba. White, May, June, 3-4'	.15	.12
rubra. Red, May, June, 3-4'	.15	.12
Adenophora chinensis. Blue, Fall, 3'	.25	
potanini. Light blue, July, Aug., 3'	.25	
Adiantum pedatum. Maiden Hair Fern	.15	.12
*Aegopodium podograria variegatum. Variegat-		
ed foliage, 1'	.18	.15

	5-24 each	25&up each
*Aethionema cordifolium. Rosy lilac, June, 6"	.20	.18
grandiflorum. Pink, June, 12"	.20	.18
*kotschyi. Rose, July, 4"	.20	.18
*persicum. Pink, June, July, 9"	.20	.18
*pulchellum. Pink, June, 8"	.20	.18
*schistosum. Rose, June, 4"	.20	.18
*Ajuga brockbanki. Purple, June, 6"	.18	.15
*genevensis. Bright blue, May, 6"	.18	.15
*reptans. Blue, May, 6"	.15	.12
Allium carinatum. Rose, June, July, 2'	.18	.15
*karataviense. White, June, July, 8"	.25	.20
narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June, July,		
2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		
Double. Separate colors, July, Aug., 5'	.15	.12
Double. Chaters' strain, separate colors	.15	.12
Fringed Allegheny. July, August, 5'	.15	.12
Single. Mixed colors, July, Aug., 5'	.15	.12
Single. Separate colors, July, Aug. 5'	.15	.12
*Alyssum argenteum. Yellow, July, Aug., 6"	.15	.12
*amanum. Yellow, May, June, 4"	.25	
*atlanticum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.18	.15
*moellendorfianum. Yellow, June, July, 6"	.25	.20
*montanum. Yellow, June, July, 8"	.25	.20
*rostratum. Yellow, June, July, 12"	.15	.12
*saxatile compactum. Yellow, May, 1'	.15	.12
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*serpyllifolium. Yellow, June, July, 4"	.18	.15
*spinosum. Pink and white, June, 3"	.30	.25
Amsonia tabernaemontana. Blue, May, June,		
3'	.18	.15
Anchusa barrelieri. Blue, May, 2'	.25	
capensis. Blue, summer, 18"	.18	.15
italica Dropmorei. Blue, June, 4-5'	.15	.12
myosotidiflora. Bright blue, May, 1'	.20	.18

	5-24 each	25&up each
*Androsace lanuginosa. Rose, June, 8"	.35	
*lanuginosa leichtlini. Rose, June, 8"	.40	
*sarmentosa. Rose, June, 6"	.40	
•		
*Anemone baldensis. White and pink, July, 1'	.25	
*hupehensis. Mauve, Aug., Sept., 1'	.20	.18
*japonica alba. White, fall, 3'	.18	.15
japonica Alice. Rose pink, fall, 3'	.20	.18
japonica Louise Uhink. White, fall, 3'	.20	
japonica Prince Heinrich. Deep pink, fall,		
3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink,		
fall, 2'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery pink,		
fall, 2'	.25	
japonica September Sprite. Pink, fall, 2'	.25	.20
*japonica Whirlwind. Pure white, fall, 3'	.20	.18
*pennsylvanica. White, July, 1½'	.15	
*pulsatilla. Blue, April, 15"	.18	.15
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.20	.18
*vernalis. White, April, 6"		•
vermund, reprint, o	.00	
*Antennaria dioica. White, May, 6"	.15	.12
*Anthemis cinerea. White, Aug., 1'	.20	.18
*montana. White, July, 10"	.20	.18
*nobilis. White, summer, 1'	.15	.12
tinctoria. Yellow, July, Aug., 3'	.15	.12
tinctoria E. C. Buxton. White, yellow eye,		
July, Aug., 3'	.15	.12
tinctoria kelwayi. Yellow, July, Aug., 3'	.15	.12
tinctoria kelwayi. White, July, 3'	.18	.15
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'.	.25	
Antirrhinum cranifolium. Blue, July, Aug., 15"	.25	.20

	5-24 each	25&up each
*Aquilegia alpina. Blue, May, June, 1'	.18	.15
*caerulea. Blue, May, June, 1½'	.20	
caerulea hybrida. Various, June, 2'	.15	.12
*canadensis. Scarlet, May, June, 2'	.15	.12
*chrysantha. Yellow, June, July, 3'	.18	.15
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.20
*flabellata nana-alba. White, June, 10"	.18	.15
*hybrida. Mrs. Scott Elliott. Various,		
June, 2'	.18	.15
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.25	.20
rosea. Long spurred pink, June, 2'	.18	.15
*siberica fl. pl. Blue and white, June, 18"	.25	.20
skinneri. Red and yellow, May, 2'	.18	.15
vulgaris. Purple, May, June, 2'	.15	.12
vulgaris nivea. White, May, 2'	.18	.15
*Arabis albida. White, May, 6"	.18	.15
*alpina. White, April, May, 6"	.15	.12
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina rosea. Pink, April, May, 6"	.20	.18
*aubretioides. Pink, May, 8"	.30	.25
*cebennensis. White, May, 10"	.20	.18
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.20	.18
*grandiflora. White, May, 4"	.18	.15
*montana. White, June, 4"	.18	.15
*purpurascens. Purple rose, July, 4"	.25	.20
*verna. White, June, July, 3"	.20	.18
verna. white, sune, sury, s	.20	
Arisaema triphyllum. Purple, May, 1'	.15	.12
*Armeria alpina. Pink, summer, 6"	.18	
*caespitosa. Pale pink, May, 2" *cephalotes rubra. Deep pink, May, June,	.30	.25
6"	.18	.15
*laucheana. Crimson, May, June, 8"	.15	.13
*maritima. Pikat, May, June, 6"	.15	.12
		.12
*maritima alba. White, May, June, 6"	.15 $.15$.12
*robusta. Crimson, May, June, 10"	.10	14

	5-24 each	25&up each
Artemisia abrotanum. Fragrant foliage, 5'	.15	.12
absinthium. Wormwood, 4'	.15	.12
dracunculus. White, August, 2'	.20	.18
frigida. Silver foliage, 18"	.20	.18
lactiflora. White, Aug., 4'	.18	.15
pontica. Gray foliage, 12"	.15	.12
purshiana. Gray foliage, 3'	.15	.12
Silver King. White foliage, 3'	.15	.12
stelleriana. White, summer, 2'	.15	.12
Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.15	.12
Asclepias incarnata. Red, August, 4'	.15	.12
tuberosa. Orange, July, August, 2'	.15	.12
*Asperula cynanchica. Pink, summer, 10"	.20	
hexaphylla. White, June, 1'	.18	.15
*hirta. Pink, July, Aug., 6"	.20	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea. Yellow, July, 3'	.20	.18
Asplenium felix faemina. Lady Fern	.15	.12
*Aster alpinus. Blue, June, July, 8"	.15	.12
*alpinus albus. White, June, July, 8"	.18	.15
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.20	.18
amellus Rud. Goethe. Lavender blue, fall,		
2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.18	.15
Anita Ballard. Soft lavender, fall, 4'	.18	.15
Ballard's Crimson. Fall, 3'	.20	.18
Beauty of Colwall. Fine blue, Sept., 3'	.15	.12
Blanchette. Mauve blush, fall, 4'	.15	.12
Blue Gem. Blue, Sept., 3'	.25	.20
Climax. Blue, Sept., Oct., 3'	.15	.12
diplostephioides. Blue, July, 2'	.18	.15
dracunculoides. Light blue, July, 2'	.25	.20
frikarti Wonder of Staefa. Lavender, fall,		
2'	.45	
Harrington's Pink. Fall, 3'	.30	

	5-24 each	25&up each
Aster		
himalaicus. Lilac, Aug., 18"	.30	.25
hyb. luteus. Yellow, Sept., 3'	.30	.25
laevis. Lavender, Sept., 4'	.15	.12
Mad. Emil Thoury. Violet, Sept., 5'	.15	.12
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.15	.12
Mauve Cushion. Mauve, Oct., 12"	.15	.12
Mauve Queen. Mauve, Sept., 3'	.18.	.15
Mrs. Raynor. Crimson, Sept., 3'	.18	.15
Mt. Everest. White, fall, 3'	.20	.18
novae-angliae. Purple, Sept., Oct., 4'	.15	.12
novae-angliae roseus. Rose, Sept., 4'	.18	.15
Queen Mary. Blue, Sept., 3'	.20	.18
Red Rover. Red, fall, 3'	.20	
Robt. Parker. Lavender, Sept., Oct., 5'	.15	.12
Rue des Hatives. Rose mauve, fall, 3'	.15	.12
Snow Queen. White, Sept., Oct., 4'	.15	.12
St. Egwyn. Soft pink, Sept., Oct., 3'	.15	.12
Sunset. Pink, Sept., 3'	.30	.25
tataricus. Purple, Oct., and Nov., 6'	.15	.12
White Climax. White, fall, 4'	.15	.12
dwarf varieties. Countess of Dudley. Clear pink, Sept.,		4.0
9"	.20	.18
Lady Henry Maddocks. Pink, Sept., 1'	.20	.18
Lavanda. Lavender blue, Sept., 6"	.30	.25
Marjorie. Rose pink, Sept., 1'	.20	.18
Nancy. Flesh pink, Sept., 1'	.20	.18
Niobe. White, Sept., 6"	.30	.25
Ronald. Lilac pink, Sept., 1'	.20	.18
Snowsprite. White, Sept., 1'	.20	.18
Victor. Lavender blue, Sept., 8"	.20	.18
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimhilde. Rose, June, July, 2' arendsi Marguerite Van Rechteren. Red,	.25	.20
tinged lilac, Aug., 4'	.30	.25
vingou muo, mug,, T	•00	.20

	5-24 each	25&up each
Astilbe		
arendsi Moerheimi. White, July, 3'	.30	.25
arendsi Philadelphia. Lavender rose, July,		
2'	.30	
arendsi Rhineland. Crimson, shaded sal-		
mon, June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25	.20
arendsi Salland. Red, July, 5'	.25	.20
biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink, July,		
3′	.25	.20
rosea Queen of Holland. Rose pink,, July,		-
3'	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.15	.12
*Aubrietia deltoidea. Purple, Apr., May, 4"	.18	.15
*deltoidea bougainvillei. Dark blue,		
April, 5"	.18	.15
*deltoidea eyrei. Rosy lilac, Apr., 5"	.18	.15
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.18	.15
*deltoidea leichtlini. Pink, April, 5"	.18	.15
*deltoidea purpurea. Purple, April, 5"	.18	.15
*hybrida. Various, Apr., May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.18	.15
tinctoria. Yellow, June, 3'	.18	.15
Belamcanda chinensis. Orange, summer, 3'		.12
*Bellis perennis alba. White, Apr., May, 3"	.15	.12
*perennis rosea. Pink, April, May, 3"	.15	.12
*rotundifolia caerulescens. Blue, May, 2"	.20	.18
*Bellium bellidioeides. Blush, summer, 4"	.15	.12
Bocconia cordata. Creamy white, Aug., 6'	.15	.12
Boltonia asteroides. White, Sept., 5'	.15	.12
latisquama. Lavender, August, 5'	.15	.12
latisquama nana. Lavender, Aug., 2'	.20	.18
Boykinia rotundifolia. White, June 2'	.18	.15
Buphthalmum speciosum. Yellow, June, 3'	.15	.12
salicifolium. Yellow, summer, 2'	.18	.15
*Calamintha alpina. Purple, summer, 6"	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
*Calandrinia umbellata. Crimson, summer, 6"	.20	.18
Calimeris incisa. Pink, summer, 2'	.25	
*Callirhoe involucrata. Red, all summer, 6"	.15	.12
*Caltha palustris. Yellow, Apr., May, 12"	.15	.12
Camassia leichtlini. Blue, May, 2'	.15 $.15$.12 .12
*Campanula alliariaefolia.		
White, June, July, 2'	.18	.15
*bononiensis. Blue, June, 2'	.18	.15
*carpatica. Blue, July, August, 9"	.18	.15
* carpatica alba. White, July, Aug., 9"	.18	.15
*collina. Blue, July, Aug., 1'	.25	
*elatinoides. Blue, summer, 6"	.20	10
*fenestrellata. Pale blue, summer, 3"	.20	.18 .25
*garganica. Light blue, June, 6"	.30 $.25$.40
*garganica hirsuta. Blue, June, 4"		
*glomerata. Purple, June, July, 2'	.15	.12
*glomerata acaulis. Purple, June, 6"	.18	.15
*glomerata superba. Violet, June, July, 2'	.18	.15
*grosseki. Blue, summer, 2'	.15	.12
*istriaca. Pale blue, June, July, 3"	.20	90
*kolenatiana. Blue, July, 9"	.25	.20
lactiflora. Light blue, August, 4'	.18	.15
latifolia alba. White, July, 3'	.20	.18
latifolia macrantha. Purplish blue, July,	.18	.15
medium. Mixed, June, July, 3'	.15	.12
medium. Separate colors, June, July, 3'	.18	.15
medium calycanthema. Mixed, July, 3'	.15	.12
medium calycanthema. Separate colors,	•10	
July, 3'	.18	15
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.18	.15
persicifolia alba. White, June, 2'	.20	.18
pyramidalis. Blue, July, 4-5'	.18	.15
pyramidalis alba. White, July, 4-5'	.18	.15
*raddeana. Purple, July, Aug., 1'	.25	.20
*raineri. Dark blue, July, 6"	.18	.15
*raineri alba. White, July, 6"	.20	.18
*rhomboidalis. Blue, July, 1'	.18	.15

		200
	$\frac{5-24}{\text{each}}$	25&up each
Campanula		
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.18	.15
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.18	.15
*turbinata alba. White, June, July, 6"	.18	.15
*trachelium. Blue, July, 2-3'	.15	.12
*Carex morrowi. White-edged foliage, 1'	.25	
*Carlina acaulis. White summer, 6"	.25	
Cassia marilandica. Yellow, July, 3-4'	.15	.12
Catananche caerulea. Blue, June, July, 18"	.15	.12
Caulophyllum thalictroides	.15	.12
Cedronella cana. Pink, July, 3'	.25	.20
Centaurea babylonica. Yellow, July, 5'	.15	.12
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana. Blue, June, July, 2'	.15	.12
ruthenica. Straw color, July, 4'	.18	
Centranthus augustifolius. Rose, summer, 18"	.20	
ruber. Red, summer, 3'	.15	.12
ruber albus. White, all summer, 3'	.15	.12
Cephalaria alpira. Yellow, July, 5'	.15	.12
tatarica. Cream, summer, 6'	.15	.12
*Cerastium arvense compactum.		•
White, July, 8"	.15	.12
* *biebersteini. White, June, 6"	.18	.15
*tomentosum. White, June, 6"	.15	.12
*Ceratostigma plumbaginoides. Blue, fall, 6"	.18	.15
*Chieranthus allioni. Orange, July, 1'	.15	.12
Chelone glabra. White, rose tinged, July, 2'	.18	.15
lyoni. Deep rose, August, 2'	.18	.15
Chrysanthemum anemone—flowered	.15	.12
Snow Queen—White.	4 P	10
*arcticum. White, fall, 2'	.15	.12
*arcticum Astrid. Pink, fall, 18"	.25	.20
balsamita. Yellow, Aug., Sept., 2'	.25	.20

100		-24 each	25&up each
Chrysanthemum	_		
coreanum. Blush, fall,		.18	.15
Cushion varieties. Fall,		.20	.18
(white, yellow, pink,	red, bronze)		
hardy button varieties		.15	.12
Baby Marguerite—p	ink.		
Bronze Button—bron	nze.		
Irene—blush white.			
Lillian Doty—pink.			
Mitzi—yellow.			
Mrs. H. Harrison—p	ink.		
Niza—delicate pink.			
Ouray—rich bronze.			
White Doty—white.			
.,			
hardy large flowering, d	ouble, fall, 4'	.15	.12
Angelo—pink.			
Boston-orange.	•		
Brune Poitevine—de	ep velvety reddish	bro	nze.
Canariense—yellow.			
Comoleta—yellow.			
Golden Queen-yello	ow.		
Harvest Home—yell			
Indian-coppery red			
L'Argentuillais—dee			
Marie Antoinette—d			
Mrs. F. H. Bergen—			
Mrs. H. Craig—yello		crim	nson
Murillo—pink.	w, overlard orange	C1 111	10011.
Oconto—white.			•
Ohio Gold—yellow.			
Old Homestead—pin	1-		
Pacific Supreme—pi			
R. Marion Hatton— Snowclad—white.	canary yenow.		
Vesuve—red.	10 mg 0 A 01	or.	0.0
Aladdin. Coppery by		.25	.20
Dazzler. Cardinal re	-	.18	.15
Daybreak. Shell pin		.25	,
Eden. Bright rose, fa	•	.18	.15
Emma Marie. Lemo	n yellow, fall, 2'	.18	.15

	5-24 each	25&up each
Chrysanthemum		
Glory of Seven Oaks, Yellow,		
Sept., 2'	.18	.15
Granny Scovill. Coral bronze, fall, 2'	.25	
Jean Cumming. White, fall, 2'	.20	
Judith Anderson. Yellow, fall, 18"	.25	
Mrs. Willis J. Martin, Strawberry,		
fall, 2'	.18	.15
Peggy Ann Hoover. Lilac pink, fall,		
2'	.18	.15
Tassiva. White, Sept., 18"	.18	.15
Yellow Normandie. Yellow, early fall,		
2'	.18	.15
hardy large flowering, single, fall, 4'	.18	.15
California—yellow.	•10	•10
Excelsior—golden yellow.		
Gypsy Girl, crimson, shading chestnut.		
Lady Smith—bright pink.		
Mrs. Calvin Coolidge—cardinal red.		
Mrs. W. E. Buckingham—salmon pink.		
		2.0
Korean hybrids. Oct., 2-2½'	.25	.20
Aphrodite—pale pink		
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac rose.		
Indian Summer—double orange		
Mars—amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red		
Profusion—rich coppery old gold		
Saturn—orange and bronze		
maximum. White, all summer, 2'	.15	.12
maximum Alaska. White, JulyAug., 2'	.15	.12
maximum Chiffon. Dbl. White, summer,		
18"	.30	
maximum Etoile d'Or. White, July, Aug.		
18"	•	.18
	.20	.10
maximum Giant Single. White, summer,	0.0	
30"	.JU	

	5-24 each	25&up each
Chrysanthemum maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.18	.15
maximum White Swan. Dbl. White, sum-		
mer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.25	.20
zawadsky. Pink, June, July, 2'	.20	
Cimicifuga racemosa. White, July, 5'	.15	.12
Clematis davidiana. Blue, August, 3'	.18	.15
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.18	.15
recta. White, July, 3'	.18	.15
recta mandschurica. White, July, 4'	.18	.15
Codonopsis clematidea. White, June, 3'	.20	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.25	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.35	
*Convallaria majalis. Clumps, white, May, 6"	.18	.15
Coptis trifolia. White, summer, 6"	.18	.15
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.15	.12
lanceolata. Yellow, summer, 2'	.15	.12
*rosea. Rose, Aug., Sept., 1'	.15	.12
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.15	.12
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.18	
*Cynanchum acuminatifolium.		
White, summer, 18"	.18	.15
Cypripedium acaule. Rose-purple. May, June,		
1'	.35	
parviflorum. Yellow, May, June, 1'	.35	
spectabile. Rose, June, 2'	.35	

	5-24 each	25&up each
Delphinium belladonna.	3	3.33
Sky blue, all summer, 4'	.15	.12
bellamosum. Dark blue, all summer, 4'	.15	.12
*chinense. Blue, July, 2'	.18	.15
*chinense album. White, July, 2'	.18	.15
elatum. Blue, July, 4'	.15	.12
formosum. Indigo, July, 4'	.18	.15
formosum coelestinum.		
Light blue, July, 3'	.15	.12
grandiflorum. Shades of blue, July, 3'	.15	.12
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue. July, 4'	.15	.12
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.25	.20
sibirica hybrida. Shades of blue, July, 3'	.15	.12
Dennstedtia punctilobula. Hay-scented Fern	.15	.12
Dianthus allwoodi. Pink, July, 1'	.18	.15
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.15	.12
barbatus. (Single Sweet William).	.10	.12
mixed colors, June, July, 1'	.15	.12
barbatus alba. White, June, July, 1'		.12
barbatus atrococcineus. Crimson, June,	•10	• + +
1'	.15	.12
barbatus fl. pl. (Double Sweet William).	•10	.12
mixed colors, June, July, 1'	.15	.12
barbatus Giant White. June, 1'	.15	.12
barbatus nigricans.	•10	•±=
Dark velvety red, June, 1'	.15	.12
barbatus Pink Beauty. Pink, June, 1'	.15	.12
barbatus Salamoni. Salmon, June, 1'	.15	.12
barbatus Sutton's Scarlet.	•10	.12
Crimson, June, 1'	.15	.12
*caesius. Rose pink, June, July, 9"	.15	.12
*chinensis heddewigi.	.10	.14
Mixed, June, July, 8"	.15	.12
*deltoides. Pink, June, 9"	.15	.12
*deltoides albus. White, June, 9"	.15	.12
*deltoides Brilliant. Red, June, 9"	.15	.12
giganteus. Red, July, 2'	.18	.12
5-5unctus. Itou, vury, 2	•10	.10

	5-24 each	25&up each
Dianthus		
*grisebachi. Purple, June, 1'	.20	.18
*graniticus. Purple, July, 6"	.18	.15
hardy pinks.		
Single, mixed, all summer, 9"	.15	.12
knappi. Yellow, summer, 1'	.18	.15
*latifolius atrococcineus.		
Crimson, summer, 1'	.15	.12
*plumarius. Mixed, summer, 8"	.15	.12
*plumarius fl. pl. Mixed, summer, 8"	.15	.12
*plumarius semperflorens.		
Pink, June, 9"	.15	.12
*Abbotsford. Crimson, all summer, 9"	.18	.15
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White and crimson, June,		
18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.18	.15
*Elizabeth Peters. Pink, June, July, 9"	.20	10
*Furst Bismark. Rose, summer, 1'	.20	.18
*Gladys Cranfield. Pink, summer, 1'	.25 $.35$	
*Hardy Harvard. Red, summer, 1' *Homer. Rosy red, June, July, 9"	.18	.15
*Her Majesty. Dbl. white, June, July, 9"	.18	.15
*Pheasant's Eye. Pink, white eye, June, 1'	.18	.15
*Souv. de Sales. Dbl. pink, June, 9"	.20	.18
*White Reserve. White, June, July, 9"	.18	.15
*speciosa. Pink, July, 10"	.15	.12
*subacaulis. Purple, June, July, 4"	.30	.25
Dicentra eximea. Rose, all summer, 1'	.18	.15
spectabilis. Rose, May, June, 2'	.30	.25
Dictamnus albus. White, June, 2'	.20	.18
albus ruber. Red, June, 2'	.20	.18
caucasicus. Red, June, 3'	.25	.20
Digitalis ambigua. Yellow, June, July, 3'	.18	.15
gloxinaeflora. Mixed, June, July, 3'	.18	.15
Isabellina. Yellow, June, July, 3'	.18	.15
lanata. Creamy yellow, July, 3'	.18	.15
lutea. Yellow, June, July, 18"	.18	.15

	5-24 each	25&up each
Digitalis		
purpurea. Mixed, June, July, 3' purpurea maculata. Spotted, June, July,	.15	.12
18"	.15	.12
purpurea monstrosa. Various, June,		
July, 3'	.15	.12
purpurea, rose. June, July, 3'	.15	.12
purpurea, white. June, July, 3'	.15	.12
Shirley Hybrids. Mixed, June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1' *latilobum. White, May, June, 1'	.18	.15 .12
		•
Doronicum caucasicum. Yellow, April, May,		
18"	.30	.25
plantagineum excelsum. Yellow, April,	25	2.0
May, 3'	.25	.20
Dorycnium hirsutum. Pink, summer, 2'	.25	.20
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, Apr., May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.20	.18
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.20	.18
Ruyschianum japonicum. Blue, summer,	9.0	10
2'	.20	.18
*Dryas octopetala. White, June, July, 4"	.35	
Dryopteris spinulosum. Wood Fern	.15	.12
thelypteris. Shield Fern	.15	.12
Echinacea purpurea. Purple, July, Aug., 3'	.15	.12
Echinops humilis. Blue, July, 2'	.18	.15
ritro. Deep steel blue, July, 3'	.15	.12
sphaerocephalus. Pale blue, July, 5'	.15	.12
*Edraianthus dinaricus. Lilac, July, 3"	.25 $.25$.20
*tenuifolius. Blue, summer, 5"		
Elymus glaucus. Blue Lime Grass, 3'	.18	.15
*Epigaea repens. Pink, Apr., May, 4"	.30	
For less than five, add five cents per plant to th	e 5-24	rate.

Epilobium angustifolium. Rose, Aug., 4'	5-24 each .18	25&up each .15
*Epimedium niveum. White, May, June, 1'	.30	
sulphureum. Yellow, May, 1'	.35	.30
Eremurus himalaicus. White, June, 6'	1.50	
Erianthus ravennae. Plume Grass. 10'	.30	.25
*Erigeron elatior. Purple, July, 2'	.25	.20
*glabellus. Violet, June, July, 1'	.15	.12
*glabratus roseus. Pink, June, 1'	.20	.18
macranthus. Violet. June, 2'	.20	.18
*speciosus. Rich purple, June, July, 2'	.15	.12
*Erinus alpinus albus. White, May, 4"	.20	.18
*alpinus roseus. Rosy purple, May, 4"	.20	.18
*Erodium corsicum. Pink, summer, 2"	.30	
Eryngium alpinum. Blue, July, 2'	.20	.18
amethystinum. Blue, summer, 18"	.18	.15
bourgati. Blue, summer, 18"	.20	10
*planum. Blue, July, Aug., 3'	.15	.12
*Erysimum kotschyanum. Orange, May, June, 5"	.18	.15
*ochroleucum. Yellow, May, 1'	.25	.20
*pulchellum. Lemon, May, June, 6"	.18	.15
	4 5	10
Eulalia gracillima. Japan Rush, 4-6'	.15	.12
zebrina. Zebra Grass, 4-6'	.15 .18	.15
,	4	
Eupatorium ageratoides. White, Aug., 3'	.15	.12
*coelestinum. Blue, Sept., Oct., 18"	.15	.12
purpureum. Purple, Aug., Sept., 5'	.15	.12
Euphorbia corollata. White, July, Aug., 2'	.18	.15
*cyparissias. Yellow, May, 10"	.15	.12
*epithymoides. Yellow, May, June, 1'	.25	
*myrsinites. Yellow, May, June, 6"	.20	.18
Festuca glauca. Fescue Grass, June, 10"	.15	.12
Foeniculum atrosanguineum. Summer, 3'	.18	.15
*Fragaria indica. White, May, 6"	.15	.12
Fuchsia magellanica. Red, summer, 3'	.30	
Funkia. (See Hosta).		
For less than five, add five cents per plant to th	e 5-24	rate.

Gaillardia grandiflora. Yellow and Crimson,	5-24 each	25&up each
all summer, 2'	.15	.12
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.20	.18
Mr. Sherbrook. Yellow, summer, 2'	.25	
Sun God. Yellow, August, 2'	.30	
*Galax aphylla. White, June, 10"	.20	.18
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.18	.15
3'	.18	.15
Galium boreale. White, July, 1½'	.18	.15
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
alba. White, Aug., 2'	.15	.12
andrewsi. Blue, August, 2'	.15	.12
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.15	
*grevilleanum. Mauve, June, July, 6"	.18	.15
*ibericum. Purple, May, June, 2'	.18	.15
*lancastriense. Mauve, May, June, 1'	.18	.15
*maculatum. Pink, May, June, 1'	.15	.12
*pratense album. White, July, Aug., 2'	.18	.15
*sanguineum. Red, June, July, 2'	.18	.15
*Geum atrosanguineum. Dark red, summer,		
1½'	.18	.15
*Lady Strathedon. Orange, summer, 15"	.18	.15
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.18	.15
*Orange Queen. Orange, summer, 15"	.20	.18
*sibericum. Scarlet, June, July, 1'	.20	Α.
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.18	.15
*Globularia cordifolia. Pale blue, June, 4"	.20	.18
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.18	.15
For less than five, add five cents per plant to th	e 5-24	rate.

	5-24 each	25&up each
Gypsophila acutifolia. Pink, July, 2-3'	.15	.12
*cerastoides. White, summer, 4"	.20	.18
paniculata. White, July, Aug., 2-3'	.15	.12
paniculata Bristol Fairy. Dbl. white, sum-	• == 0	•
mer, 3'	.30	.25
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.15	.12
*repens rosea. Pink, summer, 6"	.20	.18
Rosy Veil. Pink, summer, 2'	.30	.25
Helenium autumnale. Yellow, Aug., Sept., 5'	.18	.15
autumnale superbum. Yellow, Sept., 5'	.18	.15
bigelovi. Yellow, Sept., 4'	.20	.18
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July, 3'	.20	.18
*pumilum. Yellow, Aug., 15"	.20	.18
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.18	.15
*Helianthemum citrinum. Yellow, summer, 6"	.18	.15
*croceum. Saffron, June, July, 9"	.18	.15
*cupreum. Copper, June, July, 6"	.18	.15
*Fire Ball. Red, July, Aug., 12"	.18	.15
*mutabile. Flesh, May, June, 12"	.18	.15
*perfoliatum roseum. Salmon, summer, 6"	.18	.15
*purpureum. Bright pink, June, 6"	.25	, _ ,
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.15	.12
maximiliana. Yellow, Sept., 6'	.15	.12
Miss Mellish. Yellow, Aug., Sept., 6'	.15	.12
mollis grandiflorus. Yellow, Aug., Sept.,	.10	.12
4'	.15	.12
*multiflorus fl. pl. Yellow, summer, 4'	.18	.15
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.15	.12
Wolley Dod. Deep yellow, Sept., 7'	.15	.12
Heliopsis excelsa. Dbl. yellow, Aug. 3'	.18	.15
- , , ,	.15	
pitcheriana. Orange, July, Aug., 3'		.12
*Helleborus niger. White, Feb., Mar., 1'	.65	
*Helxine soleiroli. Creeping herb, 1"	.18	.15
For less than five, add five cents per plant to the	ne 5-24	f rate.

Hemerocallis Apricot. Apricot color, June, 2'	5-24 each .18	25&up each .15
aurantiaca. Orange, June, July, 2½'	.18	.15
Dr. Regal. Orange yellow, May, 18"	.18	.15
dumortieri. Orange, June, 2'	.15	.12
flava. Lemon yellow, June, 3'	.18	.15
florham. Golden yellow, June, 3'	.20	.18
fulva. Bronze, August, 3'	.15	.12
Gold Dust. Indian yellow, June, 2½'	.15	.12
gracilis. Yellow, June, 2'	.18	.15
Hyperion. Lemon, July, 4'	1.00	
J. A. Crawford. Apricot yellow, July, 4'.	.30	.25
kwanso. Reddish orange, June, 2½'	.20	
luteola. Orange, June, 2'	.15	.12
May Queen. Orange, May, 4'	.25	
middendorffi. Orange, June, 3'	.15	.12
minor. Yellow, June, 2'	.15	.12
Orange Man. Deep orange, June, 2'	.15	.12
Sovereign. Rich orange, June, 1½'	.15	.12
thunbergi. Lemon yellow, June, 2-3'	.15	.12
hybrids. Named varieties, 2-3'	.50	.40
Bay State. Deep yellow, Aug. Gypsy. Deep orange, July. Harvest Moon. Orange, July. Lemona. Pale lemon yellow, Aug. Mrs. W. H. Wyman. Pale lemon, Au	ø	
The Gem. Deep orange, June, July.	· o •	
*Hepatica triloba. Light blue, March, Apr., 4"	.15	.12
*Herniaria glabra. Green, summer, 4"	.18	.15
*Hesperis matronalis. Purple, June, July, 3'	.15	.12
*matronalis alba. White, June, July, 3'	.18	.15
Heuchera americana. Greenish white, 3'	.20	.18
*brizoides. Pink, June, July, 2'	.18	.15
*Fire King. Red, May, June, 15"	.35	.10
*Grenadier. Red. summer, 15"	.35	
*Pleu de Feu. Red, May, June, 2'	.25	.20
*Red Pimpernell. June, 1'	.25	V- 0
*rosamundi. Coral, summer, 18"	.25	.20
*sanguinea. Coral red, June, 1'	.18	.15
*sanguinea alba. White, June, 1'	.30	.25
*sanguinea hybrids. Various, summer, 18"		.15
*villosa. White, summer, 12"	.20	.18

Hibiscus Mallow Marvels. Mixed, July, Aug.,	5-24 each	25&up each
	15	.12
5'	.15	.14
Mallow Marvels. Separate colors, Aug.,	1.0	4 P
5'	.18	.15
Mallow Marvels. Giant Red, Aug., 5'	.18	.15
moscheutos. Rose, June, July, 5'	.15	.12
moscheutos crimson eye. White, red eye,		
Aug., 5'	.15	.12
*Hieracium aurantiacum. Orange, summer, 6"	.15	.12
*alpinum. Yellow, May, June, 9"	.20	.18
Hosta caerulea. Blue, July, 1½'	.15	.12
fortunei. Pale lilac, July, 2'	1.15	.12
lancifolia. Blue, July, 2'	.15	.12
	.35	.12
minor alba. White, fall, 10"		.15
ovata. Lavender, June, July, 1-2'	.18	
sieboldiana. Silvery foliage	.20	.18
sub-cordata grandiflora. White, Aug.,	20	10
18"	.20	.18
undulata variegata. White foliage, 2'	.15	.12
*Houstonia purpurea. Purple, May, June, 1'	.20	
*serpyllifolia. Blue, April, 2"	.18	.15
*Hutchinsia alpina. White, May, June, 4"	.30	
Hyacinthus candicans. White, Aug., 3'	.18	.15
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.18	.15
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).		
*polyphyllum. Yellow, summer, 8"	.18	.15
*repens. Yellow, July, 4"	.25	.20
*rhodopaeum. Yellow, July, 4"	.20	.18
		.15
*Hyssopus officinalis. Purple, Aug., 18"	.18	
*Iberis gibraltarica. Delicate lilac, May, 1½'	.15	.12
- *jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.18	.15
*sempervirens. White, May, June, 8"	.15	.12
*sempervirens Climax. White, May, 6"	.18	.15
*sempervirens Little Gem. White, April,		
6"	.18	.15
*sempervirens Snowflake. White, May, 9"	.25	.20
*tenoreana. Purplish white, June, 6"	.25	.20

*Incarvillea delavayi. Rosy purple, June, July,	5-24 each	25&up each
2'	.20	.18
*Inula ensifolia. Yellow, July, Aug., 8" royleana. Yellow, July, Aug., 18"	.18 .20	.15
*Iris cristata. Light blue, May, June, 6" dichotoma. Purple, Aug., 1'	.18 .25	.15
*ensata. Litac, June, 10" *ensata alba. White, June, 10" *flavissima. Yellow, May, June, 6"	.30 .30 .25	.25
fall blooming. Spring and fall, 1½-2'	.25	.20
Autumn King-blue-purple		
Autumn Queen—snow white Olive White—cream		
Ultra—ultramarine-blue		
germanica. May, June, 1½-2'. Afterglow. Soft lavender shading		
yellow	.15	.12
Ambassadeur. Smoky purple, purpl	.e	
maroon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Archiveque. Purple	.15	
Asia. Smoky blue	.18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.15	.12
Chasseur. Yellow, red veining	.20	.18
Cinnabar. Violet, maroon falls	.20	.18
Coppersmith. Coppery red	.25	•
Darius. Yellow, lilac and white falls	.15	.12
Dream. Light pink	.18	
Fairy, White, bordered blue	.15	.12
Flavescens. Yellow	.15	.12
Florentina. Pale blue	.12	.10
Florentina alba. White	.15	.12
Germaine Perthius. Violet purple	.20	.18
Gold Imperial. Golden yellow	.12	.10
Her Majesty. Lilac pink	.12	.10
Isolene. Lilac pink, old rose falls	.18	.15
Jubilee. Cream, dotted brown	.18	.15
King of Iris. Yellow, brown falls	.18	.15
King Edward. Red violet	.15	.12

	5-24 each	25&up each
Iris germanica.		
Kochi. Rich deep claret purple	.18	.15
Labor. Electric blue	.18	
Lent A. Williamson. Violet, rich		
purple falls with yellow beard	.15	.12
Leonidas. Lavender, mauve falls	.25	
Lohengrin. Lilac rose	.12	.10
Lord of June. Lavender blue, violet		
${ m falls}$.15	.12
Loreley. Light yellow, blue falls	.12	.09
Mad. Henri Cayeau. Dark purple	.18	.15
Magnifica. Violet and reddish violet	.18	
Mary Barnet. Lavender blue	.15	.12
Midnight. Dark blue	.15	.12
Mme. Chobaut. Buff and wine, dotted	.18	
Moonlight. Silvery white	.15	.12
Monsignor. Violet purple, crimson		
falls	.15	.12
Mt. Royal. Pansy purple	.18	
Nuce d'Orage. Slate gray with bronze		
and purple falls	.12	.10
Opera. Violet red, purple falls	.20	.18
Pallida Dalmatica, Lavender	.18	.15
Pallida speciosa. Light blue	.12	.09
Pluie d'Or. Yellow	.18	_
Pocahontas. White	.18	.15
Prairie Gold. Yellow	.15	.12
Princess Victoria Louise. Sulphur		
yellow, rich violet falls	.12	.10
Queen Caterina. Lavender violet,	. =	
orange beard	.18	.15
Rhein Nixe. White, violet falls	.15	
Robt. W. Wallace. Violet purple	.15	.12
Shekinah. Pale yellow, shading to	40	
buff	.18	.15
Sherwin-Wright. Golden yellow	.12	.10
Snow White. White	.15	
Souv. de Mad. Gaudichau. Deep vel-	10	4 10
vety purple	.18	.15
Taj Mahal. White	.12	.10
Tamerlan. Light blue, darker falls	_	.10
Thais. Soft rosy mauve	.18	.15

		5-24 each	25&up each
Iris	True Delight. Pure pink	.20	
	Victorine. White, mottled blue	.15	.12
	Wedgewood. Blue		.12
	intermedia hybrids. May, 18"		
	Gerda. Creamy yellow, darker falls.		
	Halfdan. Creamy white.		
	Ingeborg. Ivory white.	•	
	Helge. Light citron.		
	Walhalla. Light blue, purple falls.		
	Awaji. Large white overlaid lavender h	olue.	.25
	Bandai-San. White standards and fall lavender.	1s, bo	raerea
	Blue Bird. Single dark blue.		
	Eumee. Double lavender blue.		
	Fascination. Double mauve pink, vein	ed wl	nite.
	Florence. Amaranth purple.		
	Fukushima. Reddish purple, veined wh	ite.	
	Gold Bound. White, yellow shadings.		
	Iso-no-namie. Double soft blue.		
	Kagaribi. Double pink lavender.		
	Kumonoobi. Clear purple, white halo.		
	Mahogany. Double rich dark red.		
	Oyodo. Double wine red.		
	Patrocle. Single reddish violet.	1.	
	Purple Emperor. Large deep violet pur	-	
	Purple & Gold. Violet purple, golden Pyramid. Double violet purple, veined		
	Seacrest. Foam white.	4 **********	
	Tacoma Beauty. Pure white.		
	Thais. Rich royal purple, velvety shee	en.	
	Uchiu. Crimson purple, white veins.		
	Warei-hotei. Lavender blue, light blue	halo.	
	prismatica. Violet, May, June, 2'	.18	.15
	pseudacorus. Yellow, June, 3'	.15	.12
	*pumila alba. Dwarf, white, April, 9"		-
	*pumila caerulea. Dwarf, blue, April, 9"	.15	
	*pumila californica. Yellow, April, 9"	•	
	*pumila Curiosa. Yellow, Apr., May, 9"		.20
	*pumila Fairy. Pale blue, April, 6"	.20	.18

	5-24 each	25&up each
Iris		
*pumila Grande. Violet, blue falls, April,		
May, 9"	.25	.20
*pumila Louise. Dark blue, April, 6"	.20	4.0
*pumila lutea. Pale yellow, April, 6"	.15	.12
*pumila Schneecuppe. White, April, 6"	.18	.15
*pumila Sambo. Violet, April, 9"	.15	.12
sibirica. Purplish blue, June, 3'	$.15 \\ .15$.12
sibirica alba. White, June, 3' sibirica Emperor. Clear blue, May, 2'	.20	.12
sibirica Snow Queen. White, May, 2'	.15	.12
*Stewart. Dwarf, yellow, April, 9"	.18	.15
*tectorum. Blue, June, 1'	.25	.20
*verna. Blue, May, June, 6"	.18	.15
versicolor. Blue, June, 2'	.15	.12
Isatis tinctoria. Yellow, May, June, 6'	.15	.12
*Jasione humilis. Blue, July, Aug., 6"	.18	.15
*perennis. Blue, June, July, 6"	.18	.15
*Jeffersonia diphylla. White, May, 8"	.18	.15
Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.20	.18
*Lactuca perennis. Blue, June, 15"	.20	.18
*Lamium maculatum. Purple, July, Aug., 8"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.15	.12
*Lavandula officinalis. (Sweet Lavender). July,		
2'	.18	.15
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.20	.18
*Lewisia rediviva. Pink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.15	.12
spicata. Purple, Aug., 3'	.15	.12
Ligularia clivorum. Yellow, Aug., Sept., 3'	.18	15
Lilium auratum. (Gold Band Lily). White		
with gold band, July, Aug., 3' auratum platyphyllum. White, spotted	.30	.25
yellow, July, Aug., 3'	.40	.35
batemanniae. Salmon red, July, 3'	.30	.25
browni. White, July, 3'	.65	
canadense. Yellow to red, June, July, 3'	.15	.12
candidum. White, June, 3'	.30	.25

	5-24 each	25&up each
Lilium		
carolinianum. Orange, July, Aug., 3'	.35	
concolor. Scarlet, July, 1'	.30	.25
elegans. Shades yellow and red, July, 2'	.25	
elegans Alice Wilson. Lemon, June, July,		
2'	.45	
elegans atrosanguineum. Dark crimson,		
June, July, 1'	.40	
elegans Orange Queen. Orange, June,	0	
July, 18"	.35	
grayi. Red, July, 3'	.25	
hansoni. Orange, June, July, 4'	.45	
henryi. Yellow, July, 2'	.35	
leichtlini. Red, July, Aug., 4'	.50	0.5
longiflorum giganteum. Waxy white, 2'	.30	.25
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White, June,	- -	
July, 2'	.35	
philadelphicum. Orange red, June, July,		
3'	.18	.15
regale. White, July, 4'	.30	.25
rubellum. Rose pink, June, July, 18"	.35	.30
speciosum album. White, Aug., 3'	.30	.25
speciosum longiflorum. White, Aug., 3'	.30	.25
speciosum melpomene. White, Aug., 3'	.30	.25
speciosum rubrum. Pinkish red, Aug., 3'	.30	.25
superbum. Orange, July, Aug., 5'	.15	.12
*tenuifolium. Scarlet, June, 18"	.20	.18
testaceum. Apricot, June, July, 5'	2.50	
tigrinum fl. pl. Orange, spotted, Aug. 4'	.25	.20
tigrinum. Orange, spotted, Aug., 4'	.20	.18
umbellatum. Scarlet red, July, 2'	.25	.20
washingtonianum. White, dotted purple,		
June, July, 4'	.60	
willmottiae. Orange, July, 4'	.75	
*Limonium auriculaefolium. Blue, June, July,		
6"	.20	.18
eximium. Lilac rose, Aug., 2'	.18	.15
*gmelini. Purplish blue, Aug., 18"	.20	.18
*latifolium. Blue, July, Aug., 2'	.15	.12
For less than five, add five cents per plant to th	e 5-24	rate.

*Linaria aequitriloba. Pale mauve, June, 1"	5-24 each .20	25&up each .18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	
*cymbalaria. Lavender, summer, 4"	.18	.15
*origanifolia. Purple, June, 10"	.35	
*purpurea. Purple, summer, 3'	.25	.20
Linum austriacum. Blue, summer, 2'	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July, 1'	.18	.15
hirsutum. Lilac, summer, 2'	.18	
*narbonnense. Blue, June, July, 2'	.18	.15
*perenne. Blue, June, July, 1½'	.15	.12
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	
*viscosum. Rose, summer, 18"	.18	.15
*Lithospermum graminifolium. Blue, June, 4"	.35	
*purpureo-caeruleum. Blue, May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.15	.12
siphilitica. Blue, Sept., 3'	.15	
Lupinus polyphyllus. Blue, June, July, 3'	.18	.15
polyphyllus albus. White, June, July, 3'.	.18	.15
polyphyllus roseus. Pink, June, July, 3'.	.18	.15
*Lychnis alpina. Rose color, June, 1'	.18	.15
arkwrighti. Scarlet, summer, 15"	.18	.15
chalcedonica. Scarlet, July, 3'	.15	.12
coronaria. Crimson, July, 2'	.15	.12
coronaria alba. White, July, 2'	.15	.12
flos jovis. Pink, June, 18"	.15	.12
*haageana. Scarlet, June, July, 1'	.15	.12
tristis. Pink, summer, 2'	.18	.15
*viscaria splendens fl. pl. Red, June, 1'	.20	.18
Lysimachia clethroides. White, July, Aug., 3'	.18	.15
*nummularia. Yellow, June, July, 6"	.15	.12
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.20	.18
Lythrum alatum. Magenta, July, Aug., 3'	.15	.12
salicaria roseum. Rose, July, 4'	.15	.12
virgatum. Deep rose, July, Aug., 1½'	.18	.15

Malva alcea. Rosy purple, July, Aug., 3'		5-24 each	25&up each
moschata alba. White, July, Aug., 2'	Malva alcea. Rosy purple, July, Aug., 3'		
Marrubium vulgare. White, summer, 3'	moschata. Rose, July, Aug., 2'	.15	.12
Matricaria Golden Ball. Yellow, summer, 1'	moschata alba. White, July, Aug., 2'	.15	.12
*Mazus reptans. Lilac, April, 4"	Marrubium vulgare. White, summer, 3'	.25	
*Mazus reptans. Lilac, April, 4"	Matricaria Golden Ball. Yellow, summer, 1'	.15	.12
Melissa officinalis. White, Aug., 2'	parthenoides. White, May, 1'	.15	.12
Mentha piperita. Peppermint, Purple, 2'	*Mazus reptans. Lilac, April, 4"	.20	.18
*requieni. Mauve, July, Aug., 2"	Melissa officinalis. White, Aug., 2'	.15	.12
*Mertensia virginica. Purplish blue, March,	Mentha piperita. Peppermint, Purple, 2'	.15	.12
April, 2'	*requieni. Mauve, July, Aug., 2"	.20	.18
*Micromeria rupestris. White, fall, 10"			
*Mimulus luteus. Yellow, summer, 1'	April, 2'	.15	.12
Mitchella repens. White shaded pink, March, 4"	*Micromeria rupestris. White, fall, 10"	.18	.15
4" .15 Monardi didyma. Red, July, Aug., 3' .15 didyma Cambridge. Scarlet, July, Aug., 3' .15 3' .15 didyma Salmonea. Salmon, July, Aug., 3' .20 didyma Sunset. Mahogany, July, Aug., 3' .15 .15 .15	*Mimulus luteus. Yellow, summer, 1'	.25	.20
Monardi didyma. Red, July, Aug., 3'	Mitchella repens. White shaded pink, March,		
didyma Cambridge. Scarlet, July, Aug., 3'	4"	.18	.15
3' .12 didyma Salmonea. Salmon, July, Aug., 3' .20 .18 didyma Sunset. Mahogany, July, Aug., .15 .15	Monardi didyma. Red, July, Aug., 3'	.15	.12
didyma Salmonea. Salmon, July, Aug., 3' .20 .18 didyma Sunset. Mahogany, July, Aug., 3'	didyma Cambridge. Scarlet, July, Aug.,		
didyma Sunset. Mahogany, July, Aug., 3'	3'	.15	.12
3'	didyma Salmonea. Salmon, July, Aug., 3'	.20	.18
	didyma Sunset. Mahogany, July, Aug.,		
1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 - 1! 1 -			
	didyma splendens. Scarlet, July, Aug., 3'	.15	.12
didyma violacea. Violet, July, Aug., 3'			
fistulosa. Lilac, July, 3'			
Mulgedium Bourgaei. Lilac, Summer, 5'			
*Myosotis alpestris. Blue, April, May, 8"	- · · · · · · · · · · · · · · · · · · ·		
*alpestris alba. White, May, June, 8"			
*alpestris pink. May, June, 8"			
*palustris. Blue, all summer, 6"	•		
*Nepeta hederacea. Blue, May, 2"		_	
macrantha. Lavender, summer, 2'			
nuda. Violet, Aug., 3'			
*Six Hills Giant. Blue, summer, 1'			
*Souv. de Andre Chaudron. Blue, summer,		.00	.20
1'	· · · · · · · · · · · · · · · · · · ·	.25	.20
*Nierembergia rivularis. Creamy white, sum-			
mer, 4"		.18	.15
For less than five, add five cents per plant to the 5-24 rate.	For less than five, add five cents per plant to th	ne 5-2 4	rate.

	5-24 each	25&up each
Oenothera fraseri. Yellow, summer, 1'	.15	.12
fruticosa major. Yellow, summer, 2'	.15	.12
fruticosa youngi. Lemon, June, July, 2'	.18	.15
lamarckiana. Yellow, July, Aug., 4'	.15	.12
*missouriensis. Yellow, July, Aug., 6"	.20	.18
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.18	.15
trichocalyx. White, summer, 1'	.25	.20
Onoclea sensibilis. Sensitive Fern	.15	.12
struthiopteris. Ostrich Fern	.15	.12
Onopordon bracteatum. Pink, July, 5'	.20	.18
*Opuntia fragilis. Yellow, June, 4"	.25	.20
*humifusa. Yellow, June, 10"	.25	.20
megacantha. Yellow, June, 3'	.25	.20
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	
Osmunda cinnamonea. Cinnamon Fern	.15	.12
regalis, Royal Fern	.15	.12
Pachysandra terminalis. White, May, 3"		
2 year from pots	.12	.10
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.50	
August Dessert. Velvety rose	.50	
Beauty of France. Pale rose	.50	.40
Claire Dubois. Satiny pink	.60	
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.35	.30
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.30	.25
Felix Crousse. Brilliant Red	.40	.35
Festiva maxima. Finest early white	.40	.35
Karl Rosenfield. Early red	.50	• • •
Lady Alexander Duff. Pale pink	.75	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50
· ·		

	5-24 each	25&up each
Paeonia sinensis		3 20 2
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark purple		
garnet	1.00	
Mons. Jules Elie. Pink with darker		
guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson	.50	
Roem von Boskoop. Deep rose	.35	.30
Solange. White petals, golden brown		
center	.75	
Souv. de Louis Bigot. Bengal rose	.75	
Therese. Violet rose	.75	
Triumph de Paris. Light pink, yellow		
center	.35	.30
Virginie. Lilac rose	.35	.30
Walter Faxon. Pure pink	.75	
Wm. Mesman. White	.35	.30
single. Named colors, red, white, pink	1.00	
single Japanese. Named varieties	1.25	
Alba Grandiflora. White.		
Cleopatra. Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to whith	te.	
Shi-pen-kue. Nearest to blue in Peonic		
suffruticosa. Tree Peony. (See Page 88)		
*Papaver alpinum. Various, Summer, 6"	.18	.15
*nudicaule. All colors, summer, 8"	.15	.12
orientale bracteatum. Red, June, 2'	.18	.15
orientale. Orange scarlet, June, 2'	.15	.12
Beauty of Livermore. Crimson, June,	.25	.20
		.20
Enfield Beauty. Salmon, June, 2'	.18	9.0
Fairy. Pale pink, June, 2'	.25	.20
Lulu A. Neeley. Ox-blood red, June, 3'	.30	
May Sadler. Salmon, June, 2'	.25	
Mrs. Perry. Salmon pink, June, 3'	.20	.18
For less than five, add five cents per plant to the	e 5-24	rate.

	5-24 each	25&up each
Papaver orientale Olympia. Scarlet, June, 3' Perry's White. White, June, 3' Princess Victoria Louise. Salmon,	$.25 \\ .25$.20
June, 2'	.20 .35 .20	.18
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.20	.18
Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1' *arizonicus. Purple, June, July, 8" barbatus. Scarlet, July, 3' barbatus coccineus. Scarlet, July, Aug.,	.25 .20 .15	.20 .18 .12
4'	.18	.15
barbatus Pink Beauty. Pink, summer, 2'	.25	.20
digitalis. White, August, 3'	.18	.15
glaber. Blue, summer, 2'	.20	1 5
hirsutus. Rosy purple, July, Aug., 2' ovatus. Blue, July, Aug., 3'	.18 .18	.15
*procerus. Blue, July, 1'	.20	•10
*pygmaeus. Purplish blue, summer, 6"	.20	.18
unilateralis. Blue, June, 2'	.18	.15
Phalaris arundinacea variegata. Ribbon Grass	.15	.12
*Phlox amoena. Pink, May, 4"	.15	.12
*arendsi Louise. Lilac, all summer, 1'	.30.	
*divaricata. Lavender, May, June, 1'	.15	.12
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.18	.15
maculata. Purplish red, May, June, 4'	.15	.12
*ovata. Red, May, June, 1'	.18	
paniculata. 2-3'		
Africa. Carmine, red eye	.18	.15
Antonin Mercie. Lilac, white center	.18	.15
Athis. Salmon pink	.12	.10
B. Compte. Rich French purple Baron von Dedem. Salmon red	.18 .18	.15
Beacon. Cherry red	.18	.15

	5-24	25&up
Phlox paniculata.	each	each
Border Queen. Dwarf pink	.20	
Capt. Koehl. Blood red	.25	
Caran de Ache. Bright carmine rose	.15	.12
Caroline Vandenburg. Lavender blue	.25	
Champs Elysees. Rich purplish crim-		
son	.15	.12
Commander. Crimson	.18	.15
Count Zeppelin. White, red eye	.18	
Daily Sketch. Salmon pink, carmine		
eye	.25	
Enchantress. Salmon pink, dark eye	.18	.15
Elizabeth Campbell. Salmon pink	.18	.15
Evelyn. Salmon rose	.20	.18
Feuerbrand. Orange scarlet	.20	.18
Fiancee. White	.20	.18
George Stipp. Salmon, lighter eye	.25	.20
Gustave Lind. Deep salmon	.30	10
Johnson's Favorite. Salmon rose	.15	.12
Jules Sandeau. Large pink	$.18 \\ .25$.15
Karl Foerster. Orange scarlet Le Mahdi. Deep purple	.25	.12
Leo Schlageter. Bright scarlet	.35	.30
Lilian. Fine light pink	.25	.00
Mad. Paul Dutrie. Soft pink	.18	.15
Maid Marian. Soft lavender	.18	.15
Mary Louise. Pure waxy white	.35	
Mia Ruys. White	.25	
Mrs. Jenkins. Pure white	.15	.12
Mrs. Milly van Hoboken. Soft pink	.20	.18
Miss Lingard. White	.18	.15
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.25	.20
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.15	.12
Prof. Virchow. Orange scarlet	.18	.15
Rheinlander. Salmon pink, claret eye	.15	.12
Rokoko. Soft pink	.20	.18
R. P. Struthers. Carmine, claret red		
eye	.15	.12
Salmon Glow. Salmon pink	.25	
For less than five, add five cents per plant to the	he 5-2	4 rate.

	each	each
Phlox paniculata		
Special French. Soft pink	.15	.12
Thor. Deep salmon pink	.18 .18	.15
	.18	.15
*pilosa. Lavender, May, 1'	.15	.12
*reptans. Lilac, May, 6-12"		
*stellaria. Creeping, May, 4"	.15	.12
*subulata alba. White, April, May, 4"	.15	.12
*subulata atropurpurea. Purple, Apr., 4"	.20	.18
*subulata Blue Hills. Light blue, Apr., 4"	.20	
*subulata Fairy. Blue, purple eye, Apr., 4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	.15	.12
*subulata lilacina. Light blue, April, May,		10
4"	.15	.12
*subulata Little Dot. Lilac, April, 4"	.15	.12
*subulata nelsoni. White, May, 4"	.15	.12
*subulata Perfection. Rose, pink eye,		10
April, 4"	.15	.12
*subulata rosea. Pink, May, 4"	.12	.10
*subulata The Bride. White, pink eye,		10
May, 5"	.15	.12
*subulata Vivid. Pink, red eye, April, 4"	.18	.15
Phygelius capensis. Red, Aug., Sept., 3'	.20	
Physalis francheti. Red pods, Oct., 2'	.15	.12
Physostegia virginiana. Rose, August, 3'	.15	.12
virginiana alba. White, August, 3'	.15	.12
virginiana Vivid. Deep pink, Aug., 2'	.18	.15
*Phyteuma orbiculare. Purple, June, July, 2'	.25	.20
*scheuchzeri. Violet, June, 1'	.18	.15
Platycoden grandiflorum. Blue, summer, 2'	.15	.12
grandiflorum album. White, summer, 2'	.15	.12
*mariesi. Deep blue, summer, 1'	.15	.12
*mariesi album. White, summer, 1'	.15	.12
Plumbago larpentae. (See Ceratostigma).	•	
Podophyllum peltatum. White, May, June, 1'	.15	.12
For less than five, add five cents per plant to th		

	5-24 each	25&up each
*Polemonium caeruleum. Deep blue, June,	each	each
July, 1½'	.15	.12
*caeruleum album. White, June, July, 1½'	.15	•
*confertum. Blue, June, July, 18"	.18	.15
*reptans. Blue, May, June, 6"	.18	.15
*richardsoni. Sky blue, May, June, 6"	18	.15
Polygonum compactum. White, Aug., Sept.,		
1½'	.15	.12
cuspidatum. White, Aug., Sept., 5'	.15	.12
oxyphyllum. Creamy white, Sept., 3'	.18	.15
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.12	.10
*Potentilla atrosanguinea. Red, summer, 18"	.18	.15
*argentea. Yellow, summer, 18"	.20	.18
*crinita. Yellow, summer, 1'	.18	.15
*nepalensis. Showy red, May, June, 2'	.15	.12
*nepalensis Miss Willmott. Salmon pink,		
summer, 12" ·	.20	.18
*pyrenaica. Yellow, summer, 18"	.15	.12
*tridentata. White, summer, 1'	.18	.15
*Primula acaulis. Yellow, May, 9"	.18	.15
*auricula alpina. Various, May, 6"	.18	.15
*beesiana. Purple, May, 18"	.25	.20
*bulleyana. Apricot, June, 18"	.25	.20
*bulleyana hybrids. Various, May, 18"	.25	.20
*cashmiriana. Light lilac, May, 8"	.25	.20
*cortusoides. Deep rose, June, 10"	.20	.18
*denticulata. Purple, yellow eye, May,		
6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	
florindae. Yellow, May, 4'	.35	.30
*japonica atrosanguinea. Red, May, June,	0.0	4.0
1'	.20	.18
*japonica pink. May, June, 1'	.20	.18
*moerheim hybrids. Various, May, 12"	.25	.20
*polyanthus. White or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.25	.20
*veris. Yellow, April, May, 9"	.18	.15
For less than five, add five cents per plant to the	e 5-2 4	rate.

*D • 1	each	each
*Primula *	.20	.18
*veris Giant Munstead. Various, May, 1' *veris Gold Laced. Various, May, 9"	.25	.20
*Pulmonaria angustifolia. Blue, April, May, 8"	.20	.18
*Prunella grandiflora. Violet, summer, 8"	.18	.15
*incisa rubra. Red, summer, 6"	.18	.15
*webbiana. Purple, summer, 6"	.18	.15
Pyrethrum James Kelway. Sgl. red, June, 1'.	.20	
Princess Margaret. Crested pink, June, 1'	.25	
Rose Glory. Dbl. rose, June, 1'	.25	
roseum. Various, May, June, 1'	.15	.12
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.20	.18
uliginosum. White, September, 5'	.15	.12
Ranunculus acris fl. pl. Yellow, June, 3'	.18	.15
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.20	.18
Rudbeckia Autumn Glory. Yellow, Aug., Sept.,		
6'	.15	.12
hirta. Yellow, Aug., Sept., 3'	.15	.12
laciniata. (Golden Glow). Yellow, Aug.,		
6'	.15	.12
nitida. Single yellow, Aug., Sept., 6'	.15	.12
Rayon d'Or. Yellow, Aug., 5'	.15	.12
speciosa. Yellow, July, Aug., 2'	.15	.12
subtomentosa. Lemon yellow, August,	1 5	10
Sept., 4'	.15	.12
*Ruta graveolens. Yellow, summer, 2½'	.15	.12
*Sagina subulata. White, July, Aug., 3"	.18	.15
Salvia argentea. Pinkish white, June, 3'	.15	.12
azurea. Blue, August, 4'	.15	.12
azurea grandiflora. Blue, August, 4'	.18	.15
farinacea. Blue, July, 2-3'	.15	.12
glutinosa. Yellow, June, July, 3'	.15	.12
officinalis. Blue, summer, 18"	.15	.12
pitcheri. (See azurea grandiflora).	4 8	10
pratensis. Deep blue, June, 3'	.15	.12
pratensis rubicunda. Rose, June, July, 3' viscosa. Pink, July, 3'	.20 .18	.15
viscosa. I ma, dury, d	.10	.10

	5-24 each	25&up each
*Sanguinaria canadensis. White, April, 8"	.15	.12
*Santolina chamaecyparissus. Gray foliage, 1'	.18	.15
*Saponaria caespitosa. Rose, July, 3"	.20	.18
*ocymoides. Pink, summer, 9"	.15	.12
officinalis rosea pl. Pink, summer, 18"	.15	.12
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.18	.15
*cordifolia. Rose pink, May, June, 1'	.18	.15
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.18	.15
*decipiens. White, May, June, 4"	.20	.18
*granulata. White, May, June, 1'	.20	.18
*grisebachi. Purple, May, June, 8"	.40	
*haussmani. Yellow, May, June, 8"	.20	
*lantoscana. White, May, June, 1'	.25	.20
*lingulata rosea. Pink, April, 1'	.18	.15
*lingulata leichtlini. Rose, April, 1'	.18	.15
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	
*McNabiana. White, May, June, 12"	.20	.18
*purpurea. Rosy purple, April, 1'	.18	.15
*sarmentosa. White, summer, 2'	.30	.25
*umbrosa. Pink, May, June, 1'	.25	.20
Scabiosa caucasica. Lavender, all summer, 1'	.20	
caucasica alba. White, summer, 1'	.20	
caucasica House's Hybrids. Various, sum-		
mer, 1'	.25	
fischeri. Blue purple, summer, 2'	.20	
japonica. Lavender, Aug., Sept., 18"	.18	.15
*Schivereckia bornmulleri. White, summer, 4"	.20	.18
*Scutellaria alpina. Purple and white, summer,		
6"	.18	.15
*coelestina. Blue, summer, 1'	.20	.18
*orientalis. Yellow, June, July, 8"	.20	.18
*Sedum acre. Yellow, June, July, 4"	.15	.12
*aizoon. Yellow, July, Aug., 1'	.15	
*album. White, July, 4"	.15	.12
For less than five, add five cents per plant to th	e 5-24	rate.

	6-24 each	each
*Sedum		
*altissimum. Yellow, July, Aug., 9"	.18	.15
*anglicum. Pink, July, Aug., 3"	.20	
*douglasi. Yellow, July, 2"	.15	.12
*ewersi. Pink, Aug., Sept., 6"	.15	.12
*glaucum. Blue foliage, 2"	.15	.12
*kamtschaticum. Yellow, July, 6"	.15	.12
*lydium. White, July, 2"	.15	.12
*maximowiczi. Yellow, July, Aug., 1'	.15	.12
*maximum. Pink, Sept., Oct., 18"	.15	.12
*middendorffianum. Yellow, June, July,		
4"	.18	.15
*murale. Pink, July, 1'	.18	.15
*obtusatum. Yellow, July, Aug., 3"	.20	.18
*reflexum. Yellow, July, Aug., 8"	.15	.12
*sarmentosum. Yellow, July, 3"	.15	.12
*sexangulare. Yellow, June, July, 6"	.15	.12
*sieboldi. Pink, July, Aug., 1'	.18	.15
*spectabile. Pink, Aug., Sept., 1½'	.15	.12
*spectabile Brilliant. Crimson, Sept., 1½'	.15	.12
*spurium album. White, July, Aug., 6"	.15	.12
*spurium splendens. Rosy crimson, Aug.,	15	10
6" Diple Tules Aug 6"	.15	.12
*stoloniferum. Pink, July, Aug., 6" *stoloniferum coccineum.	.15	.12
	.15	19
Crimson, Aug., 6"		.12
*ternatum. White, May, June, 4"	.15	.12
*Sempervivum arachnoideum. Red, June, 4"	.18	.15
*arenarium. Yellow, July, 6"	.18	.15
*alberti. White, July, 8"	.20	.18
*atroviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.18	.15
*funcki. Brown, June, July, 6"	.18	.15
*fauconetti. Pink, June, 6"	.20	.18
*fimbriatum. Pink, July, 8"	.20	.18
*glaucum. Pink, July, Aug., 6"	.20	.18
*globiferum. Yellow, June, 12"	.15	.12
	.15	.12
*tectorum violaceum. Violet red, June, 4"	.10	.14
*Shortia galacifolia. White, June, 8"	.25	.20
For less than five, add five cents per plant to the	he 5-24	1 rate.

	5-24 each	25&up each
Sidalcea Rose Queen. Rose Pink, July, Aug.,		
4′	.15	.12
*Silene alpestris. White, May, June, 6"	.18	.15
*maritima. White, summer, 1'	.18	.15
*maritima rosea. Pink, summer, 1'	.20	.18
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.15	.12
*roemeri. White, July, Aug., 1'	.25	
*saxifraga. White, summer, 6"	.18	.15
*schafta. Bright pink, July, 6"	.15	.12
Silphium perfoliatum. Yellow, July, 6'	.18	.15
*Sisyrinchium angustifolium. Blue, June, July,		
6"	.18	.15
Smilacina racemosa. White, April, 2-3'	.15	.12
Solidago canadensis. Yellow, fall, 4-5'	.15	.12
rigida. Yellow, fall, 3-4'	.15	.12
shorti. Yellow, fall, 4'	.18	.15
Spigelia marilandica. Red, June, July, 2'	.25	
Spirea aruncus. White, June, July, 3-5'	.20	.18
camtschatica. White, July, 6'	.18	.15
chinensis. Silvery pink, June, July, 2'	.15	.12
eximea. Pink, June, July, 2'	.18	.15
filipendula. Single, white, June, July, 1'	.18	.15
filipendula fl. pl. White, summer, 15"	.25	
lobata. Pink, July, 4'	.18	.15
palmata. Rosy crimson, June, July, 2'	.15	.12
ulmaria fl. pl. White, June, 3-4'	.18	.15
venusta magnifica. Deep pink, July, 3'	.18	.15
Stachys lanata. Purple, June, July, 1½'	.15	.12
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.18	.15
Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept. 1'	.15	.12
laevis alba. White, Aug., Sept., 1'	.15	.12
Tanacetum vulgare. Yellow, summer, 3'	.15	.12
Teucrium chamaedrys. Rose, Aug., 1'	.18	.15
orientale. Blue, August, 10"	.20	.18
For less than five, add five cents per plant to th	e 5-2 4	rate.

Thalictrum adiantifolium. Yellow, June, 4'	5-24 each .15	25&up each .12
aquilegifolium. White, June, 5'	.15	.12
aquilegifolium purpureum.	.10	•12
Purple, June, 3'	.20	.18
baicalens. Yellow, June, 4'	.18	.15
dipterocarpum. Lilac, August, 3'	.25	.20
glaucum. Golden-yellow, June, 4'	.18	.15
minus. Greenish yellow, June, July, 2'	.18	.15
rochelbrunianum. Lavender, July, Aug., 3'	.30	.25
Thermopsis caroliniana. Yellow, June, 6'	.20	.18
mollis. Yellow, June, July, 2-3'	.20	.18
*Thymus odoratissimus. Lilac, summer, 6"	.18	.15
*nitidus. Rose, June, July, 3"	.20	.18
*serpyllum. White, June, 4"	.15	.12
*serpyllum citriodorus.	•10	
Purple, June, July, 3-5"	.15	.12
*serpyllum coccineus. Scarlet, June, 4"	.18	.15
*serpyllum lanuginosus.		
Rosy purple, June, July, 5"	.18	.15
*serpyllum roseus. Rose, summer, 8"	.18	.15
*vulgaris. Lilac, June, July, 8"	.15	.12
*Tiarella cordifolia. Creamy white, June, 8"	.15	.12
Tradescantia virginiana. Blue, all summer, 2'	.15	.12
*Trientalis borealis. White, fall, 6"	.15	.12
*Trifolium rubens. Purplish red, summer, 1'	.18	
*Trillium erectum. Purple, May, 1'	.15	.12
*grandiflorum. White, May, 1'	.15	.12
Tritoma. (See Kniphofia).		
Trollius asiaticus.		
Rich orange, July, Aug., 2'	.25	.20
*europeus. Citron yellow, July, Aug., 1'	.20	.18
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe.		
Orange, summer, 18"	.25	.20
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, sum-		
mer, 18"	.35	
77. 1. 1. 17. 0 17.0.		

	$\frac{5-24}{\text{each}}$	25&up each
*Tunica saxifraga. Light pink, June, July, 6"	.18	.15
*saxifraga alba. White, summer, 6"	.18	
*saxifraga alba fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.18	.15
Verbascum chaixi. White, summer, 3'	.20	.18
densiflorum. Yellow, June, July, 6'	.15	.12
olympicum. Yellow, July, Aug., 5'	.15	.12
phoeniceum. Various, May, June, 3'	.18	.15
willmottiae. White, summer, 5'	.18	.15
*Verbena canadensis. Purple, Aug. 18"	.25	.20
hastata. Blue, Aug., Sept., 3'	.15	.12
Vernonia noveboracensis. Purple, Aug., Sept.,		
5'	.15	.12
*Veronica allioni. Violet, June, 2"	.20	.18
*alpestris. Pale blue, June, 18"	.15	.12
*amethystina Royal Blue.		
June, July, 12"	.18	.15
*Blue Spires. Blue, summer, 18"	.20	.18
*caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.18	.15
*elegantissima. Blue, July, Aug., 2'	.15	.12
*erica. Pink, summer, 10"	.15	.12
*filiformis. Blue, May, 2"	.18	.15
*gentianoides. Pale blue, June, July, 1'	.20	.18
*incana. Pale blue, July, Aug., 1½'	.15	.12
*longifolia subsessilis. Blue, Aug., Sept., 2'	.20	.18
*orchidea. Blue, July, 18"	.18	.15
*pectinata rosea. Pink, May, June, 6"	.15	.12
*peduncularis. White, June, 6"	.18	.15
*pulchella. Blue, May, 1'	.15	.12
*repens. Pale blue, May, June, 2"	.15	.12
*rupestris. Blue, June, 6"	.15	.12
*rupestris alba. White, June, 4"	.20	.18
*rupestris nana. Dark blue, June, 2"	.20	.18
*rupestris pink. June, 4"	.20	.18
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.15	.12
*spuria. Blue, June, 18"	.15	.12
*teucrium prostrata. Blue, June, 1'	.15	.12
*True Blue. June, July, 12"	.18	.15
virginica. Pale blue, Aug., 4'	.18	.15

*Vesicaria utriculata. Yellow, Apr., May, 8"	5-24 each .20	25&up each .18
Vinca minor. Blue, all summer, 6"	.10	.08
minor alba. White, all summer, 6"	.30	.25
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.12	.10
*bosniaca. Rosy mauve, June, July, 4"	.18	.15
*cornuta Admiration. Purple, all summer,		
6"	.15	.12
*cornuta alba, type. White, all summer,		
6"	.15	.12
*cornuta Apricot. Apricot, summer, 6"	.20	.18
*cornuta Arkwright Beauty. Red, summer,	- -	
6"	.25	
*cornuta atropurpurea type. Purple, 6"	.15	.12
*cornuta Blue Perfection. Blue, all sum-		10
mer, 6"	.15	.12
*cornuta florariensis. Pale blue, summer,	0.0	1.0
6"	.20	.18
*cornuta G. Wermig. Violet, all summer,	4 P	1.0
6"	.15	.12
*cornuta Lord Nelson. Blue, summer, 6"	.20	
*cornuta Lutea Splendens. Yellow, all	1 5	10
summer, 6"	.15	.12
*cornuta Mauve Queen. Mauve, all sum-	1 1	. 10
mer, 6"	.15	.12
*cornuta Papilio. Violet, all summer, 6"	.15	.12
*cornuta Primrose Dame. Yellow, summer,	90	10
*cornuta White Perfection. White, all	.20	.18
summer, 6"	.15	.12
*Dbl. Russian. Blue, June, 4"	.30	.25
*gracilis. Deep violet, summer, 1'	.15	.12
*Jersey Gem. Rich violet, summer, 6"	.18	.15
*odorata. Blue, April, May, 6"	.15	.12
*odorata Gov. Herrick. Blue, May, 6"	.18	.15
*odorata Princess of Wales. Violet, May,		
6"	.18	.15
*odorata Rosina. Pink, May, 4"	.25	.20
*pedata. Violet, May, June, 6"	.18	.15
*primulifolia. Pale blue, summer, 6"	.20	.18
*wellsiana. Various, all summer, 6"	.18	.15
*White Jersey Gem. Summer, 6"	.20	

				25 & up Each
Yucca	filamentosa. White, June, July,	7	•	
	2 year		.15	.12
	3 year		.18	.15
gl	auca. White, June, July, 3'	• • •	.25	.20

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

			Each 1-4	5-24 Each	25 & up Each
Apples,	Crab,	5 to 7 ft	1.00	.90	
	Standard,	5 to 7 ft	1.00	.90	
Cherry	Sour,	5 to 7 ft	1.00	.90	
	Sweet,	5 to 7 ft	1.00	.90	
Peaches	,	5 to 7 ft	.75	.60	
Pears,	Dwarf,	5 to 6 ft	1.00	.90	
	Standard,	5 to 7 ft	1.00	.90	
Plums,		5 to 7 ft	1.00	.90	
Quinces	,	4 to 5 ft	1.00	.90	
Asparag	us	• • • • • • • • • • • • • • • • • • • •		.05	.03
Blackbe	rries			.08	.06
Currant	s ,		.30	.25	.20
Goosebe	rries		.30	.25	.20
Grapes,	3 yr. strong	ğ	.30	.25	.20
Raspber	ries			.08	.06
Rhubark	· · · · · · · · · · · · · · · · · · ·			.10	.08
Strawbe	erries			.06	.05

CONIFEROUS EVERGREENS

Abies balsamea A. concolor A. c. violacea A. firma A. fraseri A. homolepis A. nobilis glauca A. nordmanniana A. pectinata A. pectinata pyramidalis A. veitchi Cedrus deodara C. libani Chamaecyparis lawsoniana C. l. pendula
C. l. Triomphe de Boskoop
C. nootkatensis C. obtusa compacta C. o. crippsi
C. o. gracilis
C. o. nana C. pisifera C. p. aurea
C. p. filifera
C. p. filifera aurea C. p. filifera aurea nova C. p. plumosa
C. p. plumosa aurea
C. p. plumosa lutescens C. p. plumosa sulphurea
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus riangan J. c. albovariegata J. c. columnaris J. c. globosa J. c. mas J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi J. communis J. c. dayi J. c. depressa J. c. depressa aurea J. c. depressa plumosa J. c. hibernica J. c. kraccovica J. c. suecica J. c. suecica nana J. conferta J. excelsa J. e. stricta J. horizontalis J. h. glauca J. japonica J. j. aurea J. recurva J. rigida J. sabina J. s. tamariscifolia J. s. von ehron J. scopulorum J. sphaerica J. squamata J. s. meyeri J. virginiana

J. v. cannarti

J. v. elegantissima

J. v. glauca J. v. globosa J. v. keteleeri J. v. kosteri J. v. pendula J. v. schotti J. v. tripartita J. v. venusta Libocedrus decurrens Picea alba P. a. gloriosa
P. alcockiana
P. canadensis
P. engelmanni P. excelsa
P. e. aurea
P. e. clanbrasiliana P. e. maxwelli P. e. nana compacta P. e. nana pyramidalis P. e. pendula P. e. pygmaea
P. e. remonti
P. glauca conica P. mariana P. m. doumeti P. m. doumer P. omorika P. orientalis P. polita P. pungens P. p. glauca P. p. kosteri P. p. moerheimi P. rubra Pinus banksiana P. densiflora P. flexilis
P. montana
P. m. mughus
P. nigra P. ponderosa P. resinosa P. strobus
P. sylvestris
P. thunbergi Pseudotsuga douglasi Sciadopitys verticillata Taxus baccata T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni T. canadensis T. cuspidata
T. c. brevifolia
T. c. brevifolia compacta
T. c. capitala Thuja occidentalis T. o. aurea douglasi T. o. columbia T. o. compacta T. o. compacta Parson's T. o. elegantissima T. o. ellwangeriana T. o. ericoides
T. o. globosa
T. o. hoveyi T. o. lutea T. o. pumila T. o. pyramidalis

Coniferous Evergreens Continued

T. o. douglasi pyramidalis

T. o. Little Gem
T. o. recurva nana
T. o. reevesi
T. o. reidi
T. o. riversi

T. o. rosenthali

T. o. spiralis
T. o. umbraculifera
T. o. vervaeneana

T. o. wareana T. o. wareana lutescens

 $\underline{\mathbf{T}}$. o. woodwardi $\underline{\mathbf{T}}$. orientalis T. o. conspicua
T. o. elegantissima
T. o. nana aurea
T. o. sieboldi T. plicata T. standishi

Tsuga canadensis

T. caroliniana T. sieboldi

BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena

A. a. hinodegiri A. ledifolia

Berberis julianae

B. sargentiana

B. triacanthophora

B. verruculosa

Bruckenthalia spiculifolia

Buxus microphylla

B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris

C. v. alba

C. v. alporti C. v. aurea C. v. carnea C. v. searlei

Chamaedaphne calyculata

Crataegus pyracantha lalandi C. p. coccinea C. p. yunnanensis

Daphne cneorum

Erica carnea

E. darleyensis

E. vagans

Euonymus patens

E. radicans

E. r. acutus

E. r. argenteo-marginatus

E. r. carrieri

E. r. colorata E. r. kewensis

E. r. minima E. r. vegetus Ilex cornuta

I. crenata

I. c. bullata I. c. latifolia

I. c. microphylla

I. glabra I. opaca Kalmia latifolia

Laurocerasus o. schipkaensis Leiophyllum buxifolium pros-

tratum

Leucothoe catesbaei

Lonicera nitida

L. pileata

Mahonia aquifolium

Osmanthus aquifolium Pachistima canbyi

Pieris floribunda

P. japonica

Rhododendron carolinianum R. catawbiense R. maximum

Skimmia japonica Stranvaesia davidiana

Viburnum rhytidophyllum

DECIDUOUS SHADE TREES

Acer campestre A. cappadocicum

A. dasycarpum

A. d. pyramidale A. d. wieri

A. mandshuricum

A. negundo

A. nigrum

A. platanoides A. p. schwedleri

A. pseudoplatanus

A, rubrum

A. saccharum

Aesculus carnea

A. glabra

A. hippocastanum A. h. baumanni A. octandra

A. turbinata

Ailanthus glandulosa A. vilmoriniana

Alnus cordata A. glutinosa

A. g. laciniata A. incana

A. japonica

Betula alba

B. a. fastigiata
B. a. laciniata
B. fontinalis

B. maximowicziana

B. lenta

B. lutea B. nigra

B. papyrifera

B. p. cordifolia

B. populifolia
Carpinus betulus
C. caroliniana
C. japonica
C. yedoensis

Deciduous Shade Trees Continued

Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Euocmmia ulmoides Davidia involucrata Fagus americana Fagus americana
F. sylvatica
F. s. fastigiata
F. s. heterophylla
F. s. pendula
F. s. purpurea
F. s. riversi
Fraxinus americana
F. chinansis F. chinensis
F. excelsior
F. lanceolata
F. mandshurica F. nigra
F. pennsylvanica
Ginkgo biloba
Gleditsia elegantissima G. japonica
G. triacanthos
G. t. inermis Gymnocladus dioica Hicoria ovata Juglans cineria J. nigra J. regia J. sieboldiana Larix europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. chinense P. sachalinense Platanus occidentalis P. orientalis Populus alba
P. a. nivea
P. berolinensis
P. bolleana P. certinensis P. maximowiczi P. nigra italica
P. nigra betulifolia
P. simoni

P. suaveolens przewalski

P. tremuloides P. trichocarpa Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Q. bicolor Q. coccinea Q. lyra**ta** Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. rubra Q. texana Q. velutina Robinia pseudoacacia R. p. bessoniana
R. p. decaisneana
Salix babylonica S. b. crispa S. b. dolorosa S. b. salamoni S. elegantissima S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis S v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucupația S. quercifolia Taxodium distichum Tilia americana T. cordata
T. euchlora
T. henryana T. heterophylla T. oliveri T. platyphyllus T. tomentosa T. vulgaris Ulmus americana U. a. moline U. a. vase-shaped U. campestris U. c. klemmeri U. c. latifolia U. c. monumentalis U. c. purpurea
U. c. vegeta
U. c. wheatleyi
U. fullya U. glabra
U. g. camperdowni
U. g. nana U. japonica U. parvifolia U. pumila U. racemosa Zelkova serrata

DECIDUOUS SMALL TREES

Acanthopanax ricinifolium A. r. maximowiczi Acer buergerianum L. watereri Maackia amurensis Magnolia glauca M. kobus M. lennei M. soulangeana A. ginnala A. griseum A. japonicum aureum M. s. nigra Malus angustifolia A. nikoense A. palmatum A. p. atropurpureum
A. p. filicifolium
A. p. roseo-marginata M. arnoldiana M. baccata M. b. mandshurica M. brevipes A. pennsylvanicum M. coronaria M. c. Charlotte A. platanoides globosum A. spicatum A. tartaricum Albizzia julibrissin rosea M. dolga M. Elisa Rathke M. florentina M. floribunda Alnus pendula Amygdalus davidiana M. f. atrosanguinea M. f. lemoinei M. fusca A. d. alba A. persica alboplena
A. p. Clara Meyer
A. p. rosea plena
A. p. rosea plena
A. p. rosea plena M. glaucescens M. halliana Aralia japonica M. h. parkmani M. hopa M. ioensis M. i. bechteli M. micromalus A. spinosa Asimina triloba Broussonetia papyrifera Cercis canadensis M. niedzwetzkyana M. Oekonemurat Echtermeyer Cladrastis lutea Cornus florida
C. f. plena
C. f. rubra
C. f. welchi
C. kousa
C. mas
C. officinalis M. purpurea M. p. aldenhamensis M. p. eleyi M. prunifolia rinki M. robusta M. r. fastigiata M. r. persicifolia M. sargenti Crataegus aprica C. arkansana C. arnoldiana C. carrieri M. scheideckeri M. sieboldi C. coccinea M. spectabilis C. coccinioides C. cordata C. crusgalli M. s. alba plena M. sublobata M. theifera C. cuneata
C. hupehensis
C. macracantha
C. mollis M. t. rosea M. toringoides M. tschonoski M. yunnanensis veitchi C. monogyna M. zumi C. monogyna
C. nitida
C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea
C. peregrina
C. persistens
C. pinnatifida major
C. pruinosa
C. prunifolia
C. punctata
C. succulenta M. z. calocarpa Morus alba pendula Nyssa aquatica N. sylvatica Oxydendrum arboreum Prunus americana P. a. Newport P. armeniaca sibirica P. avium plena P. cerasifera pissardi P. cistena P. hortulana C. succulenta P. nortulana
P. incisa
P. lannesiana
P. l. Amayadori
P. l. Jonioi
P. l. sirotae
P. maacki C. tomentosa C. viridis Diospyros virginiana Gordonia alatamaha Halesia tetraptera Idesia polycarpa Koelreuteria paniculata Laburnum alpinum P. moseri fl. pl. P. mume

P. padus

L. vulgare

Deciduous Small Trees Continued

P. pennsylvanicum

P. serrulata

P. s. Amanogawa

Gioiko P. s.

P. s. Hata-zakura

P. s. Hata-zakura
P. s. Horaisan
P. s. Hosokawanioi
P. s. Higantakura
P. s. Hisakura
P. s. Jas. H. Veitch
P. s. Kuramayami

P. s. Kuramayami

P. s. Kwansan

P. s. Miyako

P. s. sachalinensis
P. s. Shirofugen
P. s. Shogetsu

P. s. Sumizome

P. sieboldi syn. Naden P. spinosa

P. subhirtella

P. s. ascendens

P. s. autumnalis P. s. pendula

P. virginiana

P. yedoensis

P. y. taizanfukun

Pterostyrax corymbosa

Pyrus calleryana

P. salicifolia

P. serrulata

Rhus cotinus

R. javanica syn. osbecki

Robinia fertilis

R. hispida
R. holdti
R. pseudoacacia Marguerite

Salix caprea

S. matsudana

S. m. tortuosa

S. regalis

Sophora japonica Sorbus americana

S. commixta

S. spuria

Styrax japonica

S. obassia

Syringa japonica S. pekinensis

DECIDUOUS SHRUBS

Abelia grandiflora

A. schumanni

pentaphyllum Acanthopanax

Aesculus parviflora

Alnus rugosa

A. viridis

Amelanchier alnifolia

A. asiatica

A. canadensis

A. laevis

A. l. rosea A. oblongifolia

A. rotundifolia syn. vulgaris

A. sanguinea

A. stolonifera Amorpha brachycarpa

A. canescens

A. fruticosa

Amygdalus nana georgica

Aronia arbutifolia

A. atropurpurea

A. melanocarpa

A. m. elata

Artemisia abrotanum Azalea calendulacea

A. canescens

A. kaempferi A. lutea

A. mollis

A. nudiflora

A. poukhanensis

A. viscosa

A. yodogawa

Baccharis halimifolia

Benzoin aestivale

B. koreana

B. thunbergi

B. t. atropurpurea B. t. minor

B. t. pluriflora

B. t. p. erecta

Berchemia racemosa

Bischoffia trifoliata Buddleia Charming

B. davidi

B. d. superba B. d. veitchi

B. farquhari

B. Ile de France B. intermedia B. lindleyana

B. paniculata

Callicarpa americana C. giraldiana C. japonica

C. purpurea Calycanthus floridus

C. occidentalis Caragana arborescens

C. boisi C. frutex Caryopteris incana

C. tangutica

Ceanothus americanus

Cephalanthus occidentalis Cercis chinensis

Chionanthus virginica Clerodendron trichotomum

Clethra alnifolia C. barbinervis C. paniculata

Colutea arborescens

C. cilicica C. media

Comptonia asplenifolia Cornus alba

C. a. elegantissima C. a. sibirica C. a. spaethi

C. alternifolia
C. amomum syn. sericea
C. baileyi

C. paniculata C. pubescens

C. rugosa C. sanguinea C. s. viridissima D. r. venusta D. scabra D. s. candidissima
D. s. Pride of Rochester
D. s. rosea plena
D. s. watereri
D. s. wellsi C. stolonifera C. s. flaviramea Corylus americana C. avellana D. Schneideriana laxiflora C. a. atropurpurea C. heterophylla setchuenensis C. rostrata Cotoneaster acutifolia D. vilmorinae Diervilla sessilifolia D. trifida Dirca palustris C. a. villosula C. adpressa Eleagnus angustifolia C. ambigua C. apiculata C. dammeri E. argentea E. longipes E. parvifolia C. dielsiana
C. divaricata
C. foveolata
C. franchei E. umbellata Elsholtzia stauntoni Enkianthus campanulatus E. perulatus C. himalaicus Euonymus alatus C. horizontalis
C. h. perpusilla
C. hupehensis E. a. compacta E. americanus E. atropurpureus C. integerrima
C. lucida
C. melanocarpa
C. microphylla
C. moupinensis
C. multiflora
C. nitens E. bungeanus E. europaeus E. e. fructu-coccineus E. latifolius E. maacki E. nanus C. nitens C. obscura E. obovatus E. oxyphyllus C. racemiflora soongarica E. yedoensis Euptelea polyandra Evodia hupehensis Exochorda grandiflora C. rotundifolia C. rosea C. salicifolia C. s. floccosa E. g. wilsoni Fontanesia fortunei C. simonsi C. tenuipes Forsythia europea F. intermedia F. i. primulina F. i. spectabilis F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi F. viridissima Fothergilla gardeni Gaylussacia baccata Genista juncea Forsythia europea C. wilsoni C. zabeli Cydonia cathayensis
C. japonica
C. j. alba
C. j. alpina
C. j. Columbia
C. j. Falconet Charlet
C. j. pygmaea
C. j. rosea plena
C. j. umbilicata
C. j. Vermilion
C. kermesiana semi-plena
C. maulei
Cytisus nigricans Cydonia cathayensis Genista juncea G. pilosa G. sagittalis G. tinctoria Hamamelis japonica Cytisus nigricans C. scoparius H. j. rubra H. vernalis H. v. tomentella C. s. andreanus C. supinus Daphne mezereum D. m. alba H. virginiana Helwingia japonica Hibiscus syriacus H. variegatus H. v. meehani Deutzia gracilis D. lemoinei
D. l. avalanche
D. I. compacta Hippophae rhamnoides Holodiscus d. ariaefolius Hovenia dulcis D. myriantha Boule Rose D. ningpoense D. parviflora Hydrangea arborescens D. rosea H. a. grandiflora D. rosea campanulata D. r. carminea D. r. eximea H. cineria sterilis H. o. Otaksa

H. o. Thos. Hogg L. syringantha H. paniculata L. s. wolfi H. p. grandiflora H. p. praecox H. quercifolia L. tatarica L. t. alba
L. t. grandiflora
L. t. lutea
L. t. sibrica H. radiata Hypericum arnoldiana H. aureum H. bucklei L. virginalis alba L. xylosteum H. densiflorum Lycium chinense H. kalmianum H. lobocarpum H. moserianum L. halimifolium Lyonia ligustrina Magnolia parviflora H. patulum M. stellata M. s. rosea H. p. henryi H. prolificum Myrica carolinensis M. cerifera M. gale Ilex geniculata I. laevigata I. monticola Nandina domestica Neillia longeracemosa I. serrata syn. sieboldi I. verticillata N. sinensis I. v. chrysocarpa Nemopanthus mucronatus Neviusia alabamensis Indigofera amblyantha I. kirilowi I. potanini Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre Itea virginica Jamesia americana P. Argentine P. Avalanche P. Banniere Jasminum nudiflorum J. stephanense P. Bouquet Blanc Kerria japonica P. coronarius
P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Dame Blanche
P. dianthiflorus plenus K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum L. f. albiflora P. falconeri Ligustrum acuminatum P. Favorite L. a. macrocarpum P. Gerbe de Neige P. Glacier P. gordonianus L amurense L. ibolium L. ibota P. grandiflorus P. incanus L. i. nanum L. i. regelianum P. lemoinei erectus
P. lewisi
P. Magdalene L. lodense L. ovalifolium L. o. variegatum P. nepalensis P. nivalis P. Norma L. vulgare L. v. foliosum L. v. leucocarpum P. Ophelia
P. Pavillon Blanc
P. pyramidale
P. sericanthus Lonicera bella albida L. bella rosea L. billardi L. chrysantha L. conjugialis P. Sybille L. dioica P. virginal P. Voie Lactee L. fragrantissima L. gracilipes P. zeyheri L. Kesselringi Photinia villosa L. kohneana P. v. laevis L. korolkowi floribunda Physocarpus intermedius parvifolius L. ledebouri P. monogynus L. maacki P. opulifolius P. o. luteus P. o. nanus L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis Pieris mariana Potentilla fruticosa Prinsepia sinensis L. ruprechtiana L. saccata Prunus besseyi L. spinosa alberti L. standishi P. demissa

R. hybrid perpetuals R. hybrid tea P. dunbari P. glandulosa P. g. albiplena P. g. sinensis R. climbing R. polyantha hybrids P. japonica P. maritima Rubus deliciosus R. odoratus P. pumila P. tomentosa R. phoenicolasius Salix discolor P. triloba P. t. plena S. doniana S. incana Rhamnus caroliniana R. cathartica S. irrorata S. jessoensis R. dahurica S. mutabilis R. frangula
R. f. asplenifolia
R. koraiensis
R. purshiana S. myricoides rigida S. nigricans cotinifolia S. purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis R. utilis R. Wilsoni Rhodora canadensis S. c. acutiloba Rhodotypos kerrioides S. nigra S. n. aurea S. n. variegata Rhus canadensis R. copallina S. pubens R. glabra R. typhina S. p. leucocarpa S. racemosus R. t. laciniata Shepherdia argentea Ribes alpinum Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni R. aureum R. fasciculatum R. gordonianum S. arborea glabrata S. lindleyana R. sanguineum Robinia Ellioti S. sorbifolia R. kelseyi R. pseudoacacia umbraculi-Spirea arguta S. billiardi fera S. bumalda S. b. Anthony Waterer S. b. walluffi R. viscosa Rosa acicularis R. blanda R. canina S. chamaedryfolia ulmifolia R. coriifolia froebeli S. dasyantha S. douglasi R. davurica R. ecae S. fortunei R. foetida S. froebeli R. f. persiana R. fujisanensis R. helenae S. japonica S. j. ovalifolia S. j. ruberrima R. hugonis S. latifolia R. humilis R. lucida S. margaritae S. nipponica rotundifolia R. marreti S. prunifolia R. moyesi S. pubescens R, multiflora S. reevesiana R. m. cathayensis R. nitida S. r. lanceata S. salicifolia R. palustris S. superba R. pendulina S. syringiflora R. rouletti S. thunbergi S. tomentosa R. rubiginosa R. r. hybrids S. trichocarpa R. rubrifolia S. van houttei R. rugosa S. veitchi R. r. alba R. r. hybrids S. wilsoni Staphylea bumalda R. sericea S. colchica R. setigera S. pinnata R. spinosissima altaica S. trifolia R. s. hispida R. s. hybrids Stephanandra flexuosa Stewartia pentagyna S. p. grandiflora R. wichuraiana R. w. hybrids

S. pseudocamellia

Symphoricarpos chenaulti S. mollis S. occidentalis S. o. heyeri S. racemosus S. vulgaris Symplocos paniculata Syringa affinis S. a. giraldi S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. velutina S. villosa S. vulgaris S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana Tamarix arricana
T. gallica
T. g. indica
T. juniperina
T. odessana
T. pentandra
T. tetandra purpurea Ulex europeus Vaccinium corymbosum V. vacillans Viburnum acerifolium

V. dilatatum V. hupehense V. lantana V. l. rugosum V. lentago V. molle V. nudum V. opulus
V. o. nanum
V. o. sterile
V. ovatifolium V. prunifolium V. pubescens V. rufidulum V. sargenti V. sargenti
V. sieboldi
V. theiferum
V. tomentosum
V. t. plicatum
V. veitchi
V. venosum canbyi
V. wrighti
Vitex agnus castus
V a. c. alba V. a. c. alba
V. macrophylla
V. negundo incisa
Weigela Abel Carriere W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea
W. rosea nana variegata
W. sieboldi argenteomarginata W. amabilis ginata W. styriaca W. Van Houtte Xanthoceras sorbifolia Zanthorhiza apiifolia

VINES

Actinidia arguta
Akebia lobata
A. quinata
A. quinata
A. henryana
A. heterophylla
A. h. amurensis
A. h. elegans
A. quinquefolia
A. q. engelmanni
A. q. murorum
A. q. saintpauli
A. tricuspidata veitchi
A. t. lowi
Aristolochia sipho
A. tomentosa
Bignonia grandiflora
B. g. Mad. Gallen
B. radicans
B. speciosa
Celastrus orbiculatus

V. americanum V. bitchuiense

V. cassinoides V. dentatum

V. carlesi

C. scandens
Clematis apiifolia
C. chrysocoma sericea
C. crispa
C. fargesi
C. flammula
C. hybrids
C. ligusticifolia
C. montana rubens
C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana
C. vitalba
C. viticella

Zanthoxylum americanum

Vines Continued

Decumaria barbara

Hedera helix
H. h. Albany
H. h. baltica
H. h. conglomerata
H. h. gracilis

Hydrangea petiolaris Lonicera alseusmoides L. browni plantierensis

L. caprifolium L. fuchsoides L. heckrotti L. henryi

L. hirsuta L. japonica L. j. halleana L. j. reticulata aurea

L. periclymenum belgica

L. prolifera syn. sullavanti

L. sempervirens L. tellmanniana

L. thibetica L. verna

Periploca graeca

P. sepium

Polygonum auberti

Pueraria thunbergiana Schizophragma hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor V. m. alba V. m. rubra plena Vitis aestivalis

V. amurensis V. coignetae

V. cordifolia
V. labrusca
V. rotundifolia
V. vulpina
Wistaria frutescens

W. f. magnifica W. multijuga W. sinensis

W. s. alba W. venusta

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

Baccharis halimifolia Bignonia grandiflora
Buddleia in variety
Clematis paniculata
Elscholtzia stauntoni
Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia Ampelopsis tricuspidata veitchi Aronia arbutifolia Aronia atropurpurea

Benzoin aestivale

*Betula papyrifera
*Betula populifolia
*Betula lenta
*Betula lutea
Cornus in variety
*Crataegus in variety
Euonymus in variety
*Hypericum prolificum

*Hypericum prolificum *Juniperus virginiana *Juniperus communis *Ligustrum in variety Lonicera in variety

Morus alba

*Myrica carolinensis

Nyssa sylvatica *Pinus in variety Photinia villosa Prunus besseyi

Prunus padus Prunus pennsylvanicum Prunus serotina

*Rhamnus in variety

*Rhus copallina *Rhus glabra *Rhus typhina Ribes in variety

Sambucus in variety
*Symphoricarpus in variety
Vaccinium corymbosum
Viburnum in variety

Vitis in variety *Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum Euonymus radicans minima

Hypericum henryi Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca Juniperus suecica nana Juniperus sabina tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota

Ligustrum vulgare Ribes alpinum Rhus canadensis Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus radicans and varieties Fagus americana Hedera helix Kalmia latifolia

Amelanchier in variety Benzoin aestivale Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuga canadensis Viburnum acerfolium Zanthorhiza apiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa Celastrus scandens Cornus alba Cornus amomum Cornus stolonifera Eunonymus radicans acutus

*Lonicera halleana *Lonicera japonica Lonicera tatarica Physocarpus opulifolius

*Rhus typhina Robinia pseudacacia *Rosa setigera

*Rosa wichuraiana *Rubus odoratus Salix caprea Salix discolor Salix incana

*Symphoricarpus vulgaris Vinca minor Vitis vulpina



Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B", this charge is included in the printed price.

18-24	,		\$.25	
2- 3'		• • • • • • • •	.35	
3- 4'			.50	
4- 5'		• • • • • • • •	.75	
5- 6'			1.00	
				Diameter of Ball
6- 8'	Shrubs	}\$	1.50	16"
1"	Trees	S	_,_,	
8-10'	Shrubs		2.25	18"
$1\frac{1}{4}$ "	Trees	}	2.20	10
1 ½ "	Trees		3.00	20"
1 ¾ "	"		4.00	22"
2"	"		5.00	24"
2 ½ "	"	• • • • • • •	6.50	3 0 "
3"	"		9.00	36"
3 ½ "	"	• • • • • • •	12.50	42"
4"	"		18.00	48"
4 ½ "	"		24.00	54"
5"	"		3 2.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.



